




LIDGET Compton
The Best Concrete Garage

LIDGETCOMPTON PRICE GUIDE
AREA January 2012

Start creating
something unique...



Hortons
tel: 01403 888222
web: hortonsgroup.com

Hortons
tel: 01403 888222

Hortons
tel: 01403 888222
web: hortonsgroup.com

Hortons
tel: 01403 888222
web: hortonsgroup.com

Contents



Why choose a LidgetCompton garage?

- ✓ We provide a 10 year structural guarantee for peace of mind.
- ✓ We are a family run business that has been around for over 30 years, we know what we are doing and can give you the level of personal service you expect, you are not just a number.
- ✓ We have real people in the office to give you advice and support all through your contract, backing up the service offered by our agents, a complete service. We're always there to help, just call.
- ✓ We manufacture the strongest and thickest reinforced concrete garage panel on the market giving guaranteed performance. We have invested in a specialist manufacturing facility, to give consistent quality for longer life.
- ✓ We supply market leading Hörmann and GDS garage doors for bigger choice and guaranteed better performance.
- ✓ We ensure that your building is normally delivered and built on the same day, installed by our own workforce, guaranteeing the highest quality and the best service.
- ✓ We offer the largest and most flexible product range to give you the best choice.

Why choose a LidgetCompton garage?	2
Special Package Offers	2
Our Agents	3
How to use this price guide	3
Pent	4
Pent Mansard	6
Apex	8
Apex 15	10
Apex 20	12
Garden Rooms	14
Sheds and Workshops	16
Main doors and front posts	18
Personnel doors	20
PVCu units	21
Size charts	22
Contact us	24



10 Year Guarantee

LidgetCompton offer a full structural guarantee for 10 years from the date of installation of your building. The guarantee is transferable, and is subject to the proper following of the Care and Maintenance Instructions supplied with your acknowledgement of order. See www.lidget.co.uk/10yearguarantee

Special Package Offers

We've put together the most popular options, and reduced the price! You can save £100s, and you will still qualify for any price promotions/discounts!



Maintenance Free Package*

- No more sanding or painting, an occasional wipe clean is all you need! This package includes:
- ✓ White vertically ribbed up and over door
 - ✓ White PVCu fascias and vergeboards
 - ✓ PVCu Gutters (Choose from White, Black or Brown)
 - ✓ 4' (1.22m) fixed white PVCu double glazed window
 - ✓ 3' (0.91m) White vertically ribbed Personnel door
 - ✓ 4 point locking on your up and over door (up to 9' (2.74m wide)
 - ✓ Timber weather bar
 - ✓ Sand and cement fillet



Premium Options Package*

- Make your garage the envy of your neighbours! This package includes:
- ✓ White Georgian up and over door with 4 point locking on doors up to 9' (2.74m) wide
 - ✓ RealBrick/Stone effect front posts (choice of 4)
 - ✓ White PVCu fascias and vergeboards
 - ✓ PVCu Gutters (Choose from White, Black or Brown)
 - ✓ 4' (1.22m) opening white PVCu double glazed window
 - ✓ 3' (0.91m) White Georgian Personnel door with 3 point locking
 - ✓ Coloured roof sheets (Apex only) – see page 23
 - ✓ Timber weather bar
 - ✓ Sand and cement fillet

LidgetCompton Tips

Look through our brochure and on the website – you will find a series of tips. Based on feedback from our customers, these are nuggets of advice passed on to help you when choosing your building.



Simply put, LidgetCompton supply the Best Concrete Garages.

Unique to LidgetCompton, we offer these Special Packages across the whole range. Once you've chosen the shape of your building, you'll find the SPO price below the main building price listing on pages 4 to 13. Don't forget that any special price offers/discounts are in addition to the savings you make on the Special Package Offers, part of the reason why LidgetCompton provide the Best Concrete Garage.

* Actual contents depend on the building chosen.

Our Agents

We have trained agents all around the UK. When you enquire about our products, we will put you in contact with them.



Amongst other things, they can give you specific advice, arrange taking down and removing old buildings, preparing a new or refurbishing concrete bases and generally help you make the best decision. Your agent can:

- ✓ Show you examples of the LidgetCompton range.

- ✓ Offer a free site survey, without obligating you in any way.
- ✓ Help with obtaining local authority approval where necessary, providing the detailed drawings necessary.
- ✓ Arrange to have your old building demolished and removed from site.
- ✓ Arrange to lay a new or refurbish an old concrete base.
- ✓ Advise on the best model to suit your requirements, blend with your house and maximise your property value.
- ✓ Arrange for the provision of electricity into your building, so you can fit remote control operators, lights, power sockets etc.
- ✓ Arrange to have your building lined out, if required.
- ✓ Arrange for you to receive your 10 year structural guarantee.

Instant Quote

Why not log on to:


www.lidget.co.uk/instantquote

to get an instant response, pricing your chosen building in the area that you live. The quote will come from your local agent, who can help and give advice at every stage. We're on the end of a phone as well, if you need any further help, or log on to:

www.lidget.co.uk/contactus

How to use this price guide

First choose the basic shape of your building...



...then choose the size...

length...

...then width...

...and finish

You can personalise your building to your exact specification...

...or choose one of our time and money saving Special Packages



Design and Build

If you can't find it, don't despair! Our engineers can normally design a building for you, so if you want a building of a non-standard size, width, length or height, just let us know and we'll do our best to help you. Log on to our website:

www.lidget.co.uk/designandbuild

and just follow the simple instructions there. Alternatively,

email designandbuild@lidget.co.uk

or ring customer services on **01709 881844**

...giving us a brief description of what you want and what you want it for.

Not just a garage, but a workshop, a music room, a garden room, a potting shed, play area, store, utility – you name it; and it's been done in a LidgetCompton building!



The LidgetCompton Honest Pricing Policy

How do we work out our prices?

Our pricing is designed to be transparent:

Concrete garages, sheds and workshops are heavy, and take up a lot of space on a lorry. They need specialised machinery to handle, load and offload.

The basic building price is the

same wherever you are, and we

simply pass on the cost of transport and

labour, which increases the further away you live

from Yorkshire, where we make our buildings.

With LidgetCompton, what you see is what you

get. It's a logical and understandable method,

ensuring that you get value for money.

We're not trying to rip anyone off, simply to cover

our costs and make a reasonable return.

We offer the best value for money in the market today, tell us if you think anyone offers the same product at better value.

Pent

You've chosen the shape of your building. What's next?



Step 1

Size and finish

- First of all, choose the **length** and **width** of your building from the table below.



- Then choose the **wall finish** you want:

☐ Spar ☐ Brick/Stone effect ☐ Textured

This is your **standard building price**.

- For a **rear gutter**, add the figure from the bottom row.
- For **additional height**, add 25% to the basic Spar building price to give you a 7'6" (2.29m) high building.
- For a **Lean-to**, add 10% to basic Spar building price*.

		Building width				16'6" (5.02m)		18'6" (5.63m)		20'6" (6.24m)			
		14'6" (4.41m)				2 × 7' (2.13m) door		2 × 8' (2.43m) door		2 × 8' (2.43m) door			
		12'6" (3.81m)				10' (3.04m) door		2 × 7' (2.13m) door		2 × 8' (2.43m) door			
		9' (2.74m) door				10' (3.04m) door		2 × 7' (2.13m) door		2 × 8' (2.43m) door			
		9'6" (2.89m)				10'6" (3.20m)				12'6" (3.81m)			
		8' (2.43m) door				9' (2.74m) door				10' (3.04m) door			
		8'6" (2.49m)				9'6" (2.89m)				10'6" (3.20m)			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.13m) door				8' (2.43m) door				9' (2.74m) door			
		7' (2.1											



In a hurry? Our **Special Package Offers** are designed to save you time and money. We've put together the most popular building options and reduced the price, and you still qualify for any price promotions and discounts!



Maintenance Free package:

- ✓ White fully retractable vertically ribbed up and over door with 4 point locking
- ✓ White PVCu 4' (1.22m) fixed window
- ✓ White PVCu fascias, verge and back board
- ✓ White PVCu gutters to rear elevation
- ✓ White 3' (0.91m) vertically ribbed personnel door
- ✓ Sand and cement fillet
- ✓ Timber weather bar

Save up to

£347



Premium Options package:

- ✓ White fully retractable Georgian up and over door with 4 point locking
- ✓ White 3' (0.91m) wide Georgian personnel door with 3 point locking
- ✓ White PVCu gutters to rear elevation
- ✓ White 4' (1.22m) PVCu opening window
- ✓ Brick front posts - choice of 4 colours
- ✓ Sand and cement fillet
- ✓ Timber weather bar

Save up to

£923

Building width

SPO ►	8'6" (2.49m)		9'6" (2.89m)		10'6" (3.20m)		12'6" (3.81m)		14'6" (4.41m)		16'6" (5.02m)		18'6" (5.63m)		20'6" (6.24m)	
	MF	PO	MF	PO	MF	PO	MF	PO	MF	PO	MF	PO	MF	PO	MF	PO
	1245	1792	1298	1940	1304	2019	1368	2252	1966	2790	1681	2345	1786	2641	1798	2861

MF = Maintenance Free Package PO = Premium Options Package

Supplied as standard:

Wall finish: Thicker concrete steel reinforced panels with spar finish.

Front posts: Spar.

Main door: Hörmann pre-framed, fully retractable, white powder coated galvanised steel, horizontal ribbed up and over door.

Roof: Robust C section galvanised steel rafters supporting a galvanised steel roof, with Gfro thermo anti-condensation treatment and no joins.

Fascias and vergeboards: Factory preservative treated timber.
Window: 4' (1.22m) timber fixed factory preservative treated.

Pent

Step 2

Style

Bespoke Options

- Choose any of the Bespoke Options to personalise your building.
- Find your width in the table and add any of the options in that column.
- You will see page number references against those option groups that have more choices, turn to those pages to select from these.

		Building width							— Included as standard —	
		SPOs	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"
		MF	P0							
Main door width ►			7'	8'		9'	10'	2 × 7'	2 × 8'	
Main Door (see also page 18 & 19 for more options)										
Horizontal ribbed										
Vertical (white/brown)	✓		59	114	114	176	969	118	228	228
Georgian (white/brown)		✓	179	369	369	404	1200	358	738	738
Add 4-point locking		✓	104	104	104	104	—	208	208	208
Add Decograin (Golden Oak/Rosewood)			248	248	248	248	248	497	497	497
Rollershutter			249	299	299	359	429	498	598	598
Sectional			859	859	859	979	1059	1718	1718	1718
Side hung timber			141	160	160	n/a	n/a	282	320	320
Electric remote control (U80)			959	959	959	959	959	1917	1917	1917
Roof (Plastisol roof sheets. Choose from Black, Light Grey, Dark Grey, Olive Green, Terracotta, Dark Brown)										
14'3"			630	704	778	927	1075	1223	1371	1520
16'3"			719	803	888	1057	1226	1395	1564	1733
18'3"			807	902	997	1187	1377	1566	1756	1946
20'3"			895	1001	1106	1317	1527	1738	1949	2159
22'3"			984	1100	1215	1447	1678	1910	2141	2373
24'3"			1072	1198	1325	1577	1829	2081	2334	2586
26'3"			1161	1297	1434	1707	1980	2253	2526	2799
28'3"			1249	1396	1543	1837	2131	2425	2719	3013
Fascia and Vergeboard (supplied with timber as standard)										
PVCu (White)	✓		468	468	468	468	468	684	684	684
PVCu Decograin (Golden Oak/Rosewood)			639	639	639	639	639	884	884	884

		SPOs		Building width						
		MF	P0	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	20'6"
				7'	8'		9'	10'	2 × 7'	2 × 8'
Main door width ►										
Personnel Door (all O/A frame. See page 20 for more options)										
Standard Timber	3'			156	156	156	156	156	156	156
	4'			260	260	260	260	260	260	260
Deluxe Timber	3'			275	275	275	275	275	275	275
Galvanised steel white vertical	3'	✓		379	379	379	379	379	379	379
	4'			649	649	649	649	649	649	649
Galvanised steel white Georgian	3'		✓	835	835	835	835	835	835	835
3 point locking (to steel personnel doors)			✓	89	89	89	89	89	89	89
Add Decograin (Golden Oak/Rosewood) to white vertical/Georgian 3' price				550	550	550	550	550	550	550
PVCu Half Glazed (white)	3'			707	707	707	707	707	707	707
	3'6"			759	759	759	759	759	759	759
PVCu Half Glazed Decograin (Golden Oak/Rosewood)	3'			949	949	949	949	949	949	949
	3'6"			1001	1001	1001	1001	1001	1001	1001
Windows (supplied with 4' (1.22m) fixed timber window as standard)										
Timber fixed	2'			67	67	67	67	67	67	67
	4'			89	89	89	89	89	89	89
PVCu fixed (white)	2'		✓	192	192	192	192	192	192	192
	4'			243	243	243	243	243	243	243
PVCu opening (white)	2'			251	251	251	251	251	251	251
	4'		✓	291	291	291	291	291	291	291
PVCu fixed Decograin (Golden Oak/Rosewood)	2'			259	259	259	259	259	259	259
	4'			313	313	313	313	313	313	313
PVCu opening Decograin (Golden Oak/Rosewood)	2'			327	327	327	327	327	327	327
	4'			379	379	379	379	379	379	379
Others										
Lining clips (pack of 12)				25	25	25	25	25	25	25
Sand & cement fillet		✓		104	104	104	104	104	134	134
RealBrick front posts			✓	211	211	310	572	582	316	596
Partition wall (adds 3' (75mm) to length)				242	271	299	356	413	470	527
Timber weather bar		✓		48	48	48	48	48	97	97
Shelf Stack (2' 4' or 6')				116 / 135 / 154						

MF = Maintenance Free Package PO = Premium Options Package

Pent Mansard

You've chosen the shape of your building. What's next?

Step 1 Size and finish

• First of all, choose the **length** and **width** of your building from the table below.

• Then choose the **wall finish** you want:

This will give you your **standard building price**.

- Gutters are included on front and rear elevations on this model.
- If you need **additional height**, add 25% to the basic Spar building price to give you a 7'6" (2.29m) high building.
- For a **Lean-to**, add 10% to basic Spar building price.*

		Building width																					
		8'6" (2.49m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.41m)	16'6" (5.02m)	18'6" (5.63m)	20'6" (6.24m)														
		7' (2.13m) door	8' (2.43m) door			9' (2.74m) door			10' (3.04m) door			2 x 7' (2.13m) door			2 x 8' (2.43m) door								
Length	14'3" (4.34m)	3117	4786	5263	3456	5168	5658	3616	5415	5929	4112	6084	6648	5424	7483	8071	8140	6029	8175	8788	6466	8785	9448
	16'3" (4.95m)	3168	5010	5537	3597	5483	6022	3746	5718	6282	4253	6399	7012	5601	7834	8471	8572	6175	8494	9157	6676	9169	9881
	18'3" (5.56m)	3335	5351	5927	3730	5789	6377	3877	6023	6636	4415	6734	7397	5750	8156	8843	8966	6421	8914	9626	6868	9534	10296
	20'3" (6.17m)	3514	5703	6329	3931	6164	6801	4026	6345	7008	4576	7069	7781	5965	8544	9281	9396	6694	9360	10122	7112	9951	10763

In a hurry? Our **Special Package Offers** are designed to save you time and money. We've put together the most popular building options and reduced the price, and you still qualify for any price promotions and discounts!

Maintenance Free package:

✓ Included

Premium Options package:

- ✓ White fully retractable Georgian up and over door with 4 point locking
- ✓ White 3' (0.91m) wide Georgian personnel door with 3 point locking
- ✓ Brick front posts – choice of 4 colours
- ✓ White 4' (1.22m) PVCu opening window
- ✓ Sand and cement fillet
- ✓ Timber weather bar

Save up to

• **£787**

Building width

SPO ▶	8'6" (2.49m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.41m)	16'6" (5.02m)	18'6" (5.63m)	20'6" (6.24m)
	MF PO Included 1396	MF PO Included 1539	MF PO Included 1613	MF PO Included 1836	MF PO Included 2362	MF PO Included 1746	MF PO Included 2031	MF PO Included 2240

MF = Maintenance Free Package PO = Premium Options Package

Supplied as standard:

Wall finish: Thicker concrete steel reinforced panels with spar finish.

Front posts: Spar.

Main door: Hörmann pre-framed, fully retractable, white powder coated galvanised steel, horizontal ribbed up and over door.

Roof: Metrotile front elevation with a choice of 6 colours. Metrotile granular galvanised steel panile profile roof tiles, in a choice of six colours. One piece corrugated galvanised steel roof sheets, with Grafo therm anti-condensation treatment. C section galvanised steel rafters.

Fascias and vergboards: White PVCu clad Fascia, vergeboard and rearboard.

Windows: 4' (1.22m) White PVCu fixed factory preservative treated. Gutters: White PVCu gutters and downpipe to both front and rear elevations.

Pent Mansard

Step 2

Style

Bespoke Options

- Choose any of the Bespoke Options to personalise your building.
- Find your width in the table and add any of the options in that column.
- You will see page number references against those option groups that have more choices, turn to those pages to select from these.

		SPOs	Building width									
		P0	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"		
Main door width ▶			7'	8'	8'	9'	10'	2 × 7'	2 × 8'			
Main Door (see also page 18 & 19 for more options)												
Horizontal ribbed			— Included as standard —									
Vertical (white/brown) Georgian (white/brown) Add 4-point locking	✓	✓	48	48	48	48	48	96	96	96		
			138	270	270	270	270	276	540	540		
			84	84	84	84	—	168	168	168		
			198	198	198	198	198	396	396	396		
Add Decograin (Golden Oak/Rosewood)			479	499	499	499	958	998	998			
Sectional			114	114	114	114	228	228	228			
Side hung timber			774	774	774	774	1548	1548	1548			
Electric remote control (U&O)												
Fascia and Vergeboard												
— Included as standard —												
PVCu (White)			171	171	171	171	171	201	201	201		
PVCu Decograin (Golden Oak/Rosewood)												

P0 = Premium Options Package

		SPOs		Building width							
		P0		8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"
Main door width ▶				7'	8'		9'	10'	2 × 7'		2 × 8'
Personnel Door (all O/A frame. See page 20 for more options)											
Standard Timber	3'		156	156	156	156	156	156	156	156	156
	4'		260	260	260	260	260	260	260	260	260
Deluxe Timber	3'		275	275	275	275	275	275	275	275	275
	3'		379	379	379	379	379	379	379	379	379
Galvanised steel white vertical	3'		649	649	649	649	649	649	649	649	649
	4'		835	835	835	835	835	835	835	835	835
Galvanised steel white Georgian	3'	✓									
	3'		89	89	89	89	89	89	89	89	89
3 point locking (to steel personnel doors)	3'										
	4'		550	550	550	550	550	550	550	550	550
Add Decograin (Golden Oak/Rosewood) to white vertical/Georgian 3' price	3'		707	707	707	707	707	707	707	707	707
	3'6"		759	759	759	759	759	759	759	759	759
PVCu Half Glazed (white)	3'		949	949	949	949	949	949	949	949	949
	3'		1001	1001	1001	1001	1001	1001	1001	1001	1001
PVCu Half Glazed Decograin (Golden Oak/Rosewood)	3'										
	3'6"										
Windows (4' (1.22m) white PVCu fixed window included)											
Timber fixed	2'		67	67	67	67	67	67	67	67	67
	4'		89	89	89	89	89	89	89	89	89
PVCu fixed (white)	2'		192	192	192	192	192	192	192	192	192
	4'		243	243	243	243	243	243	243	243	243
PVCu opening (white)	2'		251	251	251	251	251	251	251	251	251
	4'	✓	291	291	291	291	291	291	291	291	291
PVCu fixed Decograin (Golden Oak/Rosewood)	2'		259	259	259	259	259	259	259	259	259
	4'		313	313	313	313	313	313	313	313	313
PVCu opening Decograin (Golden Oak/Rosewood)	2'		327	327	327	327	327	327	327	327	327
	4'		379	379	379	379	379	379	379	379	379
Others											
Timber weather bar		✓	48	48	48	48	48	48	97	97	97
			25	25	25	25	25	25	25	25	25
Lining clips (pack of 12)			104	104	104	104	104	104	134	134	134
		✓	211	211	310	572	582	316	316	316	596
Sand & cement fillet			242	271	299	356	413	470	527	527	584
		✓									
RealBrick front posts											
Partition wall (adds 3" (75mm) to length)											
Shelf Stack (2' 4" or 6')											



Step 1

Size and finish

- First of all, choose the **length** and **width** of your building from the table below. For longer buildings, add in the 2' increment price. (For example, a 28'3" building would be the 24'3" price plus 2 x 2' increment prices; $2 \times 2' = 4'$ then $24'3" + 4' = 28'3"$).



Spar Brick/Stone effect Textured

This will give you your **standard building price.**



- For **side gutters**, add the figure from the end column.
- For **additional height**, add the following to the basic spar building price: 7' +15%, 7'6" +25%.
- For a **Lean-to**, add 10% to basic Spar building price.*

		Building width														Gutters																				
		8'6" (2.49m)		9'6" (2.89m)		10'6" (3.20m)		12'6" (3.81m)		14'6" (4.41m)		16'6" (5.02m)		18'6" (5.63m)		20'6" (6.24m)		22'6" (6.85m)		24'6" (7.46m)		26'6" (8.07m)														
Door width ►		7' (2.13m) door		8' (2.43m) door		9' (2.74m) door		10' (3.04m) door		11' (3.35m) door		12' (3.66m) door		13' (3.97m) door		14' (4.28m) door		15' (4.59m) door		16' (4.90m) door		17' (5.21m) door														
Building length	14'3" (4.34m)	2328	4086	4589	2648	4451	4967	2786	4681	5222	3304	5382	5976	4588	6757	7377	4355	6524	7143	4961	7222	7868	5384	7828	8526	6018	8552	9276	6291	9008	7841	10649	11452	100	199	
	16'3" (4.95m)	2401	4342	4897	2793	4780	5348	2964	5042	5636	3474	5734	6380	4783	7135	7806	4671	7024	7695	5228	7671	8369	5634	8260	9010	6302	9018	9795	6588	9489	10317	8162	11153	12008	114	227
	18'3" (5.56m)	2601	4724	5331	2950	5119	5739	3121	5382	6028	3671	6114	6813	4986	7521	8245	4985	7519	8243	5532	8158	8908	5943	8751	9554	6624	9525	10353	6925	10088	8529	11703	12610	128	255	
	20'3" (6.17m)	2749	5056	5715	3105	5458	6129	3320	5763	6462	3877	6503	7253	5192	7909	8685	5239	7956	8732	5858	8667	9469	6192	9183	10038	6892	9975	10856	7206	10472	11404	8833	12190	13149	142	283
	22'3" (6.78m)	3010	5499	6210	3326	5861	6585	3536	6163	6913	4049	6858	7660	5395	8296	9124	5604	8504	9332	6128	9118	9974	6469	9643	10550	7206	10472	11404	7524	10982	11967	9189	12729	13740	156	311
24'3" (7.39m)	3248	5920	6683	3489	6206	6983	3709	6517	7320	4198	7189	8044	5563	8646	9526	5930	9013	9893	6392	9567	10474	6736	10092	11052	7440	10888	11873	7946	11576	12614	9454	13176	14239	170	339	
		► Add for each additional 2' (0.61m) increment ►																																		
+ 2'		154	336	387	179	362	414	182	364	417	223	406	458	270	453	505	299	483	534	229	411	464	359	542	594	321	504	556	345	528	580	364	546	599	14	28

In a hurry? Our **Special Package Offers** are designed

to save you time and money. We've put together the most popular building options and reduced the price, and you still qualify for any price promotions and discounts!





Maintenance Free package:

- ✓ White fully retractable vertically ribbed up and over door with 4 point locking
- ✓ White PVCu 4' (12.2m) fixed window
- ✓ White PVCu fascias, verge and back board
- ✓ White PVCu gutters to both sides
- ✓ White 3' (0.91m) vertically ribbed personnel door
- ✓ Sand and cement flit
- ✓ Timber weather bar



Premium Options package:

- ✓ White fully retractable Georgian up and over door with 4 point locking
- ✓ White 3' (0.91m) wide Georgian personnel door with 3 point locking
- ✓ Coloured roof sheets, choice of 8 colours
- ✓ White 4' (1.22m) PVCu opening window
- ✓ White PVCu fascia front and rear, with vergeboard
- ✓ Ribbed front posts – choice of 4 colours
- ✓ White PVCu gutters to both sides
- ✓ Sand and cement flit
- ✓ Timber weather bar

Save up to

£572

Save up to

£1733

***Talk to your agent about completing the questionnaire prior to order.**

Supplied as standard:

Wall finish: Thicker concrete steel reinforced panels with spar finish.

Front posts: Spar.

Main door: Pre-framed, fully retractable, white powder coated galvanised steel, horizontal ribbed up and over door.

Roof: 12.5° pitch roof with fibre cement roof sheets, eaves filler.

Fascias and vergeboards: Factory treated timber fascia and vergeboards.

Window: 4' (1.22m) timber fixed factory preservative treated.

Apex

Step 2

Style

Bespoke Options

- Choose any of the Bespoke Options to personalise your building.
- Find your width in the table and add any of the options in that column.
- You will see page number references against those option groups that have more choices, turn to those pages to select from these.

	SPOs		Building width											
	MF	P0	7'	8'	9'	10'	2 × 7'	2 × 8'	2 × 9'	2 × 10'				
Main door width ▶														
Main Door (see also page 18 & 19 for more options)														

Horizontal ribbed

Vertical (white/brown)	✓	59	114	114	176	969	118	228	352	352	1938
Georgian (white/brown)	✓	179	369	369	404	1200	358	738	808	808	2400
Add 4-point locking	✓	104	104	104	104	—	208	208	208	208	—
Add Decograin (Golden Oak/Rosewood)		248	248	248	248	248	497	497	497	497	497
Rollershutter		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Sectional		859	859	859	979	1059	1718	1718	1718	1958	2118
Side hung timber		141	160	160	n/a	n/a	282	320	320	n/a	n/a
Electric remote control (U80)		959	959	959	959	959	1917	1917	1917	1917	1917

Roof (Coloured roof sheets. Choose from Spanish Red, Charcoal, Blue, Olive Green, Black, Brown or Terracotta. Includes eaves filler)

14'3"	✓	225	252	278	331	384	437	490	543	596	649	702
16'3"	✓	257	287	317	377	438	498	559	619	679	740	800
18'3"	✓	288	322	356	424	492	559	627	695	763	831	899
20'3"	✓	320	357	395	470	546	621	696	771	846	922	997
22'3"	✓	351	393	434	517	599	682	765	847	930	1013	1095
24'3"	✓	383	428	473	563	653	743	833	924	1014	1104	1194
Add for each additional 2' (0.61m) increment ▶		32	35	39	46	54	61	69	76	84	91	98

Fascia and Vergeboard (supplied with timber as standard)

PVCu (White)	✓	468	468	468	468	468	684	684	684	684	684	684
PVCu Decograin (Golden Oak/Rosewood)		639	639	639	639	639	884	884	884	884	884	884

MF = Maintenance Free Package P0 = Premium Options Package

Personnel Door (all O/A frame. See page 20 for more options)

	SPOs	Building width													
		MF	P0	7'	8'	9'	10'	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"
Personnel Door (all O/A frame. See page 20 for more options)															
Standard Timber				156	156	156	156	156	156	156	156	156	156	156	156
				260	260	260	260	260	260	260	260	260	260	260	260
Deluxe Timber				275	275	275	275	275	275	275	275	275	275	275	275
Galvanised steel white vertical	✓			379	379	379	379	379	379	379	379	379	379	379	379
				649	649	649	649	649	649	649	649	649	649	649	649
Galvanised steel white Georgian	✓			835	835	835	835	835	835	835	835	835	835	835	835
3 point locking (to steel personnel doors)	✓			89	89	89	89	89	89	89	89	89	89	89	89
Add Decograin (Golden Oak/Rosewood) to white vertical/Georgian 3' price				550	550	550	550	550	550	550	550	550	550	550	550
PVCu Half Glazed (white)				707	707	707	707	707	707	707	707	707	707	707	707
				759	759	759	759	759	759	759	759	759	759	759	759
PVCu Half Glazed Decograin				949	949	949	949	949	949	949	949	949	949	949	949
Golden Oak/Rosewood				1001	1001	1001	1001	1001	1001	1001	1001	1001	1001	1001	1001

Windows (4' (1.22m) fixed timber window included as standard)

Timber fixed				67	67	67	67	67	67	67	67	67	67	67	67
PVCu fixed (white)	✓			89	89	89	89	89	89	89	89	89	89	89	89
PVCu opening (white)	✓			192	192	192	192	192	192	192	192	192	192	192	192
PVCu fixed Decograin (Golden Oak/Rosewood)				243	243	243	243	243	243	243	243	243	243	243	243
PVCu opening Decograin (Golden Oak/Rosewood)				251	251	251	251	251	251	251	251	251	251	251	251
				291	291	291	291	291	291	291	291	291	291	291	291
				259	259	259	259	259	259	259	259	259	259	259	259
				313	313	313	313	313	313	313	313	313	313	313	313
				327	327	327	327	327	327	327	327	327	327	327	327
				379	379	379	379	379	379	379	379	379	379	379	379

Others

Timber weather bar Lining clips (pack of 12)	✓			48	48	48	48	48	48	48	48	48	48	48	48
Sand & cement fillet	✓			25	25	25	25	25	25	25	25	25	25	25	25
RealBrick front posts	✓			104	104	104	104	104	104	104	104	104	104	104	104
Partition wall (adds 3" (75mm) to length)				211	211	211	211	211	211	211	211	211	211	211	211
Translucent roof sheet (each)				242	242	242	242	242	242	242	242	242	242	242	242
Shelf Stack (2' 4" or 6')				67	67	67	67	67	67	67	67	67	67	67	67
				116 / 135 / 154											

Apex 15

You've chosen the shape of your building. What's next?

Step 1

Size and finish

- First of all, choose the **length** and **width** of your building from the table below. For longer buildings, add in the 2' increment price.
(For example, a 28'3" building would be the 24'3" price plus 2 x 2' increment prices: 2 x 2' = 4' then 24'3" + 4' = 28'3").

- Then choose the **wall finish** you want:

☐ Spar ☐ Brick/Stone effect ☐ Textured

This will give you your **standard building price**.

- For **side gutters**, add the figure from the end column.
- For **additional height**, add the following to the basic spar building price: 7' +15%, 7'6" +25%.
- For a **Lean-to**, add 10% to basic Spar building price.*

Building length	Door width ►	Building width										22'6" (6.85m)				24'6" (7.46m)				26'6" (8.07m)		Gutters																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
		8'6" (2.49m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.41m)	16'6" (5.02m)	18'6" (5.63m)	20'6" (6.24m)	2 × 8' (2.43m) door				2 × 9' (2.74m) door				2 × 10' (3.04m) door		1 side	2 sides																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
	7' (2.13m) door																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		</

▶ Add for each additional 2' (0.61m) increment ▶

+ 2'	287	469	521	327	511	562	346	528	581	418	602	653	497	680	732	558	741	793	519	701	753	680	863	915	674	856	909	728	912	963	779	961	1014	14	28
------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	----	----

In a hurry? Our **Special Package Offers** are designed to save you time and money. We've put together the most popular building options and reduced the price; and you still qualify for any price promotions and discounts!

Maintenance Free package:

- White fully retractable vertically ribbed up and over door with 4 point locking
- White PVCu 4' (1.22m) fixed window
- White PVCu fascia, verge and back board
- White PVCu gutters to both sides
- White 3' (0.91m) vertically ribbed personnel door
- Sand and cement fillet
- Timber weather bar

Premium Options package:

- White fully retractable Georgian up and over door with 4 point locking
- White 3' (0.91m) wide Georgian personnel door with 3 point locking
- White 4' (1.22m) PVCu opening window
- White PVCu fascia front and rear, with vergeboard
- RealBrick front posts (on some model widths) – choice of 4 colours
- White PVCu gutters to both sides
- RealBrick front posts (on some model widths) – choice of 4 colours
- Sand and cement fillet
- Timber weather bar

Save up to

£572

Save up to

£1434

SPD ▶	Building width												Building length											
	8'6" (2.49m)		9'6" (2.89m)		10'6" (3.20m)		12'6" (3.81m)		14'6" (4.41m)		16'6" (5.02m)		18'6" (5.63m)		20'6" (6.24m)		22'6" (6.85m)		24'6" (7.46m)		26'6" (8.07m)			
Building length	MF	PO	MF	PO	MF	PO	MF	PO	MF	PO	MF	PO	MF	PO	MF	PO	MF	PO	MF	PO	MF	PO		
	1364	1897	1411	2039	1411	2113	1464	2336	2138	2941	1752	2408	1846	2693	1846	2903	1951	3160	1951	3160	3299	4354		
	1388	1918	1435	2060	1435	2134	1487	2357	2161	2962	1776	2429	1869	2714	1869	2924	1975	3181	1975	3181	3323	4375		
	1412	1939	1458	2081	1458	2155	1511	2378	2185	2983	1800	2450	1893	2735	1893	2945	1999	3202	1999	3202	3347	4396		
	1435	1960	1482	2102	1482	2176	1535	2399	2209	3004	1824	2471	1917	2756	1917	2966	2022	3223	2022	3223	3371	4417		
	1459	1981	1506	2123	1506	2197	1559	2420	2233	3025	1847	2492	1941	2777	1941	2987	2046	3244	2046	3244	3394	4438		
	1483	2002	1530	2144	1530	2218	1582	2441	2257	3046	1871	2513	1965	2798	1965	3008	2070	3265	2070	3265	3418	4459		
▼ Add for each additional 2' (0.61m) increment ▼																								
+ 2' (0.61m)	24	-21	24	21	24	-21	24	21	24	21	24	21	24	21	24	21	24	21	24	21	24	21		

▶ Add for each additional 2' (0.61m) increment ▶

MF = Maintenance Free Package PO = Premium Options Package

* Talk to your agent about completing the questionnaire prior to order.

Supplied as standard:

Wall finish: Thicker concrete steel reinforced panels with spar finish.

Front posts: Spar.

Main door: Pre-framed, fully retractable, white powder coated galvanised steel, horizontal ribbed up and over door.

Roof: 15° pitch roof with fibre cement roof sheets in terracotta, eaves filler.

Fascias and vergeboards: Factory treated timber fascia and vergeboards.

Window: 4' (1.22m) timber fixed factory preservative treated.

Apex 15

Step 2

Style

Bespoke Options

- Choose any of the Bespoke Options to personalise your building.
- Find your width in the table and add any of the options in that column.
- You will see page number references against those option groups that have more choices, turn to those pages to select from these.

		SPOs		Building width									
		MF	P0	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"
Main door width ▶				7'	8'	9'	10'	2 × 7'	2 × 8'	2 × 9'	2 × 10'		
Main Door (see also page 18 & 19 for more options)													

Horizontal ribbed

— Included as standard —

Vertical (white/brown)	✓	59	114	114	176	969	118	228	352	352	1938			
Georgian (white/brown)	✓	179	369	369	404	1200	358	738	808	808	2400			
Add 4-point locking	✓	104	104	104	104	—	208	208	208	208	—			
Add Decograin (Golden Oak/Rosewood)		248	248	248	248	248	497	497	497	497	497			
Rollershutter		—	—	—	—	—	—	—	—	—	—			
Sectional		859	859	859	979	1059	1718	1718	1718	1958	2118			
Side hung timber		141	160	160	n/a	n/a	282	320	320	n/a	n/a			
Electric remote control (U&O)		959	959	959	959	959	1917	1917	1917	1917	1917			

Roof

A 15° bold roll tile effect roof (terracotta). Includes eaves filler.

Fascia and Vergeboard (supplied with timber as standard)

PVCu (White)	✓	468	468	468	468	468	684	684	684	684	684	684	684	684
PVCu Decograin (Golden Oak/Rosewood)		639	639	639	639	639	884	884	884	884	884	884	884	884

MF = Maintenance Free Package P0 = Premium Options Package

	SPOs		Building width										
	MF	P0	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"
Main door width ▶			7'	8'	9'	10'	2 × 7'	2 × 8'	2 × 9'	2 × 10'			

Personnel Door (all O/A frame)

Standard Timber		3'	156	156	156	156	156	156	156	156	156	156	156	156
		4'	260	260	260	260	260	260	260	260	260	260	260	260
Deluxe Timber		3'	275	275	275	275	275	275	275	275	275	275	275	275
Galvanised steel white vertical	✓	3'	379	379	379	379	379	379	379	379	379	379	379	379
		4'	649	649	649	649	649	649	649	649	649	649	649	649
Galvanised steel white Georgian	✓	3'	835	835	835	835	835	835	835	835	835	835	835	835
3 point locking (to steel personnel doors)	✓		89	89	89	89	89	89	89	89	89	89	89	89
Add Decograin (Golden Oak/Rosewood) to white vertical/Georgian 3' price			550	550	550	550	550	550	550	550	550	550	550	550
PVCu Half Glazed (white)		3'	707	707	707	707	707	707	707	707	707	707	707	707
		3'6"	759	759	759	759	759	759	759	759	759	759	759	759
PVCu Half Glazed Decograin (Golden Oak/Rosewood)		3'	949	949	949	949	949	949	949	949	949	949	949	949
		3'6"	1001	1001	1001	1001	1001	1001	1001	1001	1001	1001	1001	1001

Windows (4' (1.22m) fixed timber window included as standard)

Timber fixed		2'	67	67	67	67	67	67	67	67	67	67	67	67
		4'	89	89	89	89	89	89	89	89	89	89	89	89
PVCu fixed (white)	✓	2'	192	192	192	192	192	192	192	192	192	192	192	192
		4'	243	243	243	243	243	243	243	243	243	243	243	243
PVCu opening (white)	✓	2'	251	251	251	251	251	251	251	251	251	251	251	251
		4'	291	291	291	291	291	291	291	291	291	291	291	291
PVCu fixed Decograin (Golden Oak/Rosewood)		2'	259	259	259	259	259	259	259	259	259	259	259	259
		4'	313	313	313	313	313	313	313	313	313	313	313	313
PVCu opening Decograin (Golden Oak/Rosewood)		2'	327	327	327	327	327	327	327	327	327	327	327	327
		4'	379	379	379	379	379	379	379	379	379	379	379	379

Others

Timber weather bar	✓	48	48	48	48	48	48	48	48	48	48	48	48	48
Lining clips (pack of 12)		25	25	25	25	25	25	25	25	25	25	25	25	25
Sand & cement fillet	✓	104	104	104	104	104	104	104	104	104	104	104	104	104
RealBrick front posts	✓	211	211	211	211	211	211	211	211	211	211	211	211	211
Partition wall (adds 3" (75mm) to length)		242	271	299	356	413	470	527	584	641	698	755	812	868
Shelf Stack (2' 4" or 6')														
116 / 135 / 154														

Apex 20

You've chosen the shape of your building. What's next?

Step 1

Size and finish

- First of all, choose the **length** and **width** of your building from the table below. For longer buildings, add in the 2' increment price.
(For example, a 28'3" building would be the 24'3" price plus 2 x 2' increment prices: 2 x 2' = 4' then 24'3" + 4' = 28'3").

- Then choose the **wall finish** you want:

Spar Brick/Stone effect Textured

This will give you your **standard building price**.

- For **side gutters**, add the figure from the end column.
- For **additional height**, add the following to the basic spar building price: 7' +15%, 7'6" +25%.
- For a **Lean-to**, add 10% to basic Spar building price.*

		Building width												Gutters																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
		8'6" (2.49m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.41m)	16'6" (5.02m)	18'6" (5.63m)	20'6" (6.24m)	22'6" (6.85m)	24'6" (7.46m)	26'6" (8.07m)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
Building length	Door width ►	7' (2.13m) door	8' (2.43m) door												9' (2.74m) door		10' (3.04m) door		11' (3.35m) door		12' (3.66m) door		13' (3.97m) door		14' (4.28m) door		15' (4.59m) door		16' (4.90m) door		17' (5.21m) door		18' (5.52m) door		19' (5.83m) door		20' (6.14m) door		21' (6.45m) door		22' (6.76m) door		23' (7.07m) door		24' (7.38m) door		25' (7.69m) door		26' (8.00m) door		27' (8.31m) door		28' (8.62m) door		29' (8.93m) door		30' (9.24m) door		31' (9.55m) door		32' (9.86m) door		33' (10.17m) door		34' (10.48m) door		35' (10.79m) door		36' (11.10m) door		37' (11.41m) door		38' (11.72m) door		39' (12.03m) door		40' (12.34m) door		41' (12.65m) door		42' (12.96m) door		43' (13.27m) door		44' (13.58m) door		45' (13.89m) door		46' (14.20m) door		47' (14.51m) door		48' (14.82m) door		49' (15.13m) door		50' (15.44m) door		51' (15.75m) door		52' (16.06m) door		53' (16.37m) door		54' (16.68m) door		55' (16.99m) door		56' (17.30m) door		57' (17.61m) door		58' (17.92m) door		59' (18.23m) door		60' (18.54m) door		61' (18.85m) door		62' (19.16m) door		63' (19.47m) door		64' (19.78m) door		65' (20.09m) door		66' (20.40m) door		67' (20.71m) door		68' (21.02m) door		69' (21.33m) door		70' (21.64m) door		71' (21.95m) door		72' (22.26m) door		73' (22.57m) door		74' (22.88m) door		75' (23.19m) door		76' (23.50m) door		77' (23.81m) door		78' (24.12m) door		79' (24.43m) door		80' (24.74m) door		81' (25.05m) door		82' (25.36m) door		83' (25.67m) door		84' (25.98m) door		85' (26.29m) door		86' (26.60m) door		87' (26.91m) door		88' (27.22m) door		89' (27.53m) door		90' (27.84m) door		91' (28.15m) door		92' (28.46m) door		93' (28.77m) door		94' (29.08m) door		95' (29.39m) door		96' (29.70m) door		97' (30.01m) door		98' (30.32m) door		99' (30.63m) door		100' (30.94m) door		101' (31.25m) door		102' (31.56m) door		103' (31.87m) door		104' (32.18m) door		105' (32.49m) door		106' (32.80m) door		107' (33.11m) door		108' (33.42m) door		109' (33.73m) door		110' (34.04m) door		111' (34.35m) door		112' (34.66m) door		113' (34.97m) door		114' (35.28m) door		115' (35.59m) door		116' (35.90m) door		117' (36.21m) door		118' (36.52m) door		119' (36.83m) door		120' (37.14m) door		121' (37.45m) door		122' (37.76m) door		123' (38.07m) door		124' (38.38m) door		125' (38.69m) door		126' (39.00m) door		127' (39.31m) door		128' (39.62m) door		129' (39.93m) door		130' (40.24m) door		131' (40.55m) door		132' (40.86m) door		133' (41.17m) door		134' (41.48m) door		135' (41.79m) door		136' (42.10m) door		137' (42.41m) door		138' (42.72m) door		139' (43.03m) door		140' (43.34m) door		141' (43.65m) door		142' (43.96m) door		143' (44.27m) door		144' (44.58m) door		145' (44.89m) door		146' (45.20m) door		147' (45.51m) door		148' (45.82m) door		149' (46.13m) door		150' (46.44m) door		151' (46.75m) door		152' (47.06m) door		153' (47.37m) door		154' (47.68m) door		155' (47.99m) door		156' (48.30m) door		157' (48.61m) door		158' (48.92m) door		159' (49.23m) door		160' (49.54m) door		161' (49.85m) door		162' (50.16m) door		163' (50.47m) door		164' (50.78m) door		165' (51.09m) door		166' (51.40m) door		167' (51.71m) door		168' (52.02m) door		169' (52.33m) door		170' (52.64m) door		171' (52.95m) door		172' (53.26m) door		173' (53.57m) door		174' (53.88m) door		175' (54.19m) door		176' (54.50m) door		177' (54.81m) door		178' (55.12m) door		179' (55.43m) door		180' (55.74m) door		181' (56.05m) door		182' (56.36m) door		183' (56.67m) door		184' (56.98m) door		185' (57.29m) door		186' (57.60m) door		187' (57.91m) door		188' (58.22m) door		189' (58.53m) door		190' (58.84m) door		191' (59.15m) door		192' (59.46m) door		193' (59.77m) door		194' (60.08m) door		195' (60.39m) door		196' (60.70m) door		197' (61.01m) door		198' (61.32m) door		199' (61.63m) door		200' (61.94m) door		201' (62.25m) door		202' (62.56m) door		203' (62.87m) door		204' (63.18m) door		205' (63.49m) door		206' (63.80m) door		207' (64.11m) door		208' (64.42m) door		209' (64.73m) door		210' (65.04m) door		211' (65.35m) door		212' (65.66m) door		213' (65.97m) door		214' (66.28m) door		215' (66.59m) door		216' (66.90m) door		217' (67.21m) door		218' (67.52m) door		219' (67.83m) door		220' (68.14m) door		221' (68.45m) door		222' (68.76m) door		223' (69.07m) door		224' (69.38m) door		225' (69.69m) door		226' (70.00m) door		227' (70.31m) door		228' (70.62m) door		229' (70.93m) door		230' (71.24m) door		231' (71.55m) door		232' (71.86m) door		233' (72.17m) door		234' (72.48m) door		235' (72.79m) door		236' (73.10m) door		237' (73.41m) door		238' (73.72m) door		239' (74.03m) door		240' (74.34m) door		241' (74.65m) door		242' (74.96m) door		243' (75.27m) door		244' (75.58m) door		245' (75.89m) door		246' (76.20m) door		247' (76.51m) door		248' (76.82m) door		249' (77.13m) door		250' (77.44m) door		251' (77.75m) door		252' (78.06m) door		253' (78.37m) door		254' (78.68m) door		255' (78.99m) door		256' (79.30m) door		257' (79.61m) door		258' (79.92m) door		259' (80.23m) door		260' (80.54m) door		261' (80.85m) door		262' (81.16m) door		263' (81.47m) door		264' (81.78m) door		265' (82.09m) door		266' (82.40m) door		267' (82.71m) door		268' (83.02m) door		269' (83.33m) door		270' (83.64m) door		271' (83.95m) door		272' (84.26m) door		273' (84.57m) door		274' (84.88m) door		275' (85.19m) door		276' (85.50m) door		277' (85.81m) door		278' (86.12m) door		279' (86.43m) door		280' (86.74m) door		281' (87.05m) door		282' (87.36m) door		283' (87.67m) door		284' (87.98m) door		285' (88.29m) door		286' (88.60m) door		287' (88.91m) door		288' (89.22m) door		289' (89.53m) door		290' (89.84m) door		291' (90.15m) door		292' (90.46m) door		293' (90.77m) door		294' (91.08m) door		295' (91.39m) door		296' (91.70m) door		297' (92.01m) door		298' (92.32m) door		299' (92.63m) door		300' (92.94m) door		301' (93.25m) door		302' (93.56m) door		303' (93.87m) door		304' (94.18m) door		305' (94.49m) door		306' (94.80m) door		307' (95.11m) door		308' (95.42m) door		309' (95.73m) door		310' (96.04m) door		311' (96.35m) door		312' (96.66m) door		313' (96.97m) door		314' (97.28m) door		315' (97.59m) door		316' (97.90m) door		317' (98.21m) door		318' (98.52m) door		319' (98.83m) door		320' (99.14m) door		321' (99.45m) door		322' (99.76m) door		323' (100.07m) door		324' (100.38m) door		325' (100.69m) door		326' (101.00m) door		327' (101.31m) door		328' (101.62m) door		329' (101.93m) door		330' (102.24m) door		331' (102.55m) door		332' (102.86m) door		333' (103.17m) door		334' (103.48m) door		335' (103.79m) door		336' (104.10m) door		337' (104.41m) door		338' (104.72m) door		339' (105.03m) door		340' (105.34m) door		341' (105.65m) door		342' (105.96m) door		343' (106.27m) door		344' (106.58m) door		345' (106.89m) door		346' (107.20m) door		347' (107.51m) door		348' (107.82m) door		349' (108.13m) door		350' (108.44m) door		351' (108.75m) door		352' (109.06m) door		353' (109.37m) door		354' (109.68m) door		355' (109.99m) door		356' (110.30m) door		357' (110.61m) door		358' (110.92m) door		359' (111.23m) door		360' (111.54m) door		361' (111.85m) door		362' (112.16m) door		363' (112.47m) door		364' (112.78m) door		365' (113.09m) door		366' (113.40m) door		367' (113.71m) door		368' (114.02m) door		369' (114.33m) door		370' (114.64m) door		371' (114.95m) door		372' (115.26m) door		373' (115.57m) door		374' (115.88m) door		375' (116.19m) door		376' (116.50m) door		377' (116.81m) door		378' (117.12m) door		379' (117.43m) door		380' (117.74m) door		381' (118.05m) door		382' (118.36m) door		383' (118.67m) door		384' (118.98m) door		385' (119.29m) door		386' (119.60m) door		387' (119.91m) door		388' (120.22m) door		389' (120.53m) door		390' (120.84m) door		391' (121.15m) door		392' (121.46m) door		393' (121.77m) door		394' (122.08m) door		395' (122.39m) door		396' (122.70m) door		397' (123.01m) door		398' (123.32m) door		399' (123.63m) door		400' (123.94m) door		401' (124.25m) door		402' (124.56m) door		403' (124.87m) door		404' (125.18m) door		405' (125.49m) door		406' (125.80m) door		407' (126.11m) door		408' (126.42m) door		409' (126.73m) door		410' (127.04m) door		411' (127.35m) door		412' (127.66m) door		413' (127.97m) door		414' (128.28m) door		415' (128.59m) door		416' (128.90m) door		417' (129.21m) door		418' (129.52m) door		419' (129.83m) door		420' (130.14m) door		421' (130.45m) door		422' (130.76m) door		423' (131.07m) door		424' (131.38m) door		425' (131.69m) door		426' (132.00m) door		427' (132.31m) door		428' (132.62m) door		429' (132.93m) door		430' (133.24m) door		431' (133.55m) door		432' (133.86m) door		433' (134.17m) door		434' (134.48m) door		435' (134.79m) door		436' (135.10m) door		437' (135.41m) door		438' (135.72m) door		439' (136.03m) door		440' (136.34m) door		441' (136.65m) door		442' (136.96m) door		443' (137.27m) door		444' (137.58m) door		445' (137.89m) door		446' (138.20m) door		447' (138.51m) door		448' (138.82m) door		449' (139.13m) door		450' (139.44m) door		451' (139.75m) door		452' (140.06m) door		453' (140.37m) door		454' (140.68m) door		455' (140.99m) door		456' (141.30m) door		457' (141.61m) door		458' (141.92m) door		459' (142.23m) door		460' (142.54m) door		461' (142.85m) door		462' (143.16m) door		463' (143.47m) door		464' (143.78m) door		465' (144.09m) door		466' (144.40m) door		467' (144.71m) door		468' (145.02m) door		469' (145.33m) door		470' (145.64m) door		471' (145.95m) door		472' (146.26m) door		473' (146.57m) door		474' (146.88m) door		475' (147.19m) door		476' (147.50m) door		477' (147.81m) door		478' (148.12m) door		479' (148.43m) door		480' (148.74m) door		481' (149.05m) door		482' (149.36m) door		483' (149.67m) door		484' (149.98m) door		485' (150.29m) door		486' (150.60m) door		487' (150.91m) door		488' (151.22m) door		489' (151.53m) door		490' (151.84m) door		491' (152.15m) door		492' (152.46m) door		493' (152.77m) door		494' (153.08m) door		495' (153.39m) door		496' (153.70m) door		497' (154.01m) door		498' (154.32m) door		499' (154.63m) door		500' (154.94m) door		501' (155.25m) door		502' (155.56m) door		503' (155.87m) door		504' (156.18m) door		505' (156.49m) door		506' (156.80m) door		507' (157.11m) door		508' (157.42m) door		509' (157.73m) door		510' (158.04m) door		511' (158.35m) door		512' (158.66m) door		513' (158.97m) door		514' (159.28m) door		515' (159.59m) door		516' (159.90m) door		517' (160.21m) door		518' (160.52m) door		519' (160.83m) door		520' (161.14m) door		521' (161.45m) door		522' (161.76m) door		523' (162.07m) door		524' (162.38m) door		525' (162.69m) door		526' (163.00m) door		527' (163.31m) door		528' (163.62m) door		529' (163.93m) door		530' (164.24m) door		531' (164.55m) door		532' (164.86m) door		533' (165.17m) door		534' (165.48m) door		535' (165.79m) door		536' (166.10m) door		537' (166.41m) door		538' (166.72m) door		539' (167.03m) door		540' (167.34m) door		541' (167.65m) door		542' (167.96m) door		543' (168.27m) door		544' (168.58m) door		545' (168.89m) door		546' (169.20m) door		547' (169.51m) door		548' (169.82m) door		549' (170.13m) door		550' (170.44m) door		551' (170.75m) door		552' (171.06m) door		553' (171.37m) door		554' (171.68m) door		555' (171.99m) door		556' (172.30m) door		557' (172.61m) door		558' (172.92m) door		559' (173.23m) door		560' (173.54m) door		561' (173.85m) door		562' (174.16m) door		563' (174.47m) door		564' (174.78m) door		565' (175.09m) door		566' (175.40m) door		567' (175.71m) door		568' (176.02m) door		569' (176.33m) door		570' (176.64m) door		571' (176.95m) door		572' (177.26m) door		573' (177.57m) door		574' (177.88m) door		575' (178.19m) door		576' (178.50m) door		577' (178.81m) door		578' (179.12m) door	

▶ Add for each additional 2' (0.61m) increment ▶

In a hurry? Our Special Package Offers are designed

to save you time and money. We've put together the most popular building options and reduced the price; and you still qualify for any price promotions and discounts!

Maintenance Free package:

- ✓ White fully retractable vertically ribbed up and over door with 4 point locking
- ✓ White PVCu 4' (1.22m) fixed window
- ✓ White PVCu fascia, verge and back board
- ✓ White PVCu gutters to both sides
- ✓ White 3' (0.91m) vertically ribbed personnel door
- ✓ Sand and cement fillet
- ✓ Timber weather bar

Save up to

£572



Premium Options package:

- ✓ White fully retractable Georgian up and over door with 4 point locking
- ✓ White 3' (0.91m) wide Georgian personnel door with 3 point locking
- ✓ White 4' (1.22m) PVCu opening window
- ✓ White PVCu fascia front and rear, with verge board
- ✓ RealBrick front posts – choice of 4 colours
- ✓ White PVCu gutters to both sides
- ✓ Sand and cement fillet
- ✓ Timber weather bar

Save up to

£1434

Building width

SPD ▶	8'6" (2.49m)		9'6" (2.89m)		10'6" (3.20m)		12'6" (3.81m)		14'6" (4.41m)		16'6" (5.02m)		18'6" (5.63m)		20'6" (6.24m)		22'6" (6.85m)		24'6" (7.46m)		26'6" (8.07m)	
	MF	PO	MF	PO	MF	PO	MF	PO	MF	PO	MF	PO	MF	PO	MF	PO	MF	PO	MF	PO	MF	PO
14'3" (4.34m)	1364	1897	1411	2039	1411	2113	1464	2336	2138	2941	1752	2408	1846	2693	1846	2903	1951	3160	1951	3160	3299	4354
16'3" (4.95m)	1368	1918	1435	2060	1435	2134	1487	2357	2161	2962	1776	2429	1869	2714	1869	2924	1975	3181	1975	3181	3323	4375
18'3" (5.56m)	1412	1939	1458	2081	1458	2155	1511	2378	2185	2983	1800	2450	1893	2735	1893	2945	1999	3202	1999	3202	3347	4396
20'3" (6.17m)	1435	1960	1482	2102	1482	2176	1535	2399	2209	3004	1824	2471	1917	2756	1917	2966	2022	3223	2022	3223	3371	4417
22'3" (6.78m)	1459	1981	1506	2123	1506	2197	1559	2420	2233	3025	1847	2492	1941	2777	1941	2987	2046	3244	2046	3244	3394	4438
24'3" (7.39m)	1483	2002	1530	2144	1530	2218	1582	2441	2257	3046	1871	2513	1965	2798	1965	3008	2070	3265	2070	3265	3418	4459
▶ Add for each additional 2' (0.61m) increment ▶																						
+ 2' (0.61m)	24	21	24	21	24	21	24	21	24	21	24	21	24	21	24	21	24	21	24	21	24	21

MF = Maintenance Free Package PO = Premium Options Package

* Talk to your agent about completing the questionnaire prior to order.

Supplied as standard:

Wall finish: Thicker concrete steel reinforced panels with spar finish.

Front posts: Spar.

Main door: Pre-framed, fully retractable, white powder coated galvanised steel, horizontal ribbed up and over door.

Roof: A traditionally constructed 20° pitch lined roof with Metrotile Galvanised steel roof tiles in a choice of 6 colours.

Fascias and vergeboards: Factory treated timber fascia and vergeboards.

Window: 4' (1.22m) timber fixed factory preservative treated.

Apex 20

Step 2

Style

Bespoke Options

- Choose any of the Bespoke Options to personalise your building.
- Find your width in the table and add any of the options in that column.
- You will see page number references against those option groups that have more choices, turn to those pages to select from these.

	SPOs		Building width											
	MF	P0	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"	
Main door width ▶			7'	8'	9'	10'	2 × 7'	2 × 8'	2 × 9'	2 × 10'				
Main Door (see also page 18 & 19 for more options)														

Horizontal ribbed

— Included as standard —

Vertical (white/brown)	✓	59	114	114	176	969	118	228	352	352	1938			
Georgian (white/brown)	✓	179	369	369	404	1200	358	738	808	808	2400			
Add 4-point locking	✓	104	104	104	104	—	208	208	208	208	—			
Add Decograin (Golden Oak/Rosewood)		248	248	248	248	248	497	497	497	497	497			
Rollershutter		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a			
Sectional		859	859	859	979	1059	1718	1718	1958	1958	2118			
Side hung timber		141	160	160	n/a	n/a	282	320	320	n/a	n/a			
Electric remote control (U&O)		959	959	959	959	959	1917	1917	1917	1917	1917			

Roof

Metrotile roof fitted as standard, choose from either Red, Charcoal, Brindle, Green, Terracotta or Bronze.

Fascia and Vergeboard (supplied with timber as standard)

PVCu (White)	✓	468	468	468	468	468	684	684	684	684	684			
PVCu Decograin (Golden Oak/Rosewood)		639	639	639	639	639	884	884	884	884	884			

MF = Maintenance Free Package P0 = Premium Options Package

	SPOs		Building width										
	MF	P0	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"
Main door width ▶			7'	8'	9'	9'	10'	2 × 7'	2 × 8'	2 × 9'	2 × 10'		

Personnel Door (all O/A frame. See page 20 for more options)

Standard Timber	3'			156	156	156	156	156	156	156	156	156	156	156
	4'			260	260	260	260	260	260	260	260	260	260	260
Deluxe Timber	3'			275	275	275	275	275	275	275	275	275	275	275
Galvanised steel white vertical	3'	✓		379	379	379	379	379	379	379	379	379	379	379
	4'			649	649	649	649	649	649	649	649	649	649	649
Galvanised steel white Georgian	3'		✓	835	835	835	835	835	835	835	835	835	835	835
3 point locking (to steel personnel doors)			✓	89	89	89	89	89	89	89	89	89	89	89
Add Decograin (Golden Oak/Rosewood) to white vertical/Georgian 3' price				550	550	550	550	550	550	550	550	550	550	550
PVCu Half Glazed (white)	3'			707	707	707	707	707	707	707	707	707	707	707
	3'6"			759	759	759	759	759	759	759	759	759	759	759
PVCu Half Glazed Decograin (Golden Oak/Rosewood)	3'			949	949	949	949	949	949	949	949	949	949	949
	3'6"			1001	1001	1001	1001	1001	1001	1001	1001	1001	1001	1001

Windows (4' (1.22m) fixed timber window included as standard)

Timber fixed	2'			67	67	67	67	67	67	67	67	67	67	67
	4'			89	89	89	89	89	89	89	89	89	89	89
PVCu fixed (white)	2'		✓	192	192	192	192	192	192	192	192	192	192	192
	4'			243	243	243	243	243	243	243	243	243	243	243
PVCu opening (white)	2'			251	251	251	251	251	251	251	251	251	251	251
	4'		✓	291	291	291	291	291	291	291	291	291	291	291
PVCu fixed Decograin (Golden Oak/Rosewood)	2'			259	259	259	259	259	259	259	259	259	259	259
	4'			313	313	313	313	313	313	313	313	313	313	313
PVCu opening Decograin (Golden Oak/Rosewood)	2'			327	327	327	327	327	327	327	327	327	327	327
	4'			379	379	379	379	379	379	379	379	379	379	379

Others

Timber weather bar	✓	48	48	48	48	48	48	48	48	48	48	48	48	48
Lining clips (pack of 12)		25	25	25	25	25	25	25	25	25	25	25	25	25
Sand & cement fillet	✓	104	104	104	104	104	104	104	104	104	104	104	104	104
RealBrick front posts	✓	211	211	211	211	211	211	211	211	211	211	211	211	211
Partition wall (adds 3" (75mm) to length)		242	271	299	356	413	470	527	584	641	698	755	812	868
Shelf Stack (2' 4" or 6')														
116 / 135 / 154														

Supplied as standard:

Wall finish: Thicker concrete steel reinforced panels with spar finish.

Front posts: Spar.

Main door: White PVCu patio double door, two white PVCu full height glazed units.

Roof: Roof type depending on the shape chosen (see standard building range).

Fascias and vergeboards: White PVCu fascia and vergeboards.

Gutters: White PVCu gutters to both sides.

Window: 4' (1.22m) White PVCu fixed window.

Garden Rooms

	Building width			
	8'	9'	10'	12'
Fixed PVCu Panels (White) For other PVCu frame options, see page 21.				
Full height Glazed 1" (0.30m)	Included × 2	173	173	173
Full height Glazed 1 1/2" (0.46m)	Included × 2	207	207	207
Full height Glazed 2" (0.61m)	Included × 2	276	Included × 2	Included × 2
Full height (midrail)				
Glazed 1" (0.30m)	190	190	190	190
Glazed 1 1/2" (0.46m)	207	207	207	207
Glazed 2" (0.61m)	259	259	259	259
Half Glazed 1" (0.30m)	173	173	173	173
Half Glazed 1 1/2" (0.46m)	190	190	190	190
Half Glazed 2" (0.61m)	242	242	242	242
Fully Panelled 1" (0.30m)	173	173	173	173
Fully Panelled 1 1/2" (0.46m)	190	190	190	190
Fully Panelled 2" (0.61m)	224	224	224	224
Fixed PVCu Panels (Decograin PVCu, Golden Oak or Rosewood)				
Full height Glazed 1" (0.30m)	190	190	190	190
Full height Glazed 1 1/2" (0.46m)	242	242	242	242
Full height Glazed 2" (0.61m)	293	293	293	293
Full height (midrail)				
Glazed 1" (0.30m)	242	242	242	242
Glazed 1 1/2" (0.46m)	259	259	259	259
Glazed 2" (0.61m)	311	311	311	311
Half Glazed 1" (0.30m)	414	414	414	414
Half Glazed 1 1/2" (0.46m)	431	431	431	431
Half Glazed 2" (0.61m)	483	483	483	483
Fully Panelled 1" (0.30m)	587	587	587	587
Fully Panelled 1 1/2" (0.46m)	638	638	638	638
Fully Panelled 2" (0.61m)	673	673	673	673

	Building width			
	8'	9'	10'	12'
Fascia and Vergeboard				
PVCu (White)				
PVCu (Decograin)	171	171	171	171
Windows				
PVCu fixed White 2'	192	192	192	192
PVCu fixed White 4'	243	243	243	243
PVCu Opening White 2'	251	251	251	251
PVCu Opening White 4'	291	291	291	291
PVCu fixed Decograin 2'	259	259	259	259
PVCu fixed Decograin 4'	313	313	313	313
PVCu Opening Decograin 2'	327	327	327	327
PVCu Opening Decograin 4'	379	379	379	379
Others				
Guttering (White) choose Brown or Black at no extra cost				
Lining clips (pack of 12)	25	25	25	25
Sand Cement Fillet	104	104	104	104
Partition Wall (adds 3" (75mm) to external length")	228	256	285	313
Shelf Stack (2' 4" or 6')	116 / 135 / 154			



In a hurry?

This **Special Package Offers** is designed to save you time and money. We've put together the most popular building options and reduced the price, and you still qualify for any price promotions and discounts!

Premium Options
Decograin package:

- ✓ PVCu fascias (Decograin)
- ✓ PVCu Main door (fully glazed, Decograin)
- ✓ PVCu Frames (fully glazed Decograin)
- ✓ Sand and cement fillet

Save up to
£194

	Building width			
	8'	9'	10'	12'
	556	582	556	556

Sheds and Workshops

Any of the five basic shapes can be built as a Shed or Workshop.



Step 1

Size and finish

- The tables below correspond to the building shapes we can supply as a shed or workshop. Choose the **length** and **width** for your building from the appropriate table.

(For information about each building shape, refer to the Lidiget brochure).

- Then choose the **wall finish** you want:

This will give you your **standard building price**.

- If you need **additional height**, add the following to the basic spar building price:
7' (2.13m) +15% (Apex range only)
7'6" (2.29m) +25% (All)

	Building width					
	4' (1.22m)	6' (1.82m)	8' (2.43m)	10' (3.04m)	12' (3.65m)	14' (4.26m)
Building length	4' 1166 1760 1930	1278 2054 2276	1419 2377 2651	1542 2684 3010	1676 3000 3378	1956 3464 3894
6'	1278 2054 2276	1467 2426 2700	1568 2710 3035	1637 2961 3339	1762 3269 3699	2055 3745 4227
8'	1419 2377 2651	1568 2710 3035	1663 2987 3366	1762 3269 3699	1858 3547 4030	2168 4040 4575
10'	1542 2684 3010	1637 2961 3339	1762 3269 3699	1858 3547 4030	1975 3847 4382	2304 4360 4946
12'	1676 3000 3378	1762 3269 3699	1858 3547 4030	1975 3847 4382	2157 4212 4799	2517 4575 5395
14'	1914 3422 3851	2013 3703 4185	2122 3995 4530	2257 4313 4899	2466 4703 5343	2876 5297 5988
16'	2154 3844 4326	2265 4137 4672	2389 4444 5031	2539 4777 5417	2775 5195 5887	3237 5840 6584

	Building width					
	4' (1.22m)	6' (1.82m)	8' (2.43m)	10' (3.04m)	12' (3.65m)	14' (4.26m)
Building length	4' 1400 1994 2164	1535 2311 2533	1702 2661 2935	1850 2992 3317	2008 3332 3710	2343 3851 4281
6'	1535 2311 2533	1762 2721 2995	1879 3021 3347	1964 3288 3667	2113 3621 4050	2466 4156 4638
8'	1702 2661 2935	1879 3021 3347	1997 3321 3699	2113 3621 4050	2227 3917 4400	2601 4473 5008
10'	1850 2992 3317	1964 3288 3667	2113 3621 4050	2227 3917 4400	2369 4241 4776	2765 4821 5407
12'	2008 3332 3710	2113 3621 4050	2227 3917 4400	2369 4241 4776	2588 4643 5230	3019 5257 5896
14'	2343 3851 4281	2466 4156 4638	2601 4473 5008	2765 4821 5407	3019 5257 5896	3524 5945 6636
16'	2679 4369 4851	2815 4687 5223	2970 5026 5613	3159 5396 6036	3450 5871 6562	4027 6630 7374

	Building width					
	4' (1.22m)	6' (1.82m)	8' (2.43m)	10' (3.04m)	12' (3.65m)	14' (4.26m)
Building length	4' 1585 2179 2348	1812 2588 2810	2072 3031 3304	2312 3454 3779	2562 3887 4265	2990 4498 4928
6'	1812 2588 2810	2178 3136 3410	2434 3576 3901	2657 3981 4359	2944 4452 4882	3436 5126 5608
8'	2072 3031 3304	2434 3576 3901	2736 4060 4439	3037 4544 4974	3336 5026 5508	3894 5766 6301
10'	2312 3454 3779	2657 3981 4359	3037 4544 4974	3382 5072 5555	3754 5626 6162	4382 6437 7024
12'	2562 3887 4265	2944 4452 4882	3336 5026 5508	3754 5626 6162	4251 6306 6893	4959 7197 7836
14'	2990 4498 4928	3436 5126 5608	3894 5766 6301	4382 6437 7024	4959 7197 7836	5787 8208 8899
16'	3418 5108 5590	3924 5796 6331	4449 6504 7091	5006 7244 7883	5667 8088 8779	6614 9217 9961

	Building width					
	4' (1.22m)	6' (1.82m)	8' (2.43m)	10' (3.04m)	12' (3.65m)	14' (4.26m)
Building length	4' 2113 2707 2877	2323 3099 3322	2563 3521 3795	2785 3927 4253	3017 4342 4720	3397 4904 5334
6'	2224 3001 3223	2513 3471 3745	2712 3854 4179	2879 4204 4582	3104 4611 5041	3495 5185 5668
8'	2365 3324 3598	2613 3755 4080	2807 4131 4510	3005 4512 4942	3199 4889 5371	3608 5480 6016
10'	2489 3631 3957	2682 4006 4384	2906 4414 4843	3100 4790 5273	3317 5189 5724	3745 5800 6387
12'	2622 3946 4325	2807 4315 4745	3002 4691 5174	3218 5090 5625	3499 5554 6141	3958 6196 6835
14'	2860 4368 4798	3058 4748 5230	3267 5139 5674	3500 5555 6142	3807 6045 6684	4317 6738 7429
16'	3100 4790 5273	3310 5182 5718	3533 5588 6175	3782 6020 6659	4116 6537 7228	4677 7281 8024

	Building width					
	4' (1.22m)	6' (1.82m)	8' (2.43m)	10' (3.04m)	12' (3.65m)	14' (4.26m)
Building length	4' 1525 2119 2289	1723 2499 2721	1953 2912 3185	2163 3305 3630	2384 3708 4086	2782 4289 4719
6'	1723 2499 2721	2044 3002 3276	2255 3397 3723	2434 3758 4136	2677 4184 4614	3123 4813 5296
8'	1953 2912 3185	2255 3397 3723	2498 3822 4201	2739 4247 4677	2979 4669 5151	3477 5349 5885
10'	2163 3305 3630	2434 3758 4136	2739 4247 4677	3010 4700 5183	3308 5180 5715	3861 5917 6503
12'	2384 3708 4086	2677 4184 4614	2979 4669 5151	3308 5180 5715	3715 5771 6358	4334 6572 7211
14'	2782 4289 4719	3123 4813 5296	3477 5349 5885	3861 5917 6503	4334 6572 7211	5058 7479 8170
16'	3180 4870 5352	3567 5439 5974	3973 6028 6615	4411 6649 7288	4953 7374 8065	5781 8384 9128

	Building width					
	4' (1.22m)	6' (1.82m)	8' (2.43m)	10' (3.04m)	12' (3.65m)	14' (4.26m)
Building length	4' 1585 2179 2348	1812 2588 2810	2072 3031 3304	2312 3454 3779	2562 3887 4265	2990 4498 4928
6'	1812 2588 2810	2178 3136 3410	2434 3576 3901	2657 3981 4359	2944 4452 4882	3436 5126 5608
8'	2072 3031 3304	2434 3576 3901	2736 4060 4439	3037 4544 4974	3336 5026 5508	3894 5766 6301
10'	2312 3454 3779	2657 3981 4359	3037 4544 4974	3382 5072 5555	3754 5626 6162	4382 6437 7024
12'	2562 3887 4265	2944 4452 4882	3336 5026 5508	3754 5626 6162	4251 6306 6893	4959 7197 7836
14'	2990 4498 4928	3436 5126 5608	3894 5766 6301	4382 6437 7024	4959 7197 7836	5787 8208 8899
16'	3418 5108 5590	3924 5796 6331	4449 6504 7091	5006 7244 7883	5667 8088 8779	6614 9217 9961

Supplied as standard:

Wall finish: Thicker concrete steel reinforced panels with spar finish.

Front posts: Spar.

Main door: 3' (0.91m) vertically boarded standard timber door

Roof: Roof type depending on the shape chosen (see standard building range).

Fascias and vergeboards: Factory treated timber fascia and vergeboards.

Window: 4' (1.22m) timber fixed factory preservative treated, depending on size of building.

Sheds and Workshops

Step 2

Style

Bespoke Options

- Choose any of the Bespoke Options to personalise your building.
- Find your width in the table and add any of the options in that column.
- You will see page number references against those option groups that have more choices, turn to those pages to select from these.

		SPOs		Building width						
		MF	P0	4'	6'	8'	10'	12'	14'	16'
Plastisol roof sheets (for Pent buildings only)										
Building length	4'			83	125	166	208	250	291	333
	6'			125	187	250	312	375	437	499
	8'			166	250	333	416	499	583	666
	10'			208	312	416	520	624	728	832
	12'			250	375	499	624	749	874	999
	14'			291	437	583	728	874	1020	1165
	16'			333	499	666	832	999	1165	1332
Coloured rooftiles (for Apex buildings only)										
Building length	4'			30	45	59	74	89	104	119
	6'			45	67	89	111	134	156	178
	8'			59	89	119	149	178	208	238
	10'			74	111	149	186	223	260	297
	12'			89	134	178	223	268	312	357
	14'			104	156	208	260	312	364	416
	16'			119	178	238	297	357	416	476
Fascia and Vergeboard (Supplied with timber as standard (except Mansard which is PVCu))										
PVCu (White)		✓	✓	468	468	468	468	468	468	684
PVCu Decograin (Golden Oak/Rosewood)				639	639	639	639	639	639	884
Gutters (included front and rear elevations on Mansard)										
Pent		✓	✓	28	42	56	70	84	98	112
Apex, Apex 15 & Apex 20 (both sides)	4'	✓	✓	56	56	56	56	56	56	56
	6'	✓	✓	70	70	70	70	70	70	70
Add for each additional 2' increment		✓	✓	14	14	14	14	14	14	14

		SPOs		Building width						
		MF	P0	4'	6'	8'	10'	12'	14'	16'
Personnel Door (all O/A frame)										
Standard Timber	3'			104	104	104	104	104	104	104
	4'			119	119	119	119	119	119	119
	3'			223	223	223	223	223	223	223
	4'	✓		493	493	493	493	493	493	493
	3'			679	679	679	679	679	679	679
Galvanised steel white vertical	3'			89	89	89	89	89	89	89
	4'			550	550	550	550	550	550	550
	3'			551	551	551	551	551	551	551
	4'	✓		603	603	603	603	603	603	603
	3'			793	793	793	793	793	793	793
Galvanised steel white Georgian	3'			845	845	845	845	845	845	845
	4'									
	3'	✓								
	4'									
	3'									
3 point locking	3'									
	4'									
	3'									
	4'									
	3'									
Add Decograin (Golden Oak/Rosewood) to white vertical/Georgian 3' price	3'									
	4'									
	3'									
	4'									
	3'									
PVCu Half Glazed (white)	3'									
	4'									
	3'									
	4'									
	3'									
PVCu Half Glazed Decograin (Golden Oak/Rosewood)	3'									
	4'									
	3'									
	4'									
	3'									
Windows										
Timber fixed	2'			67	67	67	67	67	67	67
	4'			89	89	89	89	89	89	89
	2'			192	192	192	192	192	192	192
	4'	✓		243	243	243	243	243	243	243
	2'			251	251	251	251	251	251	251
PVCu fixed (white)	2'			291	291	291	291	291	291	291
	4'			259	259	259	259	259	259	259
	2'			313	313	313	313	313	313	313
	4'	✓		327	327	327	327	327	327	327
	2'			379	379	379	379	379	379	379
PVCu opening (white)	2'									
	4'									
	2'									
	4'									
	2'									
PVCu fixed Decograin (Golden Oak/Rosewood)	2'									
	4'									
	2'									
	4'									
	2'									
PVCu opening Decograin (Golden Oak/Rosewood)	2'									
	4'									
	2'									
	4'									
	2'									
Others										
Lining clips (pack of 12)	2'			25	25	25	25	25	25	25
	4'			104	104	104	104	104	104	104
	2'			114	114	114	114	114	114	114
	4'									
	2'									
Sand & cement fillet	2'									
	4'									
	2'									
	4'									
	2'									
Partition wall (adds 3" (75mm) to length)	2'									
	4'									
	2'									
	4'									
	2'									
Shelf/Stack (2' 4" or 6')	2'									
	4'									
	2'									
	4'									
	2'									

MF = Maintenance Free Package P0 = Premium Options Package

All sheds and workshops pricing includes a 3' (0.91m) standard timber door. All door upgrades have already been adjusted for the standard door provided (i.e. we have deducted £156 from your chosen door).

Main doors and front posts

Step 1 Style and colour

- As standard, your building comes with a galvanised steel, horizontally ribbed, up and over door. The table below shows the other types of door that are available for the width of your building, as well as additional security locking and remote controls.
- Don't forget:** If you already have your own door, we can leave a gap for you to fit it.



- Once you've chosen the type of door you want, the table below tells you whether a colour option is available.
- Where applicable, you can choose from: Coloured or Decograin


		Building width											
		8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"	
Door width ►	Material	7'	8'		9'	10'	2 × 7'	2 × 8'	2 × 9'				2 × 10'
Up and Over Doors													
— Included as standard —													
Horizontal ribbed		Steel											
Vertical ribbed		Steel	59	114	114	176	969	118	228	352	352	1938	
Georgian		Steel	179	369	369	404	1200	358	738	808	808	2400	
Ilkley		Steel	452	494	494	—	—	904	988	988	—	—	—
Chevron		Steel	199	—	—	—	—	398	—	—	—	—	—
Other Doors													
— Available in white only —													
Rollershutter		Steel	249	299	299	359	429	498	598	718	718	858	
Sectional		Steel	859	859	859	979	1059	1718	1718	1958	1958	2118	
Sectional w/windows		Steel	1165	1165	1165	1376	1463	2329	2329	2753	2753	2925	
Sidehung		Steel	899	929	929	—	—	1798	1858	1858	—	—	—
Sidehung		Timber	141	160	160	—	—	282	320	320	—	—	—
Extras													
4 point security locking (u&o)		—	104	104	104	104	—	208	208	208	208	208	—
Electric Remote Control (U&O, Rollershutter and Sectional doors)		—	959	959	959	959	959	1917	1917	1917	1917	1917	1917
— Key override		—	84	84	84	84	84	84	84	84	84	84	84
— Wall mounted switch		—	100	100	100	100	100	100	100	100	100	100	100
— Additional handset		—	100	100	100	100	100	100	100	100	100	100	100
No door (leaving gap)		—	-97	-112	-112	-129	-189	-194	-224	-258	-258	-378	-378

Building width												
8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"		
Door width ▶	7'	8'	9'	10'	2 × 7'	2 × 8'	2 × 8'	2 × 9'	2 × 10'			
Up and Over Doors												
Horizontal ribbed	163	248	163	248	163	248	326	497	326	497	326	497
Vertical ribbed	222	307	277	362	339	—	1132	—	444	615	554	725
Georgian	342	427	532	617	567	652	1363	1448	684	855	1064	1235
Ilkley	615	—	657	—	—	—	1230	—	1314	—	—	—
Chevron	— Available in white only —											
Other Doors												
Rollershutter	Incl.	311	Incl.	374	Incl.	449	Incl.	536	Incl.	623	Incl.	748
Sectional	1373	1497	1373	1497	1493	1617	1573	1697	2746	2994	2746	2994
Sectional w/windows	1679	1803	1679	1803	1679	1803	1890	2014	1977	2101	3357	3605
Sidehung (Steel)	— Available in white only —											
Front posts												
RealBrick	211	211	310	572	582	316	316	596	868	868	868	868
Sectional Brick/Stone	190	190	279	515	524	285	285	536	782	782	782	782


Main doors

Step 2 Extra doors and extra width


- Some buildings will allow a wider door. A wider building will also allow you to position your door off centre (see right). This can facilitate a shared drive, extra storage space or a workshop area.
- The table below shows the options available for the width of building you have chosen, as well as what comes as standard. Price up the options using the table on page 18. Options that come as standard are highlighted like this



C = Centered



L = Positioned left



R = Positioned right

		Building width															
		8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	18'6"	20'6"	20'6"	22'6"	22'6"	24'6"	24'6"	26'6"	26'6"
Door width	7'	std C	opt L/R/C	opt L/R/C	opt L/R/C	opt L/R/C	2 × std C	2 ×	opt L/R/C	2 ×	opt L/R/C	2 ×	opt L/R/C	2 ×	opt L/R/C	2 door	1 door
	8'	—	std C	opt L/R/C	opt L/R/C	opt L/R/C	—	2 × std C	opt L/R/C	2 ×	opt L/R/C	2 ×	opt L/R/C	2 ×	opt L/R/C	2 ×	opt L/R/C
	9'	—	—	opt C	std C	opt L/R/C	—	—	opt L/R/C	—	opt L/R/C	2 × std C	opt L/R/C	2 ×	opt L/R/C	2 ×	opt L/R/C
	10'	—	—	—	opt C	std C	—	—	opt L/R/C	—	opt L/R/C	—	opt L/R/C	—	opt L/R/C	2 × std C	opt L/R/C
	12'	—	—	—	—	opt C	—	—	opt L/R/C	—	opt L/R/C	—	opt L/R/C	—	opt L/R/C	—	opt L/R/C
		14'	—	—	—	—	—	—	opt L/R/C	—	opt L/R/C	—	opt L/R/C	—	opt L/R/C	—	opt L/R/C

Once you have established a wider door will fit in your chosen width, choose a style from this table:

Door style ▼	Material	Door width						14'
		7'	8'	9'	10'	12'		
Horizontal ribbed U&O	Steel	Incl.	114	176	969	1436	1353	
Vertical ribbed U&O	Steel	59	114	176	969	1436	1353	
Georgian U&O	Steel	179	369	404	1200	1529	1569	
Ilkley U&O	Steel	452	494	—	—	—	2149	
Chevron U&O	Steel	199	—	—	—	—	—	
Rollershutter	Steel	249	299	359	429	579	799	
Sectional	Steel	859	859	979	1059	—	—	
Sectional w/windows	Steel	1165	1165	1376	1463	—	—	
Side hung	Steel	899	929	—	—	—	—	
Side hung	Timber	141	160	—	—	—	—	
Electric Remote Control	—	959	959	959	959	959	959	

This table tells you whether a Coloured or Decograin option is available for your wider door:

Door width							
	7'	8'	9'	10'	12'	14'	
Up and Over Doors							
Horizontal ribbed	163	248	277	362	339	—	1598
Vertical ribbed	222	307	277	362	339	—	1598
Georgian	342	427	532	617	—	—	—
Ilkley	615	—	657	—	—	—	—
Other Doors							
Rollershutter	Incl.	311	Incl.	374	Incl.	536	999
Sectional	1373	1497	1373	1497	1493	1617	1573
Sectional w/windows	1679	1803	1679	1803	1890	2014	1977
Sidehung (Steel)	1062	—	1092	—	—	—	—

If a colour option exists for your choice, this final table tells you what's available:

Up and Over & Sectional Doors	Rollershutter Doors
Colour	Colour
White	White
Dark Brown	Black
Light Blue	Van Dyke Brown
Steel Blue (Dark Blue)	Honesty Cream
Green	Juniper Green
Red	Goosewing Grey
Black	Golden Oak
Golden Oak Woodgrain	Rosewood
Rosewood Woodgrain	

Personnel doors



Step 1

Size, Style and colour

- A personnel door is a worthwhile addition to your building, and almost essential if you have an automatic main door. The table below will tell you which **size, style** and **colour** options are available.
- The diagram below shows you where in your building you can place a personnel door.
- Some steel or PVCu doors are available in: or



Step 2

Opening

Doors can be hung left or right handed, opening in or out:


Material ▼	Vertical	Georgian	Half glazed	Fully glazed	Fully panelled	3 point locking
Timber						
3' (0.91m) Standard	156	—	—	—	—	—
4' (1.22m) Standard	260	—	—	—	—	—
3' (0.91m) Deluxe	275	—	—	—	—	—
Steel						
3' (0.91m)	379	929	835	929	—	89
4' (1.22m)	649	—	—	—	—	89
PVCu						
3' (0.91m)	—	—	707	949	656	Included
3'6" (1.06m)	—	—	759	1001	690	Included

Personnel door positioning


When fitting personnel doors, we take out two 2' (0.61m) panels and put in either a 3' (0.91m) door and a 1' (0.31m) panel, or a 4' (1.22m) door. The corners of the building are a structural component and we cannot position the door under a roof truss. Some door tracks extend back into the garage by at least 6', so try to avoid putting the door there. Also remember to leave enough distance between the garage and the house to ensure you can open the door! (see page 23).

For further advice, talk to your agent.


All personnel doors	Left hand hung		Right hand hung	
	Opening out	Opening in	Opening out	Opening in
	✓	✓	✓	✓



Left hand hung, opening out



Left hand hung, opening in



Right hand hung, opening out



Right hand hung, opening in

The Personnel door positioning diagram is also relevant to windows and Full Height PVCu units. Please ask your agent for help and advice in positioning your chosen options.



PVCu units



PVCu panels

Full height PVCu panels and Doors can be positioned using the same rules of positioning as for Personnel Doors and Windows (see Page 20). A concrete panel is required between each PVCu unit for stability. Talk to your agent for advice in specifying your building.

Choose from: or

		Panel width																	
	Height ▼	1' (0.30m)	1'6" (0.45m)	2' (0.61m)	2'6" (0.76m)	3' (0.91m)	3'6" (1.06m)	4' (1.22m)	5' (1.52m)	6' (1.82m)									
Fixed Full Height Units																			
Fully glazed fixed	6'6" (1.98m)	173	190	207	242	276	293	311	345	380	414	431	466	483	518	604	638	707	742
Fixed Full Height Units with Midrail																			
Glazed	6'6" (1.98m)	190	242	207	259	259	311	293	362	362	449	414	500	466	552	569	673	673	794
Half glazed	6'6" (1.98m)	173	414	190	431	242	483	259	518	328	604	362	638	414	707	500	794	587	897
Fully panelled	6'6" (1.98m)	173	587	190	638	224	673	259	707	311	776	345	828	397	880	483	984	569	1070
Opening Full Height Units with Midrail																			
Glazed	6'6" (1.98m)	224	259	311	311	362	345	414	431	431	518	483	587	552	656	—	—	—	—
Half glazed	6'6" (1.98m)	207	466	242	500	276	535	311	587	380	673	431	725	483	794	—	—	—	—
Fully panelled	6'6" (1.98m)	207	621	242	673	276	725	311	776	380	863	431	915	483	984	—	—	—	—

PVCu door units

All doors are 6'6" in height.

Choose from: or

	Door width				
	3' (0.91m)	3'6" (1.06m)	4' (1.22m)	5' (1.52m)	6' (1.82m)
Single					
Double					
No midrail					
Full height glazed	690	932	742	984	1311
Full height panelled	638	1070	673	1104	1242
Midrail					
Full height glazed	707	949	759	1001	1346
Full height under midrail glazed	707	949	759	1001	1311
Full height panelled	656	1277	690	1329	1277

Building sizes



For Building regulations requirements (building areas) see www.lidget.co.uk/buildingareas and for Planning permission requirements (building volumes) see www.lidget.co.uk/planning

External and internal dimensions

Imperial/metric for Garages, Sheds, Workshops and Garden Rooms

Building length			Building width			
Imperial		Metric	Imperial		Metric	
External	Internal	External	External	Internal	External	Internal
4'	3'6"	1.219	4'	3'6"	1.219	1.067
6'	5'6"	1.829	6'	5'6"	1.829	1.676
8'	7'6"	2.438	8'	7'6"	2.438	2.286
10'	9'6"	3.048	8'6"	8'	2.591	2.438
12'	11'6"	3.657	9'6"	9'	2.895	2.743
14'	13'6"	4.267	10'	9'6"	3.048	2.895
14'3"	13'9"	4.343	10'6"	10'	3.200	3.048
16'	15'6"	4.877	12'	11'6"	3.657	3.505
16'3"	15'9"	4.953	12'6"	12'	3.810	3.657
18'3"	17'9"	5.562	14'	13'6"	4.267	4.115
20'3"	19'9"	6.172	14'6"	14'	4.419	4.267
22'3"	21'9"	6.781	16'	15'6"	4.877	4.724
24'3"	23'9"	7.391	16'6"	16'	5.029	4.877
26'3"	25'9"	8.001	18'6"	18'	5.639	5.486
28'3"	27'9"	8.610	20'6"	20'	6.248	6.096
30'3"	29'9"	9.220	22'6"	22'	6.858	6.705
32'3"	31'9"	9.829	24'6"	24'	7.467	7.315
			26'6"	26'	8.077	7.924

Ridge height by model

Garages, Sheds, Workshops and Garden Rooms, standard 6' 6" (1.981m) height. Other heights available on our website (www.lidget.co.uk)

	Pent		Pent Mansard		Apex		Apex 15		Apex 20	
	Imperial	Metric	Imperial	Metric	Imperial	Metric	Imperial	Metric	Imperial	Metric
Building width	Ridge height		Ridge height		Ridge height		Ridge height		Ridge height	
	4'	7'3"	2.21m	8'6"	7'4"	2.235	7'5½"	2.273	7'7½"	2.323
	6'	7'3"	2.21m	8'6"	7'6½"	2.299	7'8½"	2.35	8'0"	2.434
	8'	7'3"	2.21m	8'6"	7'9"	2.362	7'11½"	2.432	8'4"	2.545
	8'6"	7'3"	2.21m	8'6"	7'9½"	2.375	8'½"	2.451	8'5½"	2.573
	9'6"	7'3"	2.21m	8'6"	7'11"	2.413	8'2½"	2.496	8'7½"	2.628
	10'	7'3"	2.21m	8'6"	7'11½"	2.426	8'3"	2.515	8'8½"	2.656
	10'6"	7'3"	2.21m	8'6"	8'0½"	2.451	8'3½"	2.534	8'9½"	2.684
	12'	7'3"	2.21m	8'6"	8'2½"	2.502	8'6½"	2.597	9'1"	2.767
	12'6"	7'3"	2.21m	8'6"	8'3"	2.515	8'7"	2.616	9'2"	2.795
	14'	7'3"	2.21m	8'6"	8'5"	2.565	8'9½"	2.68	9'5½"	2.878
	14'6"	7'3"	2.21m	8'6"	8'5½"	2.578	8'10½"	2.699	9'6½"	2.906
	16'	7'3"	2.21m	8'6"	8'7½"	2.629	9'0½"	2.762	9'9½"	2.989
	16'6"	7'3"	2.21m	8'6"	8'8½"	2.654	9'1½"	2.781	9'11"	3.017
	18'6"	7'3"	2.21m	8'6"	8'11"	2.718	9'4½"	2.864	10'3"	3.127
	20'6"	7'3"	2.21m	8'6"	9'1½"	2.781	9'8"	2.946	10'7½"	3.238
	22'6"	—	—	—	9'4½"	2.858	9'11½"	3.029	11'	3.349
	24'6"	—	—	—	9'7"	2.921	10'2½"	3.112	11'4"	3.460
26'6"	—	—	—	—	9'9½"	2.985	10'5½"	3.194	11'8½"	3.571

Door sizes



The tables on this page show the door size and the clear size available when the door is open. In addition, the size of the opening door arc is shown, i.e. the room needed to open the door without it catching on anything. This information will help you to position your building, and establish whether you will be able to access it without problems.

Main Doors (up and over)

	External dimensions				Clear dimensions				Opening arc	
	Imperial		Metric		Imperial		Metric		Imperial	Metric
	Width	Height	Width	Height	Width	Height	Width	Height		
Up and over doors (height)	6'6"	6'6"	1.981	1.981	62"	6'1"	1.880	1.854	3'	0.91
	7'	6'6"	2.133	1.981	68"	6'1"	2.032	1.854	3'	0.91
	7'6"	6'6"	2.286	1.981	72"	6'1"	2.184	1.854	3'	0.91
	8'	6'6"	2.438	1.981	78"	6'1"	2.337	1.854	3'	0.91
	9'	6'6"	2.743	1.981	88"	6'1"	2.641	1.854	3'	0.91
	10'	6'6"	3.048	1.981	98"	6'1"	2.946	1.854	3'	0.91
	12'	6'6"	3.657	1.981	118"	6'1"	3.556	1.854	3'	0.91
	14'	6'6"	4.267	1.981	138"	6'1"	4.165	1.854	3'	0.91
	7'	7'	2.133	2.133	68"	6'7"	2.032	2.007	3'3"	0.985
	7'6"	7'	2.286	2.133	72"	6'7"	2.184	2.007	3'3"	0.985
Up and over doors (height)	8'	7'	2.438	2.133	78"	6'7"	2.337	2.007	3'3"	0.985
	9'	7'	2.743	2.133	88"	6'7"	2.641	2.007	3'3"	0.985
	10'	7'	3.048	2.133	98"	6'7"	2.946	2.007	3'3"	0.985
	12'	7'	3.657	2.133	118"	6'7"	3.556	2.007	3'3"	0.985
	14'	7'	4.267	2.133	138"	6'7"	4.165	2.007	3'3"	0.985
	7'6"	7'6"	2.286	2.286	68"	7'1"	2.032	2.159	4'	1.22
Up and over doors (height)	7'6"	7'6"	2.286	2.286	72"	7'1"	2.184	2.159	4'	1.22
	8'	7'6"	2.438	2.286	78"	7'1"	2.337	2.159	4'	1.22

Personnel doors

	External dimensions				Clear dimensions				Opening arc	
	Imperial		Metric		Imperial		Metric		Imperial	Metric
	Width	Height	Width	Height	Width	Height	Width	Height		
Timber										
	3'	6'6"	0.914	1.981	2'7½"	5'8½"	0.8	1.74	2'9"	0.84
	4'	6'6"	1.219	1.981	3'7½"	5'8½"	1.105	1.74	3'9"	1.145
Steel	3'	6'6"	0.914	1.981	2'7"	5'9"	0.79	1.755	3'	0.91
PVCu	3'	6'6"	0.914	1.981	2'8½"	6'2½"	0.83	1.835	2'10"	0.86
	4'	6'6"	1.219	1.981	3'8½"	6'2½"	1.135	1.835	3'10"	1.165
PVCu	3'	6'6"	0.914	1.981	2'7"	5'11"	0.785	1.81	2'8"	0.82
	3'6"	6'6"	1.219	1.981	3'7"	5'11"	1.09	1.81	3'8"	1.125



LIDGET Compton

The Best Concrete Garage

You've chosen the right building for you. What's next?

Place you order with your agent or call us on:

01709 881844 (fax 01709 881015)

Tell us what you need and we'll work with your agent and you to find a way to make it happen.

sales@lidget.co.uk



Don't forget our **design&build** service for your more bespoke projects. Talk to your agent, or visit:

www.lidget.co.uk/designandbuild

or email designandbuild@lidget.co.uk

If you have more detailed requirements, send us an email and we'll tell your agent and get right back to you.

www.lidget.co.uk/instantquote

If you know exactly what you want, get online and we'll quote it on the spot.



Our agents are there to answer all your questions. Just ask.

And if all else fails, write to us at:

LidgetCompton, Albion Drive, Lidget Lane,
Thurnscoe, Rotherham S63 0BA

Prices in the LidgetCompton price guide all include delivery and installation. Delivery is to mainland England and Wales, and includes carrying your building up to 25 yards (23 metres) on a reasonable surface from our parked lorry to your concrete base. We are unable to deliver through your house or outbuildings for safety reasons.

Prices include VAT at the current rate of 20%. In the event of a change of VAT rate, we reserve the right to adjust prices accordingly. Prices include installation of options ordered at the time of ordering the building. Options ordered after delivery and installation will be quoted separately. Sizes quoted are external measurements.

All information correct at time of going to press. Photos are for illustration purposes only. Terms and conditions apply. We reserve the right to change product specification without notice. E&OE.

lidget.co.uk