

LIDGETCOMPTON PRICE GUIDE
AREA January 2012

Start creating
something unique...




LIDGET Compton
The Best Concrete Garage



Hortons
tel: 01403 888222
web: hortonsgroup.com

Hortons
01403 888222
ortonsgroup.com



Hlidget.co.uk
tel: 01403 888222

Hortons
tel: 01403 888222

Hortons
tel: 01403 888222

Contents

Why choose a LidgetCompton garage?	2
Special Package Offers	2
Our Agents	3
How to use this price guide	3
Pent	4
Pent Mansard	6
Apex	8
Apex 15	10
Apex 20	12
Garden Rooms	14
Sheds and Workshops	16
Main doors and front posts	18
Personnel doors	20
PVCu units	21
Size charts	22
Contact us	24

Why choose a LidgetCompton garage?



- ✓ We provide a 10 year structural guarantee for peace of mind.
- ✓ We are a family run business that has been around for over 30 years, we know what we are doing and can give you the level of personal service you expect, you are not just a number.
- ✓ We have real people in the office to give you advice and support all through your contract, backing up the service offered by our agents, a complete service. We're always there to help, just call.
- ✓ We manufacture the strongest and thickest reinforced concrete garage panel on the market giving guaranteed performance. We have invested in a specialist manufacturing facility, to give consistent quality for longer life.
- ✓ We supply market leading Hörmann and GDS garage doors for bigger choice and guaranteed better performance.
- ✓ We ensure that your building is normally delivered and built on the same day, installed by our own workforce, guaranteeing the highest quality and the best service.
- ✓ We offer the largest and most flexible product range to give you the best choice.

- Bespoke Options ensue that you can personalise our standard range, and you can use our unique Design&Build service if you can't find what you want.
- ✓ We have designed our product range to make it easier to choose exactly the right building for you. Our unique approach enables you to see at a glance what you can and can't do in specifying your building. Our pricing model is simplicity itself. Special Package Offers, unique to Lidget, save you money and time.
- ✓ We have a team of in house engineers that are constantly putting new ideas into action, creating new products or improving existing products, which means you can be sure you are getting the best value for money.
- ✓ We offer exclusive patented Stone and Brick effect and textured finish buildings, ensuring the best kerb appeal and the ability to match your home, maximising your return on investment, and giving you pleasure as well.

Simply put, LidgetCompton supply the Best Concrete Garages.



LidgetCompton Tips

- Look through our brochure and on the website – you will find a series of tips.
- Based on feedback from our customers, these are nuggets of advice passed on to help you when choosing your building.

Special Package Offers

We've put together the most popular options, and reduced the price! You can save £100s, and you will still qualify for any price promotions/discounts!



Maintenance Free Package*

- No more sanding or painting, an occasional wipe clean is all you need! This package includes:
 - ✓ White vertically ribbed up and over door
 - ✓ White PVCu fascias and vergeboards
 - ✓ PVCu Gutters (Choose from White, Black or Brown)
 - ✓ 4' (1.22m) fixed white PVCu double glazed window
 - ✓ 3' (0.91m) White vertically ribbed Personnel door
 - ✓ 4 point locking on your up and over door (up to 9' (2.74m wide)
 - ✓ Timber weather bar
 - ✓ Sand and cement fillet



Premium Options Package*

- Make your garage the envy of your neighbours! This package includes:
 - ✓ White Georgian up and over door with 4 point locking on doors up to 9' (2.74m) wide
 - ✓ RealBrick/Stone effect front posts (choice of 4)
 - ✓ White PVCu fascias and vergeboards
 - ✓ PVCu Gutters (Choose from White, Black or Brown)
 - ✓ 4' (1.22m) opening white PVCu double glazed window
 - ✓ 3' (0.91m) White Georgian Personnel door with 3 point locking
 - ✓ Coloured roof sheets (Apex only) – see page 23
 - ✓ Timber weather bar
 - ✓ Sand and cement fillet



10 Year Guarantee

LidgetCompton offer a full structural guarantee for 10 years from the date of installation of your building. The guarantee is transferable, and is subject to the proper following of the Care and Maintenance Instructions supplied with your acknowledgement of order. See www.lidget.co.uk/10yearguarantee

LidgetCompton Tips

- Look through our brochure and on the website – you will find a series of tips.
- Based on feedback from our customers, these are nuggets of advice passed on to help you when choosing your building.

Unique to LidgetCompton, we offer these Special Packages across the whole range. Once you've chosen the shape of your building, you'll find the SPO price below the main building price listing on pages 4 to 13.

Don't forget that any special price offers/discounts are in addition to the savings you make on the Special Package Offers, part of the reason why LidgetCompton provide the Best Concrete Garage.

Our Agents

We have trained agents all around the UK. When you enquire about our products, we will put you in contact with them.



Amongst other things, they can give you specific advice, arrange taking down and removing old buildings, preparing a new or refurbishing concrete bases and generally help you make the best decision. Your agent can:

- ✓ Show you examples of the LidgetCompton range.
- ✓ Offer a free site survey, without obligating you in any way.
- ✓ Help with obtaining local authority approval where necessary, providing the detailed drawings necessary.
- ✓ Arrange to have your old building demolished and removed from site.
- ✓ Arrange to lay a new or refurbish an old concrete base.
- ✓ Advise on the best model to suit your requirements, blend with your house and maximise your property value.
- ✓ Arrange for the provision of electricity into your building, so you can fit remote control operators, lights, power sockets etc.
- ✓ Arrange to have your building lined out, if required.
- ✓ Arrange for you to receive your 10 year structural guarantee.



Instant Quote

Why not log on to:


www.lidget.co.uk/instantquote

to get an instant response, pricing your chosen building in the area that you live. The quote will come from your local agent, who can help and give advice at every stage. We're on the end of a phone as well, if you need any further help, or log on to:


www.lidget.co.uk/contactus

How to use this price guide

First choose the basic shape of your building...



...then choose the size...



length...

...then width...

...and finish

You can personalise your building to your exact specification...

...or choose one of our time and money saving Special Packages



Design and Build

If you can't find it, don't despair! Our engineers can normally design a building for you, so if you want a building of a non-standard size, width, length or height, just let us know and we'll do our best to help you. Log on to our website:

www.lidget.co.uk/designandbuild

and just follow the simple instructions there. Alternatively,

email designandbuild@lidget.co.uk

or ring customer services on **01709 881844**

...giving us a brief description of what you want and what you want it for.

Not just a garage, but a workshop, a music room, a garden room, a potting shed, play area, store, utility – you name it; and it's been done in a LidgetCompton building!



The LidgetCompton Honest Pricing Policy

How do we work out our prices?

Our pricing is designed to be transparent. Concrete garages, sheds and workshops are heavy, and take up a lot of space on a lorry. They need specialised machinery to handle, load and offload.

The basic building price is the same wherever you are, and we simply pass on the cost of transport and labour, which increases the further away you live from Yorkshire, where we make our buildings. With LidgetCompton, what you see is what you get. It's a logical and understandable method, ensuring that you get value for money. We're not trying to rip anyone off, simply to cover our costs and make a reasonable return.

We offer the best value for money in the market today, tell us if you think anyone offers the same product at better value.

Pent

You've chosen the shape of your building. What's next?



Step 1 Size and finish

First of all, choose the **length** and **width** of your building from the table below.



Then choose the **wall finish** you want:

Spar

Brick/Stone effect

Textured

This is your **standard building price**.

- For a **rear gutter**, add the figure from the bottom row.
- For **additional height**, add 25% to the basic Spar building price to give you a 7'6" (2.29m) high building.
- For a **Lean-to**, add 10% to basic Spar building price.*

Door width ▶	Building width						20'6" (6.24m)													
	8'6" (2.49m) 7' (2.13m) door	9'6" (2.89m) 8' (2.43m) door	10'6" (3.20m) 9' (2.74m) door	12'6" (3.81m) 10' (3.04m) door	14'6" (4.41m) 10' (3.04m) door	16'6" (5.02m) 2 x 7' (2.13m) door		18'6" (5.63m) 2 x 8' (2.43m) door												
Building length	14'3" (4.34m) 2134	4002 4536	2443 4360	4908 4908	2563 4577	5152 5152	2991 5199	5830 5830	4285 4285	6590 6590	7248 7248	4031 4031	6335 6335	6993 6993	4500 4500	6902 6902	7388 7388	4865 4865	7461 7461	8203 8203
	16'3" (4.95m) 2187	4249 4839	2593 4704	5308 5308	2701 4909	5540 3141	3141 5543	6229 4474	4474 6229	6973 6973	7686 7686	4252 4252	6752 6752	7465 7465	4655 4655	7251 7251	7993 7993	5088 5088	7879 7879	8676 8676
	18'3" (5.56m) 2365	4622 5266	2735 5039	5698 2841	2841 5243	5930 3313	5908 3313	6651 6651	4632 4632	7325 7325	8094 8094	4434 4434	7127 7127	7896 7896	4917 4917	7707 7707	8504 8504	5291 5291	8275 8275	9128 9128
	20'3" (6.17m) 2555	5005 5706	2948 5447	6160 3000	3000 5595	6337 3484	6275 3484	7072 7072	4860 4860	7747 7747	8572 8572	4653 4653	7540 7540	8365 8365	5206 5206	8191 8191	9043 9043	5551 5551	8729 8729	9638 9638
	22'3" (6.78m) 2721	5366 6122	3086 5779	6548 3236	3236 6027	6824 3634	6618 3634	7471 7471	5018 5018	8100 8100	8980 8980	4908 4908	7990 7990	8870 8870	5456 5456	8634 8634	9543 9543	5753 5753	9125 9125	10089 10089
	24'3" (7.39m) 2893	5732 6543	3206 6093	6918 3386	3386 6370	7223 3837	7015 3837	7924 7924	5181 5181	8457 8457	9392 9392	5215 5215	8490 8490	9426 9426	5693 5693	9065 9065	10029 10029	5979 5979	9545 9545	10565 10565
	26'3" (8.00m) 3025	6057 6923	3354 6436	7316 3549	3549 6727	7636 4027	7400 4027	8364 8364	5415 5415	8885 8885	9875 9875	5521 5521	8991 8991	9982 9982	5929 5929	9495 9495	10515 10515	6206 6206	9967 9967	11041 11041
	28'3" (8.61m) 3156	6383 7304	3503 6778	7714 3712	3712 7085	8049 4217	7783 4217	8803 8803	5648 5648	9311 9311	10358 10358	5828 5828	9491 9491	10538 10538	6166 6166	9927 9927	11001 11001	6432 6432	10387 10387	11516 11516
Gutters		59	66	73	87	101	143													

In a hurry? Our **Special Package Offers** are designed to save you time and money. We've put together the most popular building options and reduced the price, and you still qualify for any price promotions and discounts!

Maintenance Free package:

- White fully retractable vertically ribbed up and over door with 4 point locking
- White PVCu 4. (1.22m) fixed window
- White PVCu fascias, verge and back board
- White PVCu gutters to rear elevation
- White 3' (0.91m) vertically ribbed personnel door
- Sand and cement fillet
- Timber weather bar

Save up to **£347**

Premium Options package:

- White fully retractable Georgian up and over door with 4 point locking
- White 3' (0.91m) wide Georgian personnel door with 3 point locking
- White PVCu gutters to rear elevation
- White 4' (1.22m) PVCu opening window
- Brick front posts - choice of 4 colours
- Sand and cement fillet
- Timber weather bar

Save up to **£923**

SPO ▶	Building width							
	8'6" (2.49m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.41m)	16'6" (5.02m)	18'6" (5.63m)	20'6" (6.24m)
MF	1245	1298	1304	1368	1966	1681	1786	2641
PO	1792	1940	2019	2252	2790	2345	2641	2861

MF = Maintenance Free Package PO = Premium Options Package



* Talk to your agent about completing the questionnaire prior to order.

Supplied as standard:

Wall finish: Thicker concrete steel reinforced panels with spar finish.

Front posts: Spar.

Main door: Hörmann pre-framed, fully retractable, white powder coated galvanised steel, horizontal ribbed up and over door.

Fascias and vergeboards: Factory preservative treated timber.
Window: 4' (1.22m) timber fixed factory preservative treated.

Step 2

Style

Bespoke Options

- Choose any of the Bespoke Options to personalise your building.
- Find your width in the table and add any of the options in that column.
- You will see page number references against those option groups that have more choices, turn to those pages to select from these.

		Building width						— Included as standard —	
		8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"
		7'	8'	9'	10'	11'	12'	13'	14'
		Main Door (see also page 18 & 19 for more options)							
		Horizontal ribbed							
		Main door width ▶							
		SPOs							
		MF PO							
Vertical (white/brown)	✓	59	114	114	176	969	118	228	228
Georgian (white/brown)	✓	179	369	369	404	1200	358	738	738
Add 4-point locking	✓	104	104	104	104	—	208	208	208
Add Decograin (Golden Oak/Rosewood)		248	248	248	248	248	497	497	497
Rollershutter		249	299	299	359	429	498	598	598
Sectional		859	859	859	979	1059	1718	1718	1718
Side hung timber		141	160	160	n/a	n/a	282	320	320
Electric remote control (UG0)		959	959	959	959	959	1917	1917	1917
Roof (Plastisol roof sheets. Choose from Black, Light Grey, Dark Grey, Olive Green, Terracotta, Dark Brown)									
14'3"		630	704	778	927	1075	1223	1371	1520
16'3"		719	803	888	1057	1226	1395	1564	1733
18'3"		807	902	997	1187	1377	1566	1756	1946
20'3"		895	1001	1106	1317	1527	1738	1949	2159
22'3"		984	1100	1215	1447	1678	1910	2141	2373
24'3"		1072	1198	1325	1577	1829	2081	2334	2586
26'3"		1161	1297	1434	1707	1980	2253	2526	2799
28'3"		1249	1396	1543	1837	2131	2425	2719	3013
Fascia and Vergeboard (supplied with timber as standard)									
PVCu (White)	✓	468	468	468	468	468	684	684	684
PVCu Decograin (Golden Oak/Rosewood)		639	639	639	639	639	884	884	884

		Building width						SPOs	
		8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"
		7'	8'	9'	10'	11'	12'	13'	14'
		Main door width ▶							
Personnel Door (all O/A frame. See page 20 for more options)									
Standard Timber		156	156	156	156	156	156	156	156
Deluxe Timber		260	260	260	260	260	260	260	260
Galvanised steel white vertical	✓	275	275	275	275	275	275	275	275
Galvanised steel white Georgian	✓	379	379	379	379	379	379	379	379
3 point locking (to steel personnel doors)	✓	649	649	649	649	649	649	649	649
Add Decograin (Golden Oak/Rosewood) to white vertical/Georgian 3' price		835	835	835	835	835	835	835	835
PVCu Half Glazed (white)		89	89	89	89	89	89	89	89
PVCu Half Glazed Decograin (Golden Oak/Rosewood)		550	550	550	550	550	550	550	550
Windows (supplied with 4' (1.22m) fixed timber window as standard)		707	707	707	707	707	707	707	707
Timber fixed		759	759	759	759	759	759	759	759
PVCu fixed (white)	✓	949	949	949	949	949	949	949	949
PVCu opening (white)	✓	1001	1001	1001	1001	1001	1001	1001	1001
PVCu fixed Decograin (Golden Oak/Rosewood)		67	67	67	67	67	67	67	67
PVCu opening Decograin (Golden Oak/Rosewood)		89	89	89	89	89	89	89	89
Others		192	192	192	192	192	192	192	192
Lining clips (pack of 12)		243	243	243	243	243	243	243	243
Sand & cement fillet	✓	251	251	251	251	251	251	251	251
RealBrick front posts	✓	291	291	291	291	291	291	291	291
Partition wall (adds 3" (75mm) to length)	✓	259	259	259	259	259	259	259	259
Timber weather bar	✓	313	313	313	313	313	313	313	313
Shelf Stack (2'4" or 6')		327	327	327	327	327	327	327	327
		379	379	379	379	379	379	379	379

MF = Maintenance Free Package PO = Premium Options Package

Pent Mansard

You've chosen the shape of your building. What's next?



Step 1

Size and finish

• First of all, choose the **length** and **width** of your building from the table below.



• Then choose the **wall finish** you want:

Spar

Brick/Stone effect

Textured

This will give you your **standard building price**.

• Gutters are included on front and rear elevations on this model.

• If you need **additional height**, add 25% to the basic Spar building price to give you a 7'6" (2.29m) high building.

• For a **Lean-to**, add 10% to basic Spar building price.*

Door width ▶	Building width					20'6" (6.24m)											
	8'6" (2.49m) 7' (2.13m) door	9'6" (2.89m) 8' (2.43m) door	10'6" (3.20m) 9' (2.74m) door	12'6" (3.81m) 10' (3.04m) door	14'6" (4.41m) 12' (3.66m) door		16'6" (5.02m) 14' (4.27m) door	18'6" (5.63m) 16' (4.88m) door	20'6" (6.24m) 18' (5.49m) door								
Length	3243 14'3" (4.34m)	3600 4912 5389	3660 5312 5802	4288 6079	4288 6079	5565 6079	5565 6079	6294 8440	6294 8440	8378 8734	8378 8734	9053 9531	9053 9531	9734 10181	9734 10181	10278 10607	10278 10607



In a hurry? Our **Special Package Offers** are designed to save you time and money. We've put together the most popular building options and reduced the price, and you still qualify for any price promotions and discounts!



Maintenance Free package: ✓ Included

Premium Options package: ✓ White fully retractable Georgian up and over door with 4-point locking

- ✓ White 3' (0.91m) wide Georgian personnel door with 3-point locking
- ✓ Brick front posts – choice of 4 colours
- ✓ White 4' (1.22m) PVCu opening window
- ✓ Sand and cement fillet
- ✓ Timber weather bar

Save up to **£787**

SPO ▶	Building width												
	8'6" (2.49m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.41m)	16'6" (5.02m)	18'6" (5.63m)	20'6" (6.24m)					
	MF Included	MF Included	MF Included	MF Included	MF Included	MF Included	MF Included	MF Included	MF Included	MF Included	MF Included	MF Included	MF Included
	PO 1396	PO 1539	PO 1613	PO 1836	PO 2362	PO 1746	PO 2031	PO 2240					

MF = Maintenance Free Package PO = Premium Options Package

Hortons
tel: 01403 888222
web: hortonsgroup.com

Hortons
tel: 01403 888222
web: hortonsgroup.com

Hortons
tel: 01403 888222
web: hortonsgroup.com

Hortons
tel: 01403 888222

Hortons
tel: 01403 888222

Hortons
tel: 01403 888222

Supplied as standard:

Wall finish: Thicker concrete steel reinforced panels with spar finish.

Front posts: Spar.

Main door: Hörmann pre-framed, fully retractable, white powder coated galvanised steel, horizontal ribbed up and over door.

Roof: Metrotile front elevation with a choice of 6 colours. Metrotile granular galvanised steel pan tile profile roof tiles, in a choice of six colours. One piece corrugated galvanised steel roof sheets, with Grafo therm anti-condensation treatment. C section galvanised steel rafters.

Fascias and vergesboards: White PVCu clad Fascia, vergeboard and rearboard.

Windows: 4' (1.22m) White PVCu fixed factory preservative treated.
Gutters: White PVCu gutters and downpipe to both front and rear elevations.

Pent Mansard

Step 2

Style

Bespoke Options

• Choose any of the Bespoke Options to personalise your building.

• Find your width in the table and add any of the options in that column.

• You will see page number references against those option groups that have more choices, turn to those pages to select from these.

SPOs	Building width							
	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"
P0	7'	8'	10'	9'	10'	2 x 7'	2 x 8'	2 x 8'
<i>Main door width ▶</i>								

Main Door (see also page 18 & 19 for more options)

Horizontal ribbed — Included as standard —

Vertical (white/brown)	48	48	48	48	48	96	96	96
Georgian (white/brown)	✓ 138	270	270	270	270	540	540	540
Add 4-point locking	✓ 84	84	84	84	84	168	168	168
Add Decograin (Golden Oak/Rosewood)	198	198	198	198	198	396	396	396
Sectional	479	499	499	499	499	958	998	998
Side hung timber	114	114	114	114	114	228	228	228
Electric remote control (U&O)	774	774	774	774	774	1548	1548	1548

Fascia and Vergeboard

PVCu (White)

— Included as standard —

PVCu Decograin (Golden Oak/Rosewood)	171	171	171	171	171	201	201	201
--------------------------------------	-----	-----	-----	-----	-----	-----	-----	-----

P0 = Premium Options Package

SPOs	Building width							
	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"
P0	7'	8'	10'	9'	10'	2 x 7'	2 x 8'	2 x 8'
<i>Main door width ▶</i>								
Personnel Door (all O/A frame. See page 20 for more options)								
Standard Timber	3'	156	156	156	156	156	156	156
	4'	260	260	260	260	260	260	260
Deluxe Timber	✓ 3'	275	275	275	275	275	275	275
Galvanised steel white vertical	3'	379	379	379	379	379	379	379
	4'	649	649	649	649	649	649	649
Galvanised steel white Georgian	3'	835	835	835	835	835	835	835
3 point locking (to steel personnel doors)	✓	89	89	89	89	89	89	89
Add Decograin (Golden Oak/Rosewood) to white vertical/Georgian 3' price		550	550	550	550	550	550	550
PVCu Half Glazed (white)	3'	707	707	707	707	707	707	707
	3'6"	759	759	759	759	759	759	759
PVCu Half Glazed Decograin (Golden Oak/Rosewood)	3'	949	949	949	949	949	949	949
	3'6"	1001	1001	1001	1001	1001	1001	1001
Windows (4' (1.22m) white PVCu fixed window included)								
Timber fixed	2'	67	67	67	67	67	67	67
	4'	89	89	89	89	89	89	89
PVCu fixed (white)	2'	192	192	192	192	192	192	192
	4'	243	243	243	243	243	243	243
PVCu opening (white)	2'	251	251	251	251	251	251	251
	4'	291	291	291	291	291	291	291
PVCu fixed Decograin (Golden Oak/Rosewood)	2'	259	259	259	259	259	259	259
	4'	313	313	313	313	313	313	313
PVCu opening Decograin (Golden Oak/Rosewood)	2'	327	327	327	327	327	327	327
	4'	379	379	379	379	379	379	379
Others								
Timber weather bar	✓	48	48	48	48	48	48	48
Lining clips (pack of 12)		25	25	25	25	25	25	25
Sand & cement fillet	✓	104	104	104	104	104	104	104
RealBrick front posts	✓	211	211	211	211	211	211	211
Partition wall (adds 3" (75mm) to length)		242	271	299	356	413	470	527
Shelf Stack (2' 4" or 6')							116 / 135 / 154	

Apex

You've chosen the shape of your building. What's next?



Step 1

Size and finish

- First of all, choose the **length** and **width** of your building from the table below. For longer buildings, add in the 2' increment price. (For example, a 28'3" building would be the 24'3" price plus 2 x 2' increment prices: 2 x 2' = 4' then 24'3" + 4' = 28'3").

- Then choose the **wall finish** you want:

Spar Brick/Stone effect Textured

This will give you your **standard building price**.

- For **side gutters**, add the figure from the end column.
- For **additional height**, add the following to the basic spar building price: 7' +15%, 7'6" +25%.
- For a **Lean-to**, add 10% to basic Spar building price.*


Door width ▶	Building width										Gutters																								
	8'6" (2.49m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.41m)	16'6" (5.02m)	18'6" (5.63m)	20'6" (6.24m)	22'6" (6.85m)	24'6" (7.46m)	26'6" (8.07m)	1 side	2 sides																						
14'3" (4.34m)	2473	4341	4875	2813	4729	5278	2960	4973	5549	7180	7838	4627	6932	7590	5271	7673	8360	5721	8317	9059	6394	9087	9856	6684	9570	10395	8331	11315	12168	100	199				
16'3" (4.95m)	2552	4613	5203	2968	5079	5682	3149	5357	5988	3691	6093	6779	5081	7581	8294	4963	7463	8176	5554	8150	8892	5986	8776	9573	6695	9582	10407	7000	10082	10961	8672	11850	12759	114	227
18'3" (5.56m)	2763	5020	5664	3134	5439	6097	3316	5718	6404	3901	6496	7239	5298	7991	8760	5296	7989	8758	5878	8668	9465	6314	9298	10151	7038	10120	11000	7358	10633	11569	9062	12435	13398	128	255
20'3" (6.17m)	2921	5372	6072	3299	5799	6512	3528	6123	6865	4119	6909	7706	5516	8403	9228	5566	8453	9278	6224	9208	10061	6579	9757	10665	7323	10598	11534	7656	11126	12117	9385	12951	13971	142	283
22'3" (6.78m)	3198	5843	6598	3534	6227	6996	3757	6548	7345	4302	7286	8139	5733	8814	9694	5954	9036	9916	6510	9688	10597	6874	10246	11210	7656	11126	12117	8004	11668	12715	9763	13524	14599	156	311
24'3" (7.39m)	3451	6290	7101	3707	6594	7419	3941	6925	7778	4460	7638	8547	5911	9186	10122	6301	9576	10512	6792	10165	11128	7157	10723	11743	7905	11568	12615	8442	12300	13402	10045	13999	15129	170	339

▶ Add for each additional 2' (0.61m) increment ▶

+ 2'	163	357	412	190	385	439	193	387	443	237	431	486	286	481	536	318	513	568	243	437	493	381	576	631	341	535	591	366	561	616	386	580	636	14	28
------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	----	----

In a hurry? Our Special Package Offers are designed

to save you time and money. We've put together the most popular building options and reduced the price; and you still qualify for any price promotions and discounts!



Maintenance Free package:

- White fully retractable vertically ribbed up and over door with 4 point locking
- White PVCu 4' (1.22m) fixed window
- White PVCu fascia, verge and back board
- White PVCu gutters to both sides
- White 3' (0.91m) vertically ribbed personnel door
- Sand and cement fillet
- Timber weather bar

Save up to **£572**



Premium Options package:

- White fully retractable Georgan up and over door with 4 point locking
- White 3' (0.91m) wide Georgan personnel door with 3 point locking
- Coloured roof sheets, choice of 8 colours
- White 4' (1.22m) PVCu opening window
- White PVCu fascia front and rear, with vergeboard
- RealBrick front posts - choice of 4 colours
- White PVCu gutters to both sides
- Sand and cement fillet
- Timber weather bar

Save up to **£1733**

Building width

SPO ▶	Building width										Gutters																											
	8'6" (2.49m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.41m)	16'6" (5.02m)	18'6" (5.63m)	20'6" (6.24m)	22'6" (6.85m)	24'6" (7.46m)	26'6" (8.07m)	1 side	2 sides																									
14'3" (4.34m)	1364	2066	1411	2228	1411	2322	1464	2585	2138	3229	1752	2736	1846	3061	1846	3310	1951	3607	1951	3607	1951	3607	1951	3607	1951	3607	1951	3607	1951	3607	1951	3607	1951	3607	1951	3607	1951	3607
16'3" (4.95m)	1388	2110	1435	2275	1435	2372	1487	2640	2161	3290	1776	2803	1869	3133	1869	3388	1975	3690	1975	3690	1975	3690	1975	3690	1975	3690	1975	3690	1975	3690	1975	3690	1975	3690	1975	3690	1975	3690
18'3" (5.56m)	1412	2155	1458	2323	1458	2422	1511	2696	2185	3352	1800	2870	1893	3206	1893	3466	1999	3774	1999	3774	1999	3774	1999	3774	1999	3774	1999	3774	1999	3774	1999	3774	1999	3774	1999	3774	1999	3774
20'3" (6.17m)	1435	2200	1482	2370	1482	2473	1535	2752	2209	3413	1824	2937	1917	3278	1917	3544	2022	3858	2022	3858	2022	3858	2022	3858	2022	3858	2022	3858	2022	3858	2022	3858	2022	3858	2022	3858	2022	3858
22'3" (6.78m)	1459	2244	1506	2418	1506	2523	1559	2808	2233	3475	1847	3004	1941	3351	1941	3622	2046	3941	2046	3941	2046	3941	2046	3941	2046	3941	2046	3941	2046	3941	2046	3941	2046	3941	2046	3941	2046	3941
24'3" (7.39m)	1483	2289	1530	2465	1530	2573	1582	2864	2257	3536	1871	3071	1965	3423	1965	3700	2070	4025	2070	4025	2070	4025	2070	4025	2070	4025	2070	4025	2070	4025	2070	4025	2070	4025	2070	4025	2070	4025

▶ Add for each additional 2' (0.61m) increment ▶

MF = Maintenance Free Package PO = Premium Options Package

* Talk to your agent about completing the questionnaire prior to order.

Supplied as standard:

Wall finish: Thicker concrete steel reinforced panels with spar finish.

Front posts: Spar.

Main door: Pre-framed, fully retractable, white powder coated galvanised steel, horizontal ribbed up and over door.

Roof: 12.5° pitch roof with fibre cement roof sheets, eaves filler.

Fascias and vergeboards: Factory treated timber fascia and vergeboards.
Window: 4' (1.22m) timber fixed factory preservative treated.

Apex

Step 2

Style

Bespoke Options

- Choose any of the Bespoke Options to personalise your building.

- Find your width in the table and add any of the options in that column.

- You will see page number references against those option groups that have more choices, turn to those pages to select from these.

	SPOs	Building width							Included as standard —				
		MF PO	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"		18'6"	20'6"	22'6"	24'6"
Main door width ▶													
Main Door (see also page 18 & 19 for more options)													
Horizontal ribbed													
Vertical (white/brown)	✓	59	114	114	176	969	118	228	228	352	352	1938	
Georgian (white/brown)	✓	179	369	369	404	1200	358	738	738	808	808	2400	
Add 4-point locking	✓	104	104	104	104	—	208	208	208	208	208	—	
Add Decograin (Golden Oak/Rosewood)		248	248	248	248	248	497	497	497	497	497	497	
Rollershutter		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
Sectional		859	859	859	979	1059	1718	1718	1718	1958	1958	2118	
Side hung timber		141	160	160	n/a	n/a	282	320	320	n/a	n/a	n/a	
Electric remote control (UGO)		959	959	959	959	959	1917	1917	1917	1917	1917	1917	
Roof (Coloured roof sheets. Choose from Spanish Red, Charcoal, Blue, Olive Green, Black, Brown or Terracotta. Includes eaves filler)													
14'3"	✓	225	252	278	331	384	437	490	543	596	649	702	
16'3"	✓	257	287	317	377	438	498	559	619	679	740	800	
18'3"	✓	288	322	356	424	492	559	627	695	763	831	899	
20'3"	✓	320	357	395	470	546	621	696	771	846	922	997	
22'3"	✓	351	393	434	517	599	682	765	847	930	1013	1095	
24'3"	✓	383	428	473	563	653	743	833	924	1014	1104	1194	
Add for each additional 2' (0.61m) increment ▶		32	35	39	46	54	61	69	76	84	91	98	
Fascia and Vergeboard (supplied with timber as standard)													
PVCu (White)	✓	468	468	468	468	468	684	684	684	684	684	684	684
PVCu Decograin (Golden Oak/Rosewood)		639	639	639	639	639	884	884	884	884	884	884	884

MF = Maintenance Free Package PO = Premium Options Package

	SPOs		Building width							Main door width ▶			
	MF	PO	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"		20'6"	22'6"	24'6"
Personnel Door (all O/A frame. See page 20 for more options)													
Standard Timber			156	156	156	156	156	156	156	156	156	156	156
Deluxe Timber			260	260	260	260	260	260	260	260	260	260	260
Galvanised steel white vertical	✓		275	275	275	275	275	275	275	275	275	275	275
Galvanised steel white Georgian		✓	379	379	379	379	379	379	379	379	379	379	379
3 point locking (to steel personnel doors)		✓	649	649	649	649	649	649	649	649	649	649	649
Add Decograin (Golden Oak/Rosewood) to white vertical/Georgian 3' price			835	835	835	835	835	835	835	835	835	835	835
PVCu Half Glazed (white)			89	89	89	89	89	89	89	89	89	89	89
PVCu Half Glazed Decograin (Golden Oak/Rosewood)			550	550	550	550	550	550	550	550	550	550	550
Windows (4' (1.22m) fixed timber window included as standard)			707	707	707	707	707	707	707	707	707	707	707
Timber fixed			759	759	759	759	759	759	759	759	759	759	759
PVCu fixed (white)		✓	949	949	949	949	949	949	949	949	949	949	949
PVCu opening (white)		✓	1001	1001	1001	1001	1001	1001	1001	1001	1001	1001	1001
PVCu fixed Decograin (Golden Oak/Rosewood)			67	67	67	67	67	67	67	67	67	67	67
PVCu opening Decograin (Golden Oak/Rosewood)			89	89	89	89	89	89	89	89	89	89	89
Timber weather bar	✓		192	192	192	192	192	192	192	192	192	192	192
Lining clips (pack of 12)			243	243	243	243	243	243	243	243	243	243	243
Sand & cement fillet	✓		251	251	251	251	251	251	251	251	251	251	251
RealBrick front posts	✓		291	291	291	291	291	291	291	291	291	291	291
Partition wall (adds 3" (75mm) to length)	✓		259	259	259	259	259	259	259	259	259	259	259
Translucent roof sheet (each)			313	313	313	313	313	313	313	313	313	313	313
Shelf Stack (2' 4" or 6')			327	327	327	327	327	327	327	327	327	327	327
			379	379	379	379	379	379	379	379	379	379	379
Others													
Timber weather bar	✓		48	48	48	48	48	48	48	48	48	48	48
Lining clips (pack of 12)			25	25	25	25	25	25	25	25	25	25	25
Sand & cement fillet	✓		104	104	104	104	104	104	104	104	104	104	104
RealBrick front posts	✓		211	211	211	211	211	211	211	211	211	211	211
Partition wall (adds 3" (75mm) to length)	✓		242	242	242	242	242	242	242	242	242	242	242
Translucent roof sheet (each)			67	67	67	67	67	67	67	67	67	67	67
Shelf Stack (2' 4" or 6')			116 / 135 / 154										

Apex 15

You've chosen the shape of your building. What's next?



Step 1

Size and finish

- First of all, choose the **length** and **width** of your building from the table below. For longer buildings, add in the 2' increment price. (For example, a 28'3" building would be the 24'3" price plus 2 x 2' increment prices: 2 x 2' = 4' then 24'3" + 4' = 28'3").

- Then choose the **wall finish** you want:



Spar Brick/Stone effect Textured

This will give you your **standard building price**.

- For **side gutters**, add the figure from the end column.
- For **additional height**, add the following to the basic spar building price: 7' +15%, 7'6" +25%.
- For a **Lean-to**, add 10% to basic Spar building price.*

Door width ▶	Building width										Gutters																	
	8'6" (2.49m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.41m)	16'6" (5.02m)	18'6" (5.63m)	20'6" (6.24m)	22'6" (6.85m)	24'6" (7.46m)	26'6" (8.07m)	1 side	2 sides															
14'3" (4.34m)	3481	5349	5883	7200	7831	6594	8898	9557	6583	8887	9546	7464	9866	10553	8151	10747	11489	9061	11754	12523	9588	12475	13300	11472	14456	15309	100	199
16'3" (4.95m)	3701	5762	6352	7783	8469	7041	9541	10254	7194	9693	10406	8055	10651	11393	8757	11547	12344	9737	12624	13448	10312	13393	14273	11254	15432	16341	114	227
18'3" (5.56m)	4053	6310	6955	8394	9136	7499	10192	10961	7801	10494	11263	8686	11477	12274	9426	12410	13263	10454	13536	14416	11078	14353	15289	13085	16458	17421	128	255
20'3" (6.17m)	4553	6803	7504	8912	9812	7959	10845	11670	8345	11232	12057	9340	12324	13177	10032	13210	14119	11113	14388	15324	11783	15233	16244	13849	17415	18435	142	283
22'3" (6.78m)	4771	7416	8172	9616	10453	8416	11498	12378	9008	12090	12969	9935	13112	14021	10668	14040	15004	11821	15291	16281	12539	16203	17249	14668	18429	19503	156	311
24'3" (7.39m)	5166	8004	8816	10160	11068	8836	12111	13047	9629	12904	13840	10524	13896	14860	11292	14858	15878	12443	16107	17153	13385	17242	18344	15390	19345	20474	170	339

▶ Add for each additional 2' (0.61m) increment ▶

+ 2'	305	498	553	348	543	598	368	562	617	444	639	694	528	722	777	593	787	842	551	745	801	722	917	972	716	909	965	774	969	1024	827	1021	1077	14	28
------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	-----	------	------	----	----

In a hurry? Our Special Package Offers are designed

to save you time and money. We've put together the most popular building options and reduced the price; and you still qualify for any price promotions and discounts!



Maintenance Free package:

- ✓ White fully retractable vertically ribbed up and over door with 4 point locking
- ✓ White PVCu 4' (1.22m) fixed window
- ✓ White PVCu fascia, verge and back board
- ✓ White PVCu gutters to both sides
- ✓ White 3' (0.91m) vertically ribbed personnel door
- ✓ Sand and cement fillet
- ✓ Timber weather bar

Save up to £572



Premium Options package:

- ✓ White fully retractable Georgian up and over door with 4 point locking
- ✓ White 3' (0.91m) wide Georgian personnel door with 3 point locking
- ✓ White 4' (1.22m) PVCu opening window
- ✓ White PVCu fascia front and rear, with vergeboard
- ✓ Realbrick front posts (on some model widths) - choice of 4 colours
- ✓ White PVCu gutters to both sides
- ✓ Sand and cement fillet
- ✓ Timber weather bar

Save up to £1434

SPD ▶	Building length										Building width																									
	8'6" (2.49m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.41m)	16'6" (5.02m)	18'6" (5.63m)	20'6" (6.24m)	22'6" (6.85m)	24'6" (7.46m)	26'6" (8.07m)	8'6" (2.49m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.41m)	16'6" (5.02m)	18'6" (5.63m)	20'6" (6.24m)	22'6" (6.85m)	24'6" (7.46m)	26'6" (8.07m)	MF	PO	MF	PO	MF	PO	MF	PO	MF	PO	MF	PO		
14'3" (4.34m)	1364	1897	1411	2039	1411	2113	1464	2336	2138	2941	1752	2408	1846	2693	1846	2903	1869	2714	1869	2924	1975	3181	1951	3160	1951	3160	1951	3160	1951	3160	1951	3160	1951	3160	3299	4354
16'3" (4.95m)	1388	1918	1435	2060	1435	2134	1487	2357	2161	2962	1776	2429	1869	2714	1869	2924	1975	3181	1869	2924	1975	3181	1951	3160	1951	3160	1951	3160	1951	3160	1951	3160	1951	3160	3232	4375
18'3" (5.56m)	1412	1939	1458	2081	1458	2155	1511	2378	2185	2983	1800	2450	1893	2735	1893	2945	1999	3202	1893	2945	1999	3202	1999	3202	1999	3202	1999	3202	1999	3202	1999	3202	1999	3202	3347	4396
20'3" (6.17m)	1435	1960	1482	2102	1482	2176	1535	2399	2209	3004	1824	2471	1917	2756	1917	2966	2022	3223	1917	2966	2022	3223	2022	3223	2022	3223	2022	3223	2022	3223	2022	3223	2022	3223	3371	4417
22'3" (6.78m)	1459	1981	1506	2123	1506	2197	1559	2420	2233	3025	1847	2492	1941	2777	1941	2987	2046	3244	1941	2987	2046	3244	2046	3244	2046	3244	2046	3244	2046	3244	2046	3244	2046	3244	3394	4438
24'3" (7.39m)	1483	2002	1530	2144	1530	2218	1582	2441	2257	3046	1871	2513	1965	2798	1965	3008	2070	3265	1965	3008	2070	3265	2070	3265	2070	3265	2070	3265	2070	3265	2070	3265	2070	3265	3418	4459

▶ Add for each additional 2' (0.61m) increment ▶

MF = Maintenance Free Package PO = Premium Options Package

* Talk to your agent about completing the questionnaire prior to order.

Supplied as standard:
Wall finish: Thicker concrete steel reinforced panels with spar finish.
Front posts: Spar.

Main door: Pre-framed, fully retractable, white powder coated galvanised steel, horizontal ribbed up and over door.
Roof: 15° pitch roof with fibre cement roof sheets in terracotta, eaves filler.

Fascias and vergeboards: Factory treated timber fascia and vergeboards.
Window: 4' (1.22m) timber fixed factory preservative treated.

Apex 15

Step 2

Style

Bespoke Options

- Choose any of the Bespoke Options to personalise your building.
- Find your width in the table and add any of the options in that column.
- You will see page number references against those option groups that have more choices, turn to those pages to select from these.

	SPOs	Building width											
		MF	PO	8'	9'	10'	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"
Main door width ▶													
Main Door (see also page 18 & 19 for more options)													
Horizontal ribbed — Included as standard —													
Vertical (white/brown)	✓	59	114	114	176	969	118	228	352	352	1938		
Georgian (white/brown)	✓	179	369	369	404	1200	738	738	808	808	2400		
Add 4-point locking	✓	104	104	104	104	—	208	208	208	208	—		
Add Decograin (Golden Oak/Rosewood)		248	248	248	248	248	497	497	497	497	497		
Rollershutter		—	—	—	—	—	—	—	—	—	—		
Sectional		859	859	859	979	1059	1718	1718	1958	1958	2118		
Side hung timber		141	160	160	n/a	282	320	320	n/a	n/a	n/a		
Electric remote control (U&O)		959	959	959	959	959	1917	1917	1917	1917	1917		
Roof		A 15° bold roll tile effect roof (terracotta). Includes eaves filler.											
Fascia and Vergeboard (supplied with timber as standard)													
PVCu (White)	✓	468	468	468	468	468	684	684	684	684	684	684	684
PVCu Decograin (Golden Oak/Rosewood)		639	639	639	639	639	884	884	884	884	884	884	884

MF = Maintenance Free Package PO = Premium Options Package

	SPOs	Building width											
		MF	PO	8'	9'	10'	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"
Main door width ▶													
Personnel Door (all O/A frame)													
Standard Timber		156	156	156	156	156	156	156	156	156	156	156	156
Deluxe Timber		260	260	260	260	260	260	260	260	260	260	260	260
Galvanised steel white vertical	✓	275	275	275	275	275	275	275	275	275	275	275	275
Galvanised steel white Georgian	✓	379	379	379	379	379	379	379	379	379	379	379	379
3 point locking (to steel personnel doors)	✓	649	649	649	649	649	649	649	649	649	649	649	649
Add Decograin (Golden Oak/Rosewood) to white vertical/Georgian 3' price		835	835	835	835	835	835	835	835	835	835	835	835
PVCu Half Glazed (white)		89	89	89	89	89	89	89	89	89	89	89	89
PVCu Half Glazed Decograin (Golden Oak/Rosewood)		550	550	550	550	550	550	550	550	550	550	550	550
Timber fixed		707	707	707	707	707	707	707	707	707	707	707	707
PVCu fixed (white)	✓	759	759	759	759	759	759	759	759	759	759	759	759
PVCu opening (white)	✓	949	949	949	949	949	949	949	949	949	949	949	949
PVCu fixed Decograin (Golden Oak/Rosewood)		1001	1001	1001	1001	1001	1001	1001	1001	1001	1001	1001	1001
Windows (4' (1.22m) fixed timber window included as standard)													
Timber fixed		67	67	67	67	67	67	67	67	67	67	67	67
PVCu fixed (white)	✓	89	89	89	89	89	89	89	89	89	89	89	89
PVCu opening (white)	✓	192	192	192	192	192	192	192	192	192	192	192	192
PVCu fixed Decograin (Golden Oak/Rosewood)		243	243	243	243	243	243	243	243	243	243	243	243
PVCu opening Decograin (Golden Oak/Rosewood)		251	251	251	251	251	251	251	251	251	251	251	251
Timber weather bar Lining clips (pack of 12) Sand & cement fillet RealBrick front posts Partition wall (adds 3" (75mm) to length) Shelf Stack (2' 4" or 6')	✓	291	291	291	291	291	291	291	291	291	291	291	291
		259	259	259	259	259	259	259	259	259	259	259	259
		313	313	313	313	313	313	313	313	313	313	313	313
		327	327	327	327	327	327	327	327	327	327	327	327
		379	379	379	379	379	379	379	379	379	379	379	379
Others													
		48	48	48	48	48	48	48	48	48	48	48	48
		25	25	25	25	25	25	25	25	25	25	25	25
		104	104	104	104	104	104	104	104	104	104	104	104
		211	211	211	211	211	211	211	211	211	211	211	211
		242	242	242	242	242	242	242	242	242	242	242	242
		116 / 135 / 154											698



Apex 20

You've chosen the shape of your building. What's next?



Step 1

Size and finish

- First of all, choose the **length** and **width** of your building from the table below. For longer buildings, add in the 2' increment price. (For example, a 28'3" building would be the 24'3" price plus 2 x 2' increment prices: 2 x 2' = 4' then 24'3" + 4' = 28'3").

- Then choose the **wall finish** you want:

Spar Brick/Stone effect Textured

This will give you your **standard building price**.

- For **side gutters**, add the figure from the end column.
- For **additional height**, add the following to the basic spar building price: 7' +15%, 7'6" +25%.
- For a **Lean-to**, add 10% to basic Spar building price.*

Door width ▶	Building width										Gutters																								
	8'6" (2.49m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.41m)	16'6" (5.02m)	18'6" (5.63m)	20'6" (6.24m)	22'6" (6.85m)	24'6" (7.46m)	26'6" (8.07m)	1 side	2 sides																						
14'3" (4.34m)	3959	5828	6362	4474	6390	6939	4795	6809	7384	5696	7904	8535	7410	9715	10373	7512	9816	10475	8506	10908	11594	9305	11901	12643	10328	13021	13790	10967	13854	14679	12964	15948	16801	100	199
16'3" (4.95m)	4246	6308	6898	4862	6973	7576	5243	7450	8082	6183	8585	9271	7972	10472	11185	10752	11466	9243	11839	12581	10073	12864	13661	11181	14068	14893	11087	14169	15049	13956	17134	18043	114	227	
18'3" (5.56m)	4666	6923	7568	5262	7566	8225	5667	8069	8755	6700	9295	10037	8545	11238	12007	8991	11684	12453	10020	12811	13608	10904	13888	14741	12077	15158	16038	11949	15274	16160	14996	18368	19332	128	255
20'3" (6.17m)	5033	7483	8184	5660	8159	8872	6136	8732	9474	7225	10015	10812	9119	12006	12831	9666	12552	13377	10820	13805	14658	11672	14850	15759	12914	16189	17125	12750	16220	17210	15969	19536	20555	142	283
22'3" (6.78m)	5518	8163	8919	6128	8821	9590	6624	9414	10211	7714	10699	11552	9691	12773	13652	10459	13540	14420	11561	14739	15648	12470	15843	16806	13799	17269	18259	13601	17264	18311	16998	20759	21833	156	311
24'3" (7.39m)	5980	8819	9630	6534	9421	10246	7065	10049	10902	8179	11357	12266	10225	13500	14436	11210	14485	15421	12296	15669	16633	13256	16822	17842	14599	18263	19309	14542	18399	19502	17929	21884	23013	170	339
+ 2'	372	565	620	423	618	673	451	645	700	543	738	793	642	837	892	723	918	973	697	891	947	884	1079	1134	894	1087	1143	869	1064	1119	1037	1230	1286	14	28

▶ Add for each additional 2' (0.61m) increment ▶

In a hurry? Our Special Package Offers are designed

to save you time and money. We've put together the most popular building options and reduced the price; and you still qualify for any price promotions and discounts!

Maintenance Free package:

- ✓ White fully retractable vertically ribbed up and over door with 4 point locking
- ✓ White PVCu 4' (1.22m) fixed window
- ✓ White PVCu fascia, verge and back board
- ✓ White PVCu gutters to both sides
- ✓ White 3' (0.91m) vertically ribbed personnel door
- ✓ Sand and cement fillet
- ✓ Timber weather bar

Save up to **£572**

Premium Options package:

- ✓ White fully retractable Georgian up and over door with 4 point locking
- ✓ White 3' (0.91m) wide Georgian personnel door with 3 point locking
- ✓ White 4' (1.22m) PVCu opening window
- ✓ White PVCu fascia front and rear, with verge board
- ✓ RealBrick front posts – choice of 4 colours
- ✓ White PVCu gutters to both sides
- ✓ Sand and cement fillet
- ✓ Timber weather bar

Save up to **£1434**

Building width

SPO ▶	Building width										Gutters																									
	8'6" (2.49m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.41m)	16'6" (5.02m)	18'6" (5.63m)	20'6" (6.24m)	22'6" (6.85m)	24'6" (7.46m)	26'6" (8.07m)	1 side	2 sides																							
14'3" (4.34m)	1364	1897	1411	2039	1411	2113	1464	2336	2138	2941	1752	2408	1846	2693	1846	2903	1869	2714	1869	2924	1975	3181	1951	3160	1951	3160	1951	3160	1951	3160	1951	3160	3299	4354		
16'3" (4.95m)	1388	1918	1435	2060	1435	2134	1487	2357	2161	2962	1776	2429	1869	2714	1869	2924	1975	3181	1975	3181	1999	3202	1999	3202	1999	3202	1999	3202	1999	3202	1999	3202	1999	3202	3347	4396
18'3" (5.56m)	1412	1939	1458	2081	1458	2155	1511	2378	2185	2983	1800	2450	1893	2735	1893	2945	1999	3202	1999	3202	1999	3202	1999	3202	1999	3202	1999	3202	1999	3202	1999	3202	1999	3202	3371	4417
20'3" (6.17m)	1435	1960	1482	2102	1482	2176	1535	2399	2209	3004	1824	2471	1917	2756	1917	2966	2022	3223	2022	3223	2022	3223	2022	3223	2022	3223	2022	3223	2022	3223	2022	3223	2022	3223	3394	4438
22'3" (6.78m)	1459	1981	1506	2123	1506	2197	1559	2420	2233	3025	1847	2492	1941	2777	1941	2987	2046	3244	2046	3244	2046	3244	2046	3244	2046	3244	2046	3244	2046	3244	2046	3244	2046	3244	3394	4438
24'3" (7.39m)	1483	2002	1530	2144	1530	2218	1582	2441	2257	3046	1871	2513	1965	2798	1965	3008	2070	3265	2070	3265	2070	3265	2070	3265	2070	3265	2070	3265	2070	3265	2070	3265	2070	3265	3418	4459
+ 2' (0.61m)	24	21	24	21	24	21	24	21	24	21	24	21	24	21	24	21	24	21	24	21	24	21	24	21	24	21	24	21	24	21	24	21	24	21	24	21

▶ Add for each additional 2' (0.61m) increment ▶

MF = Maintenance Free Package PO = Premium Options Package

* Talk to your agent about completing the questionnaire prior to order.

Supplied as standard:
Wall finish: Thicker concrete steel reinforced panels with spar finish.
Front posts: Spar.

Main door: Pre-framed, fully retractable, white powder coated galvanised steel, horizontal ribbed up and over door.
Roof: A traditionally constructed 20° pitch lined roof with Metrotile Galvanised steel roof tiles in a choice of 6 colours.

Fascias and vergeboards: Factory treated timber fascia and vergeboards.
Window: 4' (1.22m) timber fixed factory preservative treated.

Apex 20

Step 2

Style

Bespoke Options

- Choose any of the Bespoke Options to personalise your building.
- Find your width in the table and add any of the options in that column.
- You will see page number references against those option groups that have more choices, turn to those pages to select from these.

	SPOs	Building width											
		MF PO	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"
Main door width ▶													
Main Door (see also page 18 & 19 for more options)													
Horizontal ribbed — Included as standard —													
Vertical (white/brown)	✓		59	114	114	176	969	118	228	352	352	352	1938
Georgian (white/brown)	✓		179	369	369	404	1200	358	738	808	808	808	2400
Add 4-point locking	✓		104	104	104	104	—	208	208	208	208	208	—
Add Decograin (Golden Oak/Rosewood)			248	248	248	248	248	497	497	497	497	497	497
Rollershutter			n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Sectional			859	859	859	979	1059	1718	1718	1718	1958	1958	2118
Side hung timber			141	160	160	n/a	n/a	282	320	320	n/a	n/a	n/a
Electric remote control (U&O)			959	959	959	959	959	1917	1917	1917	1917	1917	1917
Roof			Metrotile roof fitted as standard, choose from either Red, Charcoal, Brindle, Green, Terracotta or Bronze.										
Fascia and Vergeboard (supplied with timber as standard)													
PVCu (White)	✓		468	468	468	468	468	684	684	684	684	684	684
PVCu Decograin (Golden Oak/Rosewood)			639	639	639	639	639	884	884	884	884	884	884

MF = Maintenance Free Package PO = Premium Options Package

	SPOs	Building width											
		MF PO	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"
Main door width ▶													
Personnel Door (all O/A frame. See page 20 for more options)													
Standard Timber			156	156	156	156	156	156	156	156	156	156	156
Deluxe Timber			275	275	275	275	275	275	275	275	275	275	275
Galvanised steel white vertical	✓		379	379	379	379	379	379	379	379	379	379	379
Galvanised steel white Georgian	✓		649	649	649	649	649	649	649	649	649	649	649
3 point locking (to steel personnel doors)	✓		835	835	835	835	835	835	835	835	835	835	835
Add Decograin (Golden Oak/Rosewood) to white vertical/Georgian 3' price			89	89	89	89	89	89	89	89	89	89	89
PVCu Half Glazed (white)			550	550	550	550	550	550	550	550	550	550	550
PVCu Half Glazed Decograin (Golden Oak/Rosewood)			707	707	707	707	707	707	707	707	707	707	707
Windows (4' (1.22m) fixed timber window included as standard)			759	759	759	759	759	759	759	759	759	759	759
Timber fixed			949	949	949	949	949	949	949	949	949	949	949
PVCu fixed (white)	✓		1001	1001	1001	1001	1001	1001	1001	1001	1001	1001	1001
PVCu opening (white)	✓		67	67	67	67	67	67	67	67	67	67	67
PVCu fixed Decograin (Golden Oak/Rosewood)			89	89	89	89	89	89	89	89	89	89	89
PVCu opening Decograin (Golden Oak/Rosewood)			192	192	192	192	192	192	192	192	192	192	192
Others			243	243	243	243	243	243	243	243	243	243	243
Timber weather bar	✓		251	251	251	251	251	251	251	251	251	251	251
Lining clips (pack of 12)	✓		291	291	291	291	291	291	291	291	291	291	291
Sand & cement fillet	✓		259	259	259	259	259	259	259	259	259	259	259
RealBrick front posts	✓		313	313	313	313	313	313	313	313	313	313	313
Partition wall (adds 3" (75mm) to length)	✓		327	327	327	327	327	327	327	327	327	327	327
Shelf Stack (2' 4" or 6')	✓		379	379	379	379	379	379	379	379	379	379	379
			48	48	48	48	48	48	48	48	48	48	48
			25	25	25	25	25	25	25	25	25	25	25
			104	104	104	104	104	104	104	104	104	104	104
			211	211	211	211	211	211	211	211	211	211	211
			242	242	242	242	242	242	242	242	242	242	242
			116 / 135 / 154										

Garden Rooms

Any Apex building can be built as a Garden Room.



Step 1

Size and finish

- Choose your building's **length** and **width**, then the **wall finish**:

Spar Brick/Stone effect Textured

- For **additional height**, add the following to the basic spar building price: 7' +15%, 7'6" +25%

Step 2

Style

Bespoke Options

- Choose any of the Bespoke Options to personalise your building.
- Find your width in the table and add any of the options in that column.
- You will see page number references against those option groups that have more choices, turn to those pages to select from these.

Apex	Building width (includes coloured roof sheets, Spanish Red as standard)															
	8' (2.43m)	9' (2.74m)	10' (3.04m)	11' (3.34m)	12' (3.65m)											
Length	8'	4759	6166	6567	4914	6418	6848	5147	6749	7205	5224	6923	7408	5302	7097	7610
	10'	4823	6425	6882	5105	6804	7288	5341	7137	7649	5437	7329	7870	5533	7522	8090
	12'	4888	6683	7196	5310	7202	7743	5040	7029	7598	5706	7792	8388	5847	8031	8655
	14'	4952	6941	7510	5787	7874	8470	6058	8242	8866	6222	8503	9155	6386	8764	9443

Apex 15	Building width (Includes Bold Roll tile effect roof – Terracotta)															
	8' (2.43m)	9' (2.74m)	10' (3.04m)	11' (3.34m)	12' (3.65m)											
Length	8'	5291	6698	7100	5513	7017	7447	5812	7414	7871	5956	7655	8140	6100	7896	8408
	10'	5489	7090	7547	5854	7552	8037	6173	7969	8481	6352	8244	8785	6531	8520	9089
	12'	5686	7482	7994	6208	8100	8641	6038	8027	8596	6804	8890	9486	7045	9229	9852
	14'	5884	7873	8442	6835	8922	9518	7223	9407	10030	7503	9784	10436	7784	10161	10841

Apex 20	Building width (Metrotile roof. Choose from: Red, Charcoal, Brindle, Green, Terracotta and Bronze.)															
	8' (2.43m)	9' (2.74m)	10' (3.04m)	11' (3.34m)	12' (3.65m)											
Length	8'	5544	6951	7353	5797	7302	7731	6128	7730	8187	6304	8003	8487	6480	8275	8788
	10'	5805	7406	7863	6209	7908	8393	6568	8364	8876	6787	8679	9220	7005	8994	9563
	12'	6066	7861	8374	6635	8527	9068	6512	8501	9070	7325	9412	10008	7614	9798	10421
	14'	6327	8316	8884	7333	9420	10016	7776	9960	10583	8112	10393	11044	8448	10825	11505

	Building width				
	8'	9'	10'	11'	
Main Door (White PVCu. See page 21 for other sizes)					
Full height (no midrail) Glazed 4' (1.22m)	1242	1242	1242	1242	1242
Panelled 4' (1.22m)	1346	1346	1346	1346	1346
Full height (midrail) Glazed 4' (1.22m)	1311	1311	1311	1311	1311
Undermidrail panelled 4' (1.22m)	1277	1277	1277	1277	1277
Main Door (Decograin PVCu, Golden Oak or Rosewood)					
Full height (no midrail) Full height glazed 4' (1.22m)	1743	1743	1743	1743	1743
Full height Panelled 4' (1.22m)	2071	2071	2071	2071	2071
Full height (midrail) Full height glazed 4' (1.22m)	1795	1795	1795	1795	1795
Full height undermidrail panelled 4' (1.22m)	2140	2140	2140	2140	2140
Full height panelled 4' (1.22m)	2502	2502	2502	2502	2502
Personnel Door (all O/A frame) see page 20 for more options					
PVCu Half Glazed White 3'	707	707	707	707	707
PVCu Half Glazed White 3'6"	759	759	759	759	759
PVCu Half Glazed Decograin 3'	949	949	949	949	949
PVCu Half Glazed Decograin 3'6"	1001	1001	1001	1001	1001

Supplied as standard:

Main door: White PVCu patio double door, two white PVCu full height glazed units.

Roof: Roof type depending on the shape chosen (see standard building range).

Front posts: Spar.

Fascias and vergeboards: White PVCu fascia and vergeboards.

Gutters: White PVCu gutters to both sides.

Window: 4' (1.22m) White PVCu fixed window.

Garden Rooms

	Building width				
	8'	9'	10'	11'	12'
Fixed PVCu Panels (White) For other PVCu frame options, see page 21.					
Full height Glazed 1' (0.30m)	Included × 2	173	173	173	173
Full height Glazed 1'6" (0.46m)	Included × 2	207	207	207	207
Full height Glazed 2' (0.61)	Included × 2	276	Included × 2	Included × 2	Included × 2
Full height (midrail)					
Glazed 1' (0.30m)	190	190	190	190	190
Glazed 1'6" (0.46)	207	207	207	207	207
Glazed 2' (0.61m)	259	259	259	259	259
Half Glazed 1' (0.30m)	173	173	173	173	173
Half Glazed 1'6" (0.46)	190	190	190	190	190
Half Glazed 2' (0.61m)	242	242	242	242	242
Fully Panelled 1' (0.30m)	173	173	173	173	173
Fully Panelled 1'6" (0.46)	190	190	190	190	190
Fully Panelled 2' (0.61m)	224	224	224	224	224
Fixed PVCu Panels (Decograin PVCu, Golden Oak or Rosewood)					
Full height Glazed 1' (0.30m)	190	190	190	190	190
Full height Glazed 1'6" (0.46m)	242	242	242	242	242
Full height Glazed 2' (0.61)	293	293	293	293	293
Full height (midrail)					
Glazed 1' (0.30m)	242	242	242	242	242
Glazed 1'6" (0.46)	259	259	259	259	259
Glazed 2' (0.61m)	311	311	311	311	311
Half Glazed 1' (0.30m)	414	414	414	414	414
Half Glazed 1'6" (0.46)	431	431	431	431	431
Half Glazed 2' (0.61m)	483	483	483	483	483
Fully Panelled 1' (0.30m)	587	587	587	587	587
Fully Panelled 1'6" (0.46)	638	638	638	638	638
Fully Panelled 2' (0.61m)	673	673	673	673	673

	Building width				
	8'	9'	10'	11'	12'
Fascia and Vergeboard					
PVCu (White)	171	171	171	171	171
PVCu (Decograin)	192	192	192	192	192
Windows					
PVCu fixed White 2'	243	243	243	243	243
PVCu fixed White 4'	251	251	251	251	251
PVCu Opening White 2'	291	291	291	291	291
PVCu Opening White 4'	259	259	259	259	259
PVCu fixed Decograin 2'	313	313	313	313	313
PVCu fixed Decograin 4'	327	327	327	327	327
PVCu Opening Decograin 2'	379	379	379	379	379
PVCu Opening Decograin 4'	379	379	379	379	379
Others					
Guttering (White) choose Brown or Black at no extra cost	25	25	25	25	25
Lining clips (pack of 12)	104	104	104	104	104
Sand Cement Fillet	228	256	285	313	342
Partition Wall (adds 3" (75mm) to external length)"	116 / 135 / 154				
Shelf Stack (2' 4" or 6')	116 / 135 / 154				



In a hurry?

This **Special Package Offers** is designed to save you time and money. We've put together the most popular building options and reduced the price, and you still qualify for any price promotions and discounts!



Premium Options Decograin package:

- ✓ PVCu fascias (Decograin)
- ✓ PVCu Main door (fully glazed, Decograin)
- ✓ PVCu Frames (fully glazed Decograin)
- ✓ Sand and cement fillet

Save up to **£194**

Building width

	Building width				
	8'	9'	10'	11'	12'
Premium Options Decograin package:	556	582	556	556	556

Supplied as standard:

Wall finish: Thicker concrete steel reinforced panels with spar finish.

Front posts: Spar.

Main door: 3' (0.91m) vertically boarded standard timber door

Roof: Roof type depending on the shape chosen (see standard building range).

Fascias and vergeboards: Factory treated timber fascia and vergeboards.

Window: 4' (1.22m) timber fixed factory preservative treated, depending on size of building.

Sheds and Workshops

Step 2

Style

Bespoke Options

- Choose any of the Bespoke Options to personalise your building.
- Find your width in the table and add any of the options in that column.
- You will see page number references against those option groups that have more choices, turn to those pages to select from these.

	SPOs		Building width						
	MF	P0	4'	6'	8'	10'	12'	14'	16'
Plastisol roof sheets (for Pent buildings only)									
4'			83	125	166	208	250	291	333
6'			125	187	250	312	375	437	499
8'			166	250	333	416	499	583	666
10'			208	312	416	520	624	728	832
12'			250	375	499	624	749	874	999
14'			291	437	583	728	874	1020	1165
16'			333	499	666	832	999	1165	1332
Coloured roof tiles (for Apex buildings only)									
4'			30	45	59	74	89	104	119
6'			45	67	89	111	134	156	178
8'			59	89	119	149	178	208	238
10'			74	111	149	186	223	260	297
12'			89	134	178	223	268	312	357
14'			104	156	208	260	312	364	416
16'			119	178	238	297	357	416	476
Fascia and Vergeboard (Supplied with timber as standard (except Mansard which is PVCu))									
PVCu (White)			468	468	468	468	468	468	684
PVCu Deco Grain (Golden Oak/Rosewood)			639	639	639	639	639	639	884
Gutters (included front and rear elevations on Mansard)									
Pent			28	42	56	70	84	98	112
Apex, Apex 15 & Apex 20 (both sides)			56	56	56	56	56	56	56
Add for each additional 2' increment			14	14	14	14	14	14	14

	SPOs		Building width						
	MF	P0	4'	6'	8'	10'	12'	14'	16'
Personnel Door (all O/A frame)									
Standard Timber			104	104	104	104	104	104	104
Deluxe Timber			119	119	119	119	119	119	119
Galvanised steel white vertical		✓	223	223	223	223	223	223	223
Galvanised steel white Georgian		✓	493	493	493	493	493	493	493
3 point locking		✓	89	89	89	89	89	89	89
Add Deco Grain (Golden Oak/Rosewood) to white vertical/Georgian 3' price			550	550	550	550	550	550	550
PVCu Half Glazed (white)			551	551	551	551	551	551	551
PVCu Half Glazed Deco Grain (Golden Oak/Rosewood)			603	603	603	603	603	603	603
Windows			845	845	845	845	845	845	845
Timber fixed			67	67	67	67	67	67	67
PVCu fixed (white)			89	89	89	89	89	89	89
PVCu opening (white)		✓	192	192	192	192	192	192	192
PVCu fixed Deco Grain (Golden Oak/Rosewood)			243	243	243	243	243	243	243
PVCu opening Deco Grain (Golden Oak/Rosewood)			251	251	251	251	251	251	251
PVCu opening Deco Grain (Golden Oak/Rosewood)			291	291	291	291	291	291	291
PVCu opening Deco Grain (Golden Oak/Rosewood)			259	259	259	259	259	259	259
Others			313	313	313	313	313	313	313
Lining clips (pack of 12)			25	25	25	25	25	25	25
Sand & cement fillet		✓	104	104	104	104	104	104	104
Partition wall (adds 3" (75mm) to length)			114	171	228	285	342	399	456
Shelf Stack (2' 4" or 6")			116 / 135 / 154						

MF = Maintenance Free Package P0 = Premium Options Package

All sheds and workshops pricing includes a 2' (0.91m) standard timber door. All door upgrades have already been adjusted for the standard door provided (i.e. we have deducted £156 from your chosen door).

Main doors and front posts



Step 1 Style and colour

As standard, your building comes with a galvanised steel, horizontally ribbed, up and over door. The table below shows the other types of door that are available for the width of your building, as well as additional security locking and remote controls.

Don't forget: If you already have your own door, we can leave a gap for you to fit it.

Once you've chosen the type of door you want, the table below tells you whether a colour option is available.

Where applicable, you can choose from: or

Door width ▶	Building width							Material				
	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"		20'6"	22'6"	24'6"	26'6"
	7'	8'	9'	10'	10'	2 × 7'	2 × 8'	2 × 8'	2 × 9'	2 × 9'	2 × 10'	
— Included as standard —												
Horizontal ribbed	Steel	59	114	114	176	969	118	228	352	352	1938	
Vertical ribbed	Steel	179	369	369	404	1200	358	738	808	808	2400	
Georgian	Steel	452	494	494	—	—	904	988	—	—	—	
Ilkley	Steel	199	—	—	—	—	398	—	—	—	—	
Chevron	Steel	—	—	—	—	—	—	—	—	—	—	
— Available in white only —												
Other Doors												
Rollershutter	Steel	249	299	299	359	429	498	598	718	718	858	
Sectional	Steel	859	859	859	979	1059	1718	1718	1958	1958	2118	
Sectional w/windows	Steel	1165	1165	1165	1376	1463	2329	2329	2753	2753	2925	
Sidehung	Steel	899	929	929	—	—	1798	1858	—	—	—	
Sidehung	Timber	141	160	160	—	—	282	320	—	—	—	
Extras												
4 point security locking (u&o)	—	104	104	104	104	—	208	208	208	208	—	
Electric Remote Control (U&O, Rollershutter and Sectional doors)	—	959	959	959	959	959	1917	1917	1917	1917	1917	
— Key override	—	84	84	84	84	84	84	84	84	84	84	
— Wall mounted switch	—	100	100	100	100	100	100	100	100	100	100	
— Additional handset	—	100	100	100	100	100	100	100	100	100	100	
No door (leaving gap)	—	-97	-112	-112	-129	-189	-194	-224	-224	-258	-378	

Door width ▶	Building width											
	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"	
	7'	8'	9'	9'	10'	2 × 7'	2 × 8'	2 × 8'	2 × 9'	2 × 9'	2 × 10'	
Up and Over Doors												
Horizontal ribbed	163	248	163	248	163	248	163	248	163	248	326	497
Vertical ribbed	222	307	277	362	339	—	1132	—	444	615	554	725
Georgian	342	427	532	617	532	617	567	652	1363	1448	684	855
Ilkley	615	—	657	—	—	—	—	—	1230	—	1314	—
Chevron	—	—	—	—	—	—	—	—	—	—	—	—
— Available in white only —												
Other Doors												
Rollershutter	Incl.	311	Incl.	374	Incl.	374	Incl.	449	Incl.	536	Incl.	623
Sectional	1373	1497	1373	1497	1493	1617	1573	1697	2746	2994	2746	2994
Sectional w/windows	1679	1803	1679	1803	1679	1803	1890	2014	1977	2101	3357	3605
Sidehung (Steel)	—	—	—	—	—	—	—	—	—	—	—	—
Front posts												
Real Brick	211	211	310	572	582	316	316	596	868	868	868	868
Sectional Brick/Stone	190	190	279	515	524	285	285	536	782	782	782	782


Main doors

Step 2


Extra doors and extra width

Some buildings will allow a wider door. A wider building will also allow you to position your door off centre (see right). This can facilitate a shared drive, extra storage space or a workshop area.


The table below shows the options available for the width of building you have chosen, as well as what comes as standard. Price up the options using the table on page 18. Options that come as standard are highlighted like this



C = Centered



L = Positioned left



R = Positioned right

Door style	Building width													
	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	16'6"	18'6"	20'6"	20'6"	22'6"	24'6"	24'6"	26'6"
7'	1 door	1 door	1 door	1 door	1 door	1 door	1 door	1 door	1 door	1 door	1 door	1 door	1 door	1 door
8'	std C	opt L/R/C	opt L/R/C	opt L/R/C	opt L/R/C	2 x std C	2 x	2 x	2 x	2 x	2 x	2 x	2 x	2 x
9'	-	std C	std C	std C	opt L/R/C	-	opt L/R/C	opt L/R/C	opt L/R/C	opt L/R/C	2 x std C	2 x	2 x	2 x
10'	-	-	opt C	opt C	opt L/R/C	-	opt L/R/C	opt L/R/C	opt L/R/C	opt L/R/C	-	2 x std C	2 x	2 x
12'	-	-	-	opt C	opt C	-	opt L/R/C	opt L/R/C	opt L/R/C	opt L/R/C	-	-	opt L/R/C	2 x std C
14'	-	-	-	-	-	-	opt L/R/C	opt L/R/C	opt L/R/C	opt L/R/C	-	-	opt L/R/C	opt L/R/C

Once you have established a wider door will fit in your chosen width, choose a style from this table:

Door style	Material	Door width						
		7'	8'	9'	10'	12'	14'	
Horizontal ribbed U&O	Steel	Incl.	114	176	176	969	1436	1353
Vertical ribbed U&O	Steel	59	114	176	969	1436	1353	
Georgian U&O	Steel	179	369	404	1200	1529	1569	
Ilkley U&O	Steel	452	494	-	-	-	2149	
Chevron U&O	Steel	199	-	-	-	-	-	
Rollershutter	Steel	249	299	359	429	579	799	
Sectional	Steel	859	859	979	1059	-	-	
Sectional w/windows	Steel	1165	1165	1376	1463	-	-	
Side hung	Steel	899	929	-	-	-	-	
Side hung	Timber	141	160	-	-	-	-	
Electric Remote Control	-	959	959	959	959	959	959	959

This table tells you whether a Coloured or Decograin option is available for your wider door:

Up and Over Doors	Door width							
	7'	8'	9'	10'	12'	14'		
Horizontal ribbed	163	248	277	362	339	-	1132	
Vertical ribbed	222	307	277	362	339	-	1132	
Georgian	342	427	532	617	-	-	-	
Ilkley	615	-	657	-	-	-	-	
Other Doors								
Rollershutter	Incl.	311	Incl.	374	Incl.	449	Incl.	536
Sectional	1373	1497	1373	1497	1493	1617	1573	1697
Sectional w/windows	1679	1803	1679	1803	1890	2014	1977	2101
Sidehung (Steel)	1062	-	1092	-	-	-	-	-
Rollershutter	-	-	-	-	-	-	-	999
Sectional	-	-	-	-	-	-	-	-
Sectional w/windows	-	-	-	-	-	-	-	-
Sidehung (Steel)	-	-	-	-	-	-	-	-

If a colour option exists for your choice, this final table tells you what's available:

Up and Over & Sectional Doors	Rollershutter Doors
Colour	Colour
White	White
Dark Brown	Black
Light Blue	Van Dyke Brown
Steel Blue (Dark Blue)	Honesty Cream
Green	Juniper Green
Red	Goosewing Grey
Black	Golden Oak
Golden Oak Woodgrain	Rosewood
Rosewood Woodgrain	

Personnel doors



Step 1

Size, Style and colour

- A personnel door is a worthwhile addition to your building, and almost essential if you have an automatic main door. The table below will tell you which **size, style and colour** options are available.
- The diagram below shows you where in your building you can place a personnel door.
- Some steel or PVCu doors are available in: or




Step 2

Opening


Doors can be hung left or right handed, opening in or out:

Material ▼	Style			Fully glazed	Fully panelled	3 point locking
	Vertical	Georgian	Half glazed			
Timber						
3' (0.91m) Standard	156	-	-	-	-	-
4' (1.22m) Standard	260	-	-	-	-	-
3' (0.91m) Deluxe	275	-	-	-	-	-
Steel						
3' (0.91m)	379	929	835	929	-	89
4' (1.22m)	649	-	-	-	-	89
PVCu						
3' (0.91m)	-	707	949	707	656	Included
3'6" (1.06m)	-	759	1001	759	690	Included

All personnel doors	Left hand hung		Right hand hung	
	Opening out	Opening in	Opening out	Opening in
	✓	✓	✓	✓



Left hand hung, opening out



Left hand hung, opening in

Personnel door positioning

When fitting personnel doors, we take out two 2' (0.61m) panels and put in either a 3' (0.91m) door and a 1' (0.31m) panel, or a 4' (1.22m) door. The corners of the building are a structural component and we cannot position the door under a roof truss. Some door tracks extend back into the garage by at least 6', so try to avoid putting the door there. Also remember to leave enough distance between the garage and the house to ensure you can open the door! (see page 23).

For further advice, talk to your agent.



Right hand hung, opening out

Right hand hung, opening in

The Personnel door positioning diagram is also relevant to windows and Full Height PVCu units. Please ask your agent for help and advice in positioning your chosen options.

PVCu units



PVCu panels

Full height PVCu panels and Doors can be positioned using the same rules of positioning as for Personnel Doors and Windows (see Page 20). A concrete panel is required between each PVCu unit for stability. Talk to your agent for advice in specifying your building.

Choose from: or

	Height ▼	Panel width																	
		1' (0.30m)	1'6" (0.45m)	2' (0.61m)	2'6" (0.76m)	3' (0.91m)	3'6" (1.06m)	4' (1.22m)	5' (1.52m)	6' (1.82m)									
Fixed Full Height Units																			
Fully glazed fixed																			
	6'6" (1.98m)	173	190	207	242	276	293	311	345	380	414	431	466	483	518	604	638	707	742
Fixed Full Height Units with Midrail																			
Glazed																			
	6'6" (1.98m)	190	242	259	293	311	293	311	362	449	414	500	466	552	569	673	673	794	794
Half glazed																			
	6'6" (1.98m)	173	414	190	431	242	483	259	518	328	604	362	638	414	707	500	794	587	897
Fully panelled																			
	6'6" (1.98m)	173	587	190	638	224	673	259	707	311	776	345	828	397	880	483	984	569	1070
Opening Full Height Units with Midrail																			
Glazed																			
	6'6" (1.98m)	224	259	311	362	345	362	345	414	431	518	483	587	552	656	-	-	-	-
Half glazed																			
	6'6" (1.98m)	207	466	500	535	311	535	311	587	380	673	431	725	483	794	-	-	-	-
Fully panelled																			
	6'6" (1.98m)	207	621	242	725	311	725	311	776	380	863	431	915	483	984	-	-	-	-

PVCu door units

All doors are 6'6" in height.

Choose from: or

	Door width	Single		Double						
		3' (0.91m)	3'6" (1.06m)	4' (1.22m)	5' (1.52m)	6' (1.82m)				
No midrail										
Full height glazed										
	690	932	742	984	1311	1743	1398	1846	1484	1950
Full height panelled										
	638	1070	673	1104	1242	2071	1294	2140	1363	2226
Midrail										
Full height glazed										
	707	949	759	1001	1346	1795	1432	1898	1518	2002
Full height under midrail glazed										
	707	949	759	1001	1311	2140	1380	2243	1467	2347
Full height panelled										
	656	1277	690	1329	1277	2502	1329	2588	1398	2675

Hortons
tel: 01403 888222
web: hortonsgroup.com

Hortons
tel: 01403 888222
web: hortonsgroup.com

Hortons
tel: 01403 888222
web: hortonsgroup.com

Hortons
tel: 01403 888222

Hortons
tel: 01403 888222

Hortons
tel: 01403 888222

Building sizes



For Building regulations requirements (building areas) see www.lidget.co.uk/buildingregs and for Planning permission requirements (building volumes) see www.lidget.co.uk/planning
 Imperial/metric for Garages, Sheds, Workshops and Garden Rooms

External and internal dimensions

			Building length						Building width					
			Imperial		Metric		Imperial		Metric		Imperial		Metric	
External	Internal		External	Internal	External	Internal	External	Internal	External	Internal	External	Internal		
4'	3'6"	1.219	1.067	3'6"	4'	1.219	1.067	3'6"	4'	1.219	1.067			
6'	5'6"	1.829	1.676	5'6"	6'	1.829	1.676	5'6"	6'	1.829	1.676			
8'	7'6"	2.438	2.286	7'6"	8'	2.438	2.286	7'6"	8'	2.438	2.286			
10'	9'6"	3.048	2.895	8'6"	10'	3.048	2.895	8'6"	10'	3.048	2.895			
12'	11'6"	3.657	3.505	9'6"	12'	3.657	3.505	9'6"	12'	3.657	3.505			
14'	13'6"	4.267	4.115	10'6"	14'	4.267	4.115	10'6"	14'	4.267	4.115			
14'3"	13'9"	4.343	4.191	10'6"	14'3"	4.343	4.191	10'6"	14'3"	4.343	4.191			
16'	15'6"	4.877	4.724	11'6"	16'	4.877	4.724	11'6"	16'	4.877	4.724			
16'3"	15'9"	4.953	4.800	12'6"	16'3"	4.953	4.800	12'6"	16'3"	4.953	4.800			
18'3"	17'9"	5.562	5.410	13'6"	18'3"	5.562	5.410	13'6"	18'3"	5.562	5.410			
20'3"	19'9"	6.172	6.020	14'6"	20'3"	6.172	6.020	14'6"	20'3"	6.172	6.020			
22'3"	21'9"	6.781	6.629	15'6"	22'3"	6.781	6.629	15'6"	22'3"	6.781	6.629			
24'3"	23'9"	7.391	7.239	16'6"	24'3"	7.391	7.239	16'6"	24'3"	7.391	7.239			
26'3"	25'9"	8.001	7.848	18'6"	26'3"	8.001	7.848	18'6"	26'3"	8.001	7.848			
28'3"	27'9"	8.610	8.458	20'6"	28'3"	8.610	8.458	20'6"	28'3"	8.610	8.458			
30'3"	29'9"	9.220	9.067	22'6"	30'3"	9.220	9.067	22'6"	30'3"	9.220	9.067			
32'3"	31'9"	9.829	9.677	24'6"	32'3"	9.829	9.677	24'6"	32'3"	9.829	9.677			
				26'6"				26'6"						
				26'				26'						

Ridge height by model

Garages, Sheds, Workshops and Garden Rooms, standard 6' 6" (1.981m) height. Other heights available on our website (www.lidget.co.uk)

Building width	Pent		Pent Mansard		Apex		Apex 15		Apex 20	
	Imperial	Metric	Imperial	Metric	Imperial	Metric	Imperial	Metric	Imperial	Metric
	Ridge height		Ridge height		Ridge height		Ridge height		Ridge height	
4'	7'3"	2.21m	8'6"	2.495	7'4"	2.235	7'5 1/2"	2.273	7'7 1/2"	2.323
6'	7'3"	2.21m	8'6"	2.495	7'6 1/2"	2.299	7'8 1/2"	2.35	8'0"	2.434
8'	7'3"	2.21m	8'6"	2.495	7'9"	2.362	7'11 1/2"	2.432	8'4"	2.545
8'6"	7'3"	2.21m	8'6"	2.495	7'9 1/2"	2.375	8' 1/2"	2.451	8'5 1/2"	2.573
9'6"	7'3"	2.21m	8'6"	2.495	7'11"	2.413	8'2 1/2"	2.496	8'7 1/2"	2.628
10'	7'3"	2.21m	8'6"	2.495	7'11 1/2"	2.426	8'3"	2.515	8'8 1/2"	2.656
10'6"	7'3"	2.21m	8'6"	2.495	8'0 1/2"	2.451	8'3 1/2"	2.534	8'9 1/2"	2.684
12'	7'3"	2.21m	8'6"	2.495	8'2 1/2"	2.502	8'6 1/2"	2.597	9'1"	2.767
12'6"	7'3"	2.21m	8'6"	2.495	8'3"	2.515	8'7"	2.616	9'2"	2.795
14'	7'3"	2.21m	8'6"	2.495	8'5"	2.565	8'9 1/2"	2.68	9'5 1/2"	2.878
14'6"	7'3"	2.21m	8'6"	2.495	8'5 1/2"	2.578	8'10 1/2"	2.699	9'6 1/2"	2.906
16'	7'3"	2.21m	8'6"	2.495	8'7 1/2"	2.629	9'0 1/2"	2.762	9'9 1/2"	2.989
16'6"	7'3"	2.21m	8'6"	2.495	8'8 1/2"	2.654	9'1 1/2"	2.781	9'11"	3.017
18'6"	7'3"	2.21m	8'6"	2.495	8'11"	2.718	9'4 1/2"	2.864	10'3"	3.127
20'6"	7'3"	2.21m	8'6"	2.495	9'1 1/2"	2.781	9'8"	2.946	10'7 1/2"	3.238
22'6"	-	-	-	-	9'4 1/2"	2.858	9'11 1/2"	3.029	11'	3.349
24'6"	-	-	-	-	9'7"	2.921	10'2 1/2"	3.112	11'4"	3.460
26'6"	-	-	-	-	9'9 1/2"	2.985	10'5 1/2"	3.194	11'8 1/2"	3.571

Door sizes



The tables on this page show the door size and the clear size available when the door is open. In addition, the size of the opening door arc is shown, i.e. the room needed to open the door without it catching on anything. This information will help you to position your building, and establish whether you will be able to access it without problems.

Main Doors (up and over)

	External dimensions				Clear dimensions				Opening arc	
	Imperial		Metric		Imperial		Metric		Imperial	Metric
	Width	Height	Width	Height	Width	Height	Width	Height		
Up and over doors (height)	6'6"	6'6"	1.981	1.981	62"	6'1"	1.880	1.854	3'	0.91
	7'	6'6"	2.133	1.981	68"	6'1"	2.032	1.854	3'	0.91
	7'6"	6'6"	2.286	1.981	72"	6'1"	2.184	1.854	3'	0.91
	8'	6'6"	2.438	1.981	78"	6'1"	2.337	1.854	3'	0.91
	9'	6'6"	2.743	1.981	88"	6'1"	2.641	1.854	3'	0.91
	10'	6'6"	3.048	1.981	98"	6'1"	2.946	1.854	3'	0.91
	12'	6'6"	3.657	1.981	118"	6'1"	3.556	1.854	3'	0.91
	14'	6'6"	4.267	1.981	138"	6'1"	4.165	1.854	3'	0.91
	7'	7'	2.133	2.133	68"	6'7"	2.032	2.007	3'3"	0.985
	7'6"	7'	2.286	2.133	72"	6'7"	2.184	2.007	3'3"	0.985
	8'	7'	2.438	2.133	78"	6'7"	2.337	2.007	3'3"	0.985
	9'	7'	2.743	2.133	88"	6'7"	2.641	2.007	3'3"	0.985
	10'	7'	3.048	2.133	98"	6'7"	2.946	2.007	3'3"	0.985
	12'	7'	3.657	2.133	118"	6'7"	3.556	2.007	3'3"	0.985
14'	7'	4.267	2.133	138"	6'7"	4.165	2.007	3'3"	0.985	
7'	7'6"	2.133	2.286	68"	7'1"	2.032	2.159	4'	1.22	
7'6"	7'6"	2.286	2.286	72"	7'1"	2.184	2.159	4'	1.22	
8'	7'6"	2.438	2.286	78"	7'1"	2.337	2.159	4'	1.22	

Personnel doors

	External dimensions				Clear dimensions				Opening arc	
	Imperial		Metric		Imperial		Metric		Imperial	Metric
	Width	Height	Width	Height	Width	Height	Width	Height		
Timber	3'	6'6"	0.914	1.981	2'7½"	5'8½"	0.8	1.74	2'9"	0.84
	4'	6'6"	1.219	1.981	3'7½"	5'8½"	1.105	1.74	3'9"	1.145
	3'	6'6"	0.914	1.981	2'7"	5'9"	0.79	1.755	3'	0.91
Steel	3'	6'6"	0.914	1.981	2'8½"	6'2½"	0.83	1.835	2'10"	0.86
	4'	6'6"	1.219	1.981	3'8½"	6'2½"	1.135	1.835	3'10"	1.165
PVCu	3'	6'6"	0.914	1.981	2'7"	5'11"	0.785	1.81	2'8"	0.82
	3'6"	6'6"	1.219	1.981	3'7"	5'11"	1.09	1.81	3'8"	1.125





LIDGET Compton
The Best Concrete Garage

You've chosen the right building for you. What's next?

Place you order with your agent or call us on:

01709 881844 (fax 01709 881015)

Tell us what you need and we'll work with your agent and you to find a way to make it happen.

 **sales@lidget.co.uk**



Don't forget our **design&build** service for your more bespoke projects. Talk to your agent, or visit:

www.lidget.co.uk/designandbuild

or email **designandbuild@lidget.co.uk**

If you have more detailed requirements, send us an email and we'll tell your agent and get right back to you.

www.lidget.co.uk/instantquote

If you know exactly what you want, get online and we'll quote it on the spot.



Our agents are there to answer all your questions. Just ask.

And if all else fails, write to us at:

LidgetCompton, Albion Drive, Lidget Lane, Thurnscoe, Rotherham S63 0BA

Prices in the LidgetCompton price guide all include delivery and installation. Delivery is to mainland England and Wales, and includes carrying your building up to 25 yards (23 metres) on a reasonable surface from our parked lorry to your concrete base. We are unable to deliver through your house or outbuildings for safety reasons.

Prices include VAT at the current rate of 20%. In the event of a change of VAT rate, we reserve the right to adjust prices accordingly. Prices include installation of options ordered at the time of ordering the building. Options ordered after delivery and installation will be quoted separately. Sizes quoted are external measurements.

All information correct at time of going to press. Photos are for illustration purposes only. Terms and conditions apply. We reserve the right to change product specification without notice. E&OE.

H lidget.co.uk