

LIDGETCOMPTON PRICE GUIDE
AREA January 2012

Start creating
something unique...




LIDGET Compton
The Best Concrete Garage



Hortons
tel: 01403 888222
web: hortonsgroup.com

Hortons
01403 888222
ortonsgroup.com



Hlidget.co.uk
tel: 01403 888222

Hortons
tel: 01403 888222

Hortons
tel: 01403 888222

Contents

Why choose a LidgetCompton garage?	2
Special Package Offers	2
Our Agents	3
How to use this price guide	3
Pent	4
Pent Mansard	6
Apex	8
Apex 15	10
Apex 20	12
Garden Rooms	14
Sheds and Workshops	16
Main doors and front posts	18
Personnel doors	20
PVCu units	21
Size charts	22
Contact us	24

Why choose a LidgetCompton garage?



- ✓ We provide a 10 year structural guarantee for peace of mind.
- ✓ We are a family run business that has been around for over 30 years, we know what we are doing and can give you the level of personal service you expect, you are not just a number.
- ✓ We have real people in the office to give you advice and support all through your contract, backing up the service offered by our agents, a complete service. We're always there to help, just call.
- ✓ We manufacture the strongest and thickest reinforced concrete garage panel on the market giving guaranteed performance. We have invested in a specialist manufacturing facility, to give consistent quality for longer life.
- ✓ We supply market leading Hörmann and GDS garage doors for bigger choice and guaranteed better performance.
- ✓ We ensure that your building is normally delivered and built on the same day, installed by our own workforce, guaranteeing the highest quality and the best service.
- ✓ We offer the largest and most flexible product range to give you the best choice.

- Bespoke Options ensure that you can personalise our standard range, and you can use our unique Design&Build service if you can't find what you want.
- ✓ We have designed our product range to make it easier to choose exactly the right building for you. Our unique approach enables you to see at a glance what you can and can't do in specifying your building. Our pricing model is simplicity itself. Special Package Offers, unique to Lidget, save you money and time.
- ✓ We have a team of in house engineers that are constantly putting new ideas into action, creating new products or improving existing products, which means you can be sure you are getting the best value for money.
- ✓ We offer exclusive patented Stone and Brick effect and textured finish buildings, ensuring the best kerb appeal and the ability to match your home, maximising your return on investment, and giving you pleasure as well.

Simply put, LidgetCompton supply the Best Concrete Garages.



LidgetCompton Tips

- Look through our brochure and on the website – you will find a series of tips.
- Based on feedback from our customers, these are nuggets of advice passed on to help you when choosing your building.



10 Year Guarantee

LidgetCompton offer a full structural guarantee for 10 years from the date of installation of your building. The guarantee is transferable, and is subject to the proper following of the Care and Maintenance Instructions supplied with your acknowledgement of order. See www.lidget.co.uk/10yearguarantee

Special Package Offers

We've put together the most popular options, and reduced the price! You can save £100s, and you will still qualify for any price promotions/discounts!



Maintenance Free Package*

- No more sanding or painting, an occasional wipe clean is all you need! This package includes:
 - ✓ White vertically ribbed up and over door
 - ✓ White PVCu fascias and vergeboards
 - ✓ PVCu Gutters (Choose from White, Black or Brown)
 - ✓ 4' (1.22m) fixed white PVCu double glazed window
 - ✓ 3' (0.91m) White vertically ribbed Personnel door
 - ✓ 4 point locking on your up and over door (up to 9' (2.74m wide)
 - ✓ Timber weather bar
 - ✓ Sand and cement fillet



Premium Options Package*

- Make your garage the envy of your neighbours! This package includes:
 - ✓ White Georgian up and over door with 4 point locking on doors up to 9' (2.74m) wide
 - ✓ RealBrick/Stone effect front posts (choice of 4)
 - ✓ White PVCu fascias and vergeboards
 - ✓ PVCu Gutters (Choose from White, Black or Brown)
 - ✓ 4' (1.22m) opening white PVCu double glazed window
 - ✓ 3' (0.91m) White Georgian Personnel door with 3 point locking
 - ✓ Coloured roof sheets (Apex only) – see page 23
 - ✓ Timber weather bar
 - ✓ Sand and cement fillet

Unique to LidgetCompton, we offer these Special Packages across the whole range. Once you've chosen the shape of your building, you'll find the SPO price below the main building price listing on pages 4 to 13.

Don't forget that any special price offers/discounts are in addition to the savings you make on the Special Package Offers, part of the reason why LidgetCompton provide the Best Concrete Garage.

Our Agents

We have trained agents all around the UK. When you enquire about our products, we will put you in contact with them.



Amongst other things, they can give you specific advice, arrange taking down and removing old buildings, preparing a new or refurbishing concrete bases and generally help you make the best decision. Your agent can:

- ✓ Show you examples of the LidgetCompton range.
- ✓ Offer a free site survey, without obligating you in any way.
- ✓ Help with obtaining local authority approval where necessary, providing the detailed drawings necessary.
- ✓ Arrange to have your old building demolished and removed from site.
- ✓ Arrange to lay a new or refurbish an old concrete base.
- ✓ Advise on the best model to suit your requirements, blend with your house and maximise your property value.
- ✓ Arrange for the provision of electricity into your building, so you can fit remote control operators, lights, power sockets etc.
- ✓ Arrange to have your building lined out, if required.
- ✓ Arrange for you to receive your 10 year structural guarantee.



Instant Quote

Why not log on to:


www.lidget.co.uk/instantquote

to get an instant response, pricing your chosen building in the area that you live. The quote will come from your local agent, who can help and give advice at every stage. We're on the end of a phone as well, if you need any further help, or log on to:

www.lidget.co.uk/contactus

How to use this price guide

First choose the basic shape of your building...



...then choose the size...

length...

...then width...

...and finish

You can personalise your building to your exact specification...

...or choose one of our time and money saving Special Packages



Design and Build

If you can't find it, don't despair! Our engineers can normally design a building for you, so if you want a building of a non-standard size, width, length or height, just let us know and we'll do our best to help you. Log on to our website:

www.lidget.co.uk/designandbuild

and just follow the simple instructions there. Alternatively,

email designandbuild@lidget.co.uk

or ring customer services on **01709 881844**

...giving us a brief description of what you want and what you want it for.

Not just a garage, but a workshop, a music room, a garden room, a potting shed, play area, store, utility – you name it; and it's been done in a LidgetCompton building!



The LidgetCompton Honest Pricing Policy

How do we work out our prices?

Our pricing is designed to be transparent. Concrete garages, sheds and workshops are heavy, and take up a lot of space on a lorry. They need specialised machinery to handle, load and offload.

The basic building price is the same wherever you are, and we simply pass on the cost of transport and labour, which increases the further away you live from Yorkshire, where we make our buildings. With LidgetCompton, what you see is what you get. It's a logical and understandable method, ensuring that you get value for money. We're not trying to rip anyone off, simply to cover our costs and make a reasonable return.

We offer the best value for money in the market today, tell us if you think anyone offers the same product at better value.

Pent

You've chosen the shape of your building. What's next?



Step 1 Size and finish

First of all, choose the **length** and **width** of your building from the table below.



Then choose the **wall finish** you want:

Spar

Brick/Stone effect

Textured

This is your **standard building price**.

- For a **rear gutter**, add the figure from the bottom row.
- For **additional height**, add 25% to the basic Spar building price to give you a 7'6" (2.29m) high building.
- For a **Lean-to**, add 10% to basic Spar building price.*

Door width ▶	Building width						20'6" (6.24m)						
	8'6" (2.49m) 7' (2.13m) door	9'6" (2.89m) 8' (2.43m) door	10'6" (3.20m)	12'6" (3.81m) 9' (2.74m) door	14'6" (4.41m) 10' (3.04m) door	16'6" (5.02m) 2 x 7' (2.13m) door		18'6" (5.63m) 2 x 8' (2.43m) door					
Building length	4101	4509	4865	5486	7178	9371	10032	7825	10239	10929	8523	11131	11877
14'3" (4.34m)	5979	6435	6986	7467	8339	9495	10156	10516	10651	7055	9371	10032	11131
16'3" (4.95m)	6419	7023	7630	7972	8853	9935	10651	10651	7433	9945	10662	10662	11592
18'3" (5.56m)	6885	7422	8083	8462	9356	10366	11139	11139	7759	10466	11239	11311	12371
20'3" (6.17m)	7366	8070	8653	8952	9909	10854	11683	11683	8088	10990	11819	11938	12971
22'3" (6.78m)	7886	8645	9110	9560	10432	11290	12174	12174	8470	11567	12452	12506	13510
24'3" (7.39m)	8344	9159	9568	10036	10989	11729	12669	12669	8924	12215	13156	13049	14018
26'3" (8.00m)	8802	9672	9957	10512	11547	12169	13164	13164	9377	12864	13860	13590	14615
28'3" (8.61m)	9261	10187	10380	10987	12105	12607	13659	13659	9830	13512	14564	14133	15227
Gutters	59	66	73	87	101	115	129	143	158	173	188	203	218

In a hurry? Our **Special Package Offers** are designed to save you time and money. We've put together the most popular building options and reduced the price, and you still qualify for any price promotions and discounts!

Maintenance Free package:

- White fully retractable vertically ribbed up and over door with 4 point locking
- White PVCu 4. (1.22m) fixed window
- White PVCu fascias, verge and back board
- White PVCu gutters to rear elevation
- White 3' (0.91m) vertically ribbed personnel door
- Sand and cement fillet
- Timber weather bar

Save up to **£347**

Premium Options package:

- White fully retractable Georgian up and over door with 4 point locking
- White 3' (0.91m) wide Georgian personnel door with 3 point locking
- White PVCu gutters to rear elevation
- White 4' (1.22m) PVCu opening window
- Brick front posts - choice of 4 colours
- Sand and cement fillet
- Timber weather bar

Save up to **£923**

SPO ▶	Building width							
	8'6" (2.49m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.41m)	16'6" (5.02m)	18'6" (5.63m)	20'6" (6.24m)
MF	1245	1298	1304	1368	1966	1681	1786	2061
PO	1792	1940	2019	2252	2790	2345	2641	2861

MF = Maintenance Free Package PO = Premium Options Package

Supplied as standard:

Wall finish: Thicker concrete steel reinforced panels with spar finish.

Front posts: Spar.

Main door: Hörmann pre-framed, fully retractable, white powder coated galvanised steel, horizontal ribbed up and over door.

Fascias and vergeboards: Factory preservative treated timber.
Window: 4' (1.22m) timber fixed factory preservative treated.

Step 2

Style

Bespoke Options

- Choose any of the Bespoke Options to personalise your building.
- Find your width in the table and add any of the options in that column.
- You will see page number references against those option groups that have more choices, turn to those pages to select from these.

		Building width						— Included as standard —	
		8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"
		7'	8'	8'	9'	10'	2 x 7'	2 x 8'	2 x 8'
Main Door (see also page 18 & 19 for more options)									
<i>Main door width ▶</i>									
		SPOs							
		MF	PO						
<i>Horizontal ribbed</i>		✓							
Vertical (white/brown)		59	114	114	176	969	118	228	228
Georgian (white/brown)		✓	179	369	404	1200	358	738	738
Add 4-point locking		✓	104	104	104	—	208	208	208
Add Decograin (Golden Oak/Rosewood)			248	248	248	248	497	497	497
Rollershutter			249	299	359	429	498	598	598
Sectional			859	859	979	1059	1718	1718	1718
Side hung timber			141	160	n/a	n/a	282	320	320
Electric remote control (UG0)			959	959	959	959	1917	1917	1917
Roof (Plastisol roof sheets. Choose from Black, Light Grey, Dark Grey, Olive Green, Terracotta, Dark Brown)									
14'3"			630	704	778	927	1075	1223	1371
16'3"			719	803	888	1057	1226	1395	1564
18'3"			807	902	997	1187	1377	1566	1756
20'3"			895	1001	1106	1317	1527	1738	1949
22'3"			984	1100	1215	1447	1678	1910	2141
24'3"			1072	1198	1325	1577	1829	2081	2334
26'3"			1161	1297	1434	1707	1980	2253	2526
28'3"			1249	1396	1543	1837	2131	2425	2719
Fascia and Vergeboard (supplied with timber as standard)									
PVCu (White)		✓	468	468	468	468	684	684	684
PVCu Decograin (Golden Oak/Rosewood)			639	639	639	639	884	884	884

		Building width							
		8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"
		7'	8'	8'	9'	10'	2 x 7'	2 x 8'	2 x 8'
Personnel Door (all O/A frame. See page 20 for more options)									
<i>Main door width ▶</i>									
		SPOs							
		MF	PO						
Standard Timber				156	156	156	156	156	156
Deluxe Timber				260	260	260	260	260	260
Galvanised steel white vertical			✓	275	275	275	275	275	275
Galvanised steel white Georgian			✓	379	379	379	379	379	379
3 point locking (to steel personnel doors)			✓	649	649	649	649	649	649
Add Decograin (Golden Oak/Rosewood) to white vertical/Georgian 3' price				835	835	835	835	835	835
PVCu Half Glazed (white)				89	89	89	89	89	89
PVCu Half Glazed Decograin (Golden Oak/Rosewood)				550	550	550	550	550	550
Windows (supplied with 4' (1.22m) fixed timber window as standard)				707	707	707	707	707	707
Timber fixed				759	759	759	759	759	759
PVCu fixed (white)			✓	949	949	949	949	949	949
PVCu opening (white)			✓	1001	1001	1001	1001	1001	1001
PVCu fixed Decograin (Golden Oak/Rosewood)				67	67	67	67	67	67
PVCu opening Decograin (Golden Oak/Rosewood)				89	89	89	89	89	89
Others				192	192	192	192	192	192
Lining clips (pack of 12)				243	243	243	243	243	243
Sand & cement fillet			✓	251	251	251	251	251	251
RealBrick front posts			✓	291	291	291	291	291	291
Partition wall (adds 3" (75mm) to length)				259	259	259	259	259	259
Timber weather bar				313	313	313	313	313	313
Shelf Stack (2'4" or 6')				327	327	327	327	327	327
				379	379	379	379	379	379
				25	25	25	25	25	25
				104	104	104	104	104	104
				211	211	211	211	211	211
				242	242	242	242	242	242
				48	48	48	48	48	48
				116 / 135 / 154	116 / 135 / 154	116 / 135 / 154	116 / 135 / 154	116 / 135 / 154	116 / 135 / 154
MF = Maintenance Free Package PO = Premium Options Package									

Pent Mansard

You've chosen the shape of your building. What's next?



Step 1 Size and finish

• First of all, choose the **length** and **width** of your building from the table below.



Spar

Brick/Stone effect

Textured

• Then choose the **wall finish** you want:



• If you need **additional height**, add 25% to the basic Spar building price to give you a 7'6" (2.29m) high building.

This will give you your **standard building price**.

• For a **Lean-to**, add 10% to basic Spar building price.*

Door width ▶	8'6" (2.49m)		9'6" (2.89m)		10'6" (3.20m)		12'6" (3.81m)		14'6" (4.41m)		16'6" (5.02m)		18'6" (5.63m)		20'6" (6.24m)									
	7' (2.13m) door		8' (2.43m) door		9' (2.74m) door		9' (2.74m) door		10' (3.04m) door		11' (3.35m) door		12' (3.66m) door		13' (3.97m) door									
Length	53.49	72.27	77.64	5810	7736	8287	6218	8242	8821	6945	9163	9798	8743	11059	11721	8967	11283	11945	9843	12257	12947	10646	13255	14001
	55.95	76.67	82.60	6202	8324	8930	6473	8691	9326	7208	9622	10312	8987	11499	12216	9345	11858	12574	10138	12747	13493	10911	13716	14517
	58.65	81.33	87.81	6406	8723	9384	6712	9126	9816	7461	10070	10815	9224	11931	12704	9671	12378	13151	10525	13329	14130	11495	14494	15352
	61.51	86.14	93.18	6725	9237	9954	6951	9560	10305	7762	10567	11368	9517	12418	13248	10001	12902	13731	10957	13956	14814	11526	14720	15634

In a hurry? Our **Special Package Offers** are designed to save you time and money. We've put together the most popular building options and reduced the price, and you still qualify for any price promotions and discounts!

Maintenance Free package: ✓ Included

Premium Options package: ✓ White fully retractable Georgian up and over door with 4 point locking ✓ White 3' (0.91m) wide Georgian personnel door with 3 point locking ✓ Brick front posts – choice of 4 colours ✓ White 4' (1.22m) PVCu opening window ✓ Sand and cement fillet ✓ Timber weather bar

Save up to **£787**

SPO ▶	8'6" (2.49m)		9'6" (2.89m)		10'6" (3.20m)		12'6" (3.81m)		14'6" (4.41m)		16'6" (5.02m)		18'6" (5.63m)		20'6" (6.24m)	
	MF	PO	MF	PO	MF	PO	MF	PO	MF	PO	MF	PO	MF	PO	MF	PO
	Included	1396	Included	1539	Included	1613	Included	1836	Included	2362	Included	1746	Included	2031	Included	2240

MF = Maintenance Free Package PO = Premium Options Package

Supplied as standard: Thicker concrete steel reinforced panels with spar finish.
Front posts: Spar.

Main door: Hörmann pre-framed, fully retractable, white powder coated galvanised steel, horizontal ribbed up and over door.

Roof: Metrotile front elevation with a choice of 6 colours. Metrotile granular galvanised steel pantile profile roof tiles, in a choice of six colours. One piece corrugated galvanised steel roof sheets, with Grafo therm anti-condensation treatment. C section galvanised steel rafters.

Fascias and vergesboards: White PVCu clad Fascia, vergeboard and rearboard.

Windows: 4' (1.22m) White PVCu fixed factory preservative treated.
Gutters: White PVCu gutters and downpipe to both front and rear elevations.

Pent Mansard

Step 2

Style

Bespoke Options

- Choose any of the Bespoke Options to personalise your building.
- Find your width in the table and add any of the options in that column.
- You will see page number references against those option groups that have more choices, turn to those pages to select from these.

SPOs	Building width							
	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"
P0	7'	8'	10'	9'	10'	2 x 7'	2 x 8'	
<i>Main door width</i> ▶								
Main Door (see also page 18 & 19 for more options)								

Horizontal ribbed — Included as standard —

Vertical (white/brown)	48	48	48	48	48	96	96	96
Georgian (white/brown)	138	270	270	270	270	540	540	540
Add 4-point locking	84	84	84	84	84	168	168	168
Add Decograin (Golden Oak/Rosewood)	198	198	198	198	198	396	396	396
Sectional	479	499	499	499	499	958	998	998
Side hung timber	114	114	114	114	114	228	228	228
Electric remote control (U&O)	774	774	774	774	774	1548	1548	1548

Fascia and Vergeboard

SPOs	Building width							
	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"
PVCu (White)	171	171	171	171	171	201	201	201
PVCu Decograin (Golden Oak/Rosewood)	171	171	171	171	171	201	201	201

P0 = Premium Options Package

SPOs	Building width							
	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"
P0	7'	8'	10'	9'	10'	2 x 7'	2 x 8'	
<i>Main door width</i> ▶								
Personnel Door (all O/A frame. See page 20 for more options)								
Standard Timber	156	156	156	156	156	312	312	312
Deluxe Timber	260	260	260	260	260	520	520	520
Galvanised steel white vertical	275	275	275	275	275	550	550	550
Galvanised steel white Georgian	379	379	379	379	379	758	758	758
3 point locking (to steel personnel doors)	649	649	649	649	649	1298	1298	1298
Add Decograin (Golden Oak/Rosewood) to white vertical/Georgian 3' price	835	835	835	835	835	1670	1670	1670
PVCu Half Glazed (white)	89	89	89	89	89	178	178	178
PVCu Half Glazed Decograin (Golden Oak/Rosewood)	550	550	550	550	550	1100	1100	1100
Windows (4' (1.22m) white PVCu fixed window included)								
Timber fixed	67	67	67	67	67	134	134	134
PVCu fixed (white)	89	89	89	89	89	178	178	178
PVCu opening (white)	192	192	192	192	192	384	384	384
PVCu fixed Decograin (Golden Oak/Rosewood)	243	243	243	243	243	486	486	486
PVCu opening Decograin (Golden Oak/Rosewood)	251	251	251	251	251	502	502	502
Timber weather bar Lining clips (pack of 12) Sand & cement fillet	291	291	291	291	291	582	582	582
RealBrick front posts	259	259	259	259	259	518	518	518
Partition wall (adds 3" (75mm) to length)	313	313	313	313	313	626	626	626
Shelf Stack (2' 4" or 6')	327	327	327	327	327	654	654	654
Others	379	379	379	379	379	758	758	758

Apex

You've chosen the shape of your building. What's next?

Step 1

Size and finish

- First of all, choose the **length** and **width** of your building from the table below. For longer buildings, add in the 2' increment price. (For example, a 28'3" building would be the 24'3" price plus 2 x 2' increment prices: 2 x 2' = 4' then 24'3" + 4' = 28'3").

Then choose the **wall finish** you want:



Spar
Brick/Stone effect
Textured

This will give you your **standard building price.**

- For **side gutters**, add the figure from the end column.
- For **additional height**, add the following to the basic spar building price: 7' +15%, 7'6" +25%.
- For a **Lean-to**, add 10% to basic Spar building price.*



Door width ►	Building width											Gutters																							
	8'6" (2.49m) 7' (2.13m) door	9'6" (2.89m) 8' (2.43m) door	10'6" (3.20m) 9' (2.74m) door	12'6" (3.81m) 10' (3.04m) door	14'6" (4.41m) 12' (3.65m) door	16'6" (5.02m) 14' (4.26m) door	18'6" (5.63m) 16' (4.87m) door	20'6" (6.24m) 18' (5.48m) door	22'6" (6.85m) 20' (6.09m) door	24'6" (7.46m) 22' (6.70m) door	26'6" (8.07m) 24' (7.31m) door	1 side	2 sides																						
14'3" (4.34m)	5113	6991	7528	5441	7367	7918	5859	7882	8461	6503	8721	9356	8586	10902	11564	9374	11788	12478	-10285	12894	13640	11669	14376	15149	13175	16077	16906	15286	18285	19142	100	199			
16'3" (4.95m)	5432	7504	8097	5888	8009	8616	6198	8416	9051	6926	9340	10030	9000	11512	12229	8968	12478	13224	10760	13564	14365	12209	15110	15939	13785	16882	17766	15890	19084	19998	114	227			
18'3" (5.56m)	5862	8130	8778	6335	8651	9313	6583	8997	9687	7404	10013	10759	9488	12190	12963	9468	12175	12948	10338	13143	13944	11275	14275	15132	12797	15894	16778	14451	17743	18684	16701	20090	21059	128	255
20'3" (6.17m)	6189	8652	9356	6748	9260	9976	7047	9656	10402	7806	10611	11412	10170	13072	13901	10009	12911	13740	10859	13858	14716	11640	14834	15748	13555	16847	17788	14916	18403	19399	17239	20823	21848	142	283
22'3" (6.78m)	6667	9325	10085	7087	9794	10566	7484	10289	11090	8173	11172	12029	10402	13499	14383	10468	13566	14450	11373	14567	15480	12254	15643	16612	14153	17641	18636	15986	19668	20720	18885	22165	23245	156	311
24'3" (7.39m)	7126	9979	10795	7426	10327	11157	7986	10985	11843	8552	11745	12659	10803	14094	15035	11012	14303	15244	11865	15254	16223	12677	16261	17286	14398	18080	19132	16260	20137	21245	18726	22700	23835	170	339
+ 2'	408	602	657	418	614	669	404	599	655	468	663	719	728	924	979	1331	1527	1582	1345	1539	1596	1083	1278	1334	1235	1430	1486	1398	1594	1649	1597	1791	1847	14	28

► Add for each additional 2' (0.61m) increment ►

In a hurry? Our Special Package Offers are designed

to save you time and money. We've put together the most popular building options and reduced the price; and you still qualify for any price promotions and discounts!



Maintenance Free package:

- White fully retractable vertically ribbed up and over door with 4 point locking
- White PVCu 4' (1.22m) fixed window
- White PVCu fascia, verge and back board
- White PVCu gutters to both sides
- White 3' (0.91m) vertically ribbed personnel door
- Sand and cement filllet
- Timber weather bar

Save up to
£572



Premium Options package:

- White fully retractable Georgan up and over door with 4 point locking
- White 3' (0.91m) wide Georgan personnel door with 3 point locking
- Coloured roof sheets, choice of 8 colours
- White 4' (1.22m) PVCu opening window
- White PVCu fascia front and rear, with vergeboard
- Realbrick front posts - choice of 4 colours
- White PVCu gutters to both sides
- Sand and cement filllet
- Timber weather bar

Save up to
£1733

Building width

SPO ►	Building width																									
	8'6" (2.49m)		9'6" (2.89m)		10'6" (3.20m)		12'6" (3.81m)		14'6" (4.41m)		16'6" (5.02m)		18'6" (5.63m)		20'6" (6.24m)		22'6" (6.85m)		24'6" (7.46m)		26'6" (8.07m)					
	MF	PO	MF	PO	MF	PO	MF	PO	MF	PO	MF	PO	MF	PO	MF	PO	MF	PO	MF	PO	MF	PO				
14'3" (4.34m)	1364	2066	1411	2228	1411	2322	1464	2585	2138	3229	1752	2736	1846	3061	1846	3310	1869	3133	1869	3388	1975	3607	1951	3646	3299	4880
16'3" (4.95m)	1388	2110	1435	2275	1435	2372	1487	2640	2161	3290	1776	2803	1869	3133	1869	3388	1975	3607	1975	3736	2046	3941	1999	3805	3323	4975
18'3" (5.56m)	1412	2155	1458	2323	1458	2422	1511	2696	2185	3352	1800	2870	1893	3206	1893	3466	1999	3774	1999	3825	2022	3914	2022	3958	3347	5070
20'3" (6.17m)	1435	2200	1482	2370	1482	2473	1535	2752	2209	3413	1824	2937	1917	3278	1917	3544	2022	3658	2022	3758	2046	3941	2046	4003	3394	5164
22'3" (6.78m)	1459	2244	1506	2418	1506	2523	1559	2808	2233	3475	1847	3004	1941	3351	1941	3622	2046	3941	2046	4003	2070	4093	2070	4158	3418	5259
24'3" (7.39m)	1483	2289	1530	2465	1530	2573	1582	2864	2257	3536	1871	3071	1965	3423	1965	3700	2070	4025	2070	4093	21245	4025	21245	21245	3418	5354

► Add for each additional 2' (0.61m) increment ►

MF = Maintenance Free Package PO = Premium Options Package

* Talk to your agent about completing the questionnaire prior to order.

Supplied as standard:

Wall finish: Thicker concrete steel reinforced panels with spar finish.

Front posts: Spar.

Main door: Pre-framed, fully retractable, white powder coated galvanised steel, horizontal ribbed up and over door.

Roof: 12.5° pitch roof with fibre cement roof sheets, eaves filler.

Fascias and vergeboards: Factory treated timber fascia and vergeboards.
Window: 4' (1.22m) timber fixed factory preservative treated.

Apex

Step 2

Style

Bespoke Options

- Choose any of the Bespoke Options to personalise your building.

- Find your width in the table and add any of the options in that column.

- You will see page number references against those option groups that have more choices, turn to those pages to select from these.

	SPOs	Building width							Included as standard —				
		MF PO	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"		18'6"	20'6"	22'6"	24'6"
Main door width ▶													
Main Door (see also page 18 & 19 for more options)													
Horizontal ribbed													
Vertical (white/brown)	✓	59	114	114	176	969	118	228	228	352	352	1938	
Georgian (white/brown)	✓	179	369	369	404	1200	358	738	738	808	808	2400	
Add 4-point locking	✓	104	104	104	104	—	208	208	208	208	208	—	
Add Decograin (Golden Oak/Rosewood)		248	248	248	248	248	497	497	497	497	497	497	
Rollershutter		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
Sectional		859	859	859	979	1059	1718	1718	1718	1958	1958	2118	
Side hung timber		141	160	160	n/a	n/a	282	320	320	n/a	n/a	n/a	
Electric remote control (UGO)		959	959	959	959	959	1917	1917	1917	1917	1917	1917	
Roof (Coloured roof sheets. Choose from Spanish Red, Charcoal, Blue, Olive Green, Black, Brown or Terracotta. Includes eaves filler)													
14'3"	✓	225	252	278	331	384	437	490	543	596	649	702	
16'3"	✓	257	287	317	377	438	498	559	619	679	740	800	
18'3"	✓	288	322	356	424	492	559	627	695	763	831	899	
20'3"	✓	320	357	395	470	546	621	696	771	846	922	997	
22'3"	✓	351	393	434	517	599	682	765	847	930	1013	1095	
24'3"	✓	383	428	473	563	653	743	833	924	1014	1104	1194	
Add for each additional 2' (0.61m) increment ▶		32	35	39	46	54	61	69	76	84	91	98	
Fascia and Vergeboard (supplied with timber as standard)													
PVCu (White)	✓	468	468	468	468	468	684	684	684	684	684	684	684
PVCu Decograin (Golden Oak/Rosewood)		639	639	639	639	639	884	884	884	884	884	884	884

MF = Maintenance Free Package PO = Premium Options Package

	SPOs		Building width											
	MF	PO	8'	9'	10'	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"
Personnel Door (all O/A frame. See page 20 for more options)														
Main door width ▶														
Standard Timber			156	156	156	156	156	156	156	156	156	156	156	156
Deluxe Timber			275	275	275	275	275	275	275	275	275	275	275	275
Galvanised steel white vertical	✓		379	379	379	379	379	379	379	379	379	379	379	379
Galvanised steel white Georgian	✓		649	649	649	649	649	649	649	649	649	649	649	649
3 point locking (to steel personnel doors)	✓		835	835	835	835	835	835	835	835	835	835	835	835
Add Decograin (Golden Oak/Rosewood) to white vertical/Georgian 3' price			89	89	89	89	89	89	89	89	89	89	89	89
PVCu Half Glazed (white)			550	550	550	550	550	550	550	550	550	550	550	550
PVCu Half Glazed Decograin (Golden Oak/Rosewood)			707	707	707	707	707	707	707	707	707	707	707	707
Windows (4' (1.22m) fixed timber window included as standard)			759	759	759	759	759	759	759	759	759	759	759	759
Timber fixed			949	949	949	949	949	949	949	949	949	949	949	949
PVCu fixed (white)	✓		1001	1001	1001	1001	1001	1001	1001	1001	1001	1001	1001	1001
PVCu opening (white)	✓		67	67	67	67	67	67	67	67	67	67	67	67
PVCu fixed Decograin (Golden Oak/Rosewood)			89	89	89	89	89	89	89	89	89	89	89	89
PVCu opening Decograin (Golden Oak/Rosewood)			192	192	192	192	192	192	192	192	192	192	192	192
Others			243	243	243	243	243	243	243	243	243	243	243	243
Timber weather bar	✓		251	251	251	251	251	251	251	251	251	251	251	251
Lining clips (pack of 12)	✓		291	291	291	291	291	291	291	291	291	291	291	291
Sand & cement fillet	✓		259	259	259	259	259	259	259	259	259	259	259	259
RealBrick front posts	✓		313	313	313	313	313	313	313	313	313	313	313	313
Partition wall (adds 3" (75mm) to length)	✓		327	327	327	327	327	327	327	327	327	327	327	327
Translucent roof sheet (each)			379	379	379	379	379	379	379	379	379	379	379	379
Shelf Stack (2' 4" or 6')			48	48	48	48	48	48	48	48	48	48	48	48
			25	25	25	25	25	25	25	25	25	25	25	25
			104	104	104	104	104	104	104	104	104	104	104	104
			211	211	211	211	211	211	211	211	211	211	211	211
			242	242	242	242	242	242	242	242	242	242	242	242
			67	67	67	67	67	67	67	67	67	67	67	67
			116 / 135 / 154											

Apex 15

You've chosen the shape of your building. What's next?



Step 1

Size and finish

First of all, choose the **length** and **width** of your building from the table below. For longer buildings, add in the 2' increment price. (For example, a 28'3" building would be the 24'3" price plus 2 x 2' increment prices: 2 x 2' = 4' then 24'3" + 4' = 28'3").

Then choose the **wall finish** you want:

Spar | Brick/Stone effect | Textured

This will give you your **standard building price**.

- For **side gutters**, add the figure from the end column.
- For **additional height**, add the following to the basic spar building price: 7' +15%, 7'6" +25%.
- For a **Lean-to**, add 10% to basic Spar building price.*

Door width ▶	Building width										Gutters																								
	8'6" (2.49m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.41m)	16'6" (5.02m)	18'6" (5.63m)	20'6" (6.24m)	22'6" (6.85m)	24'6" (7.46m)	26'6" (8.07m)	1 side	2 sides																						
14'3" (4.34m)	6126	8004	8540	6572	8498	9050	7109	9133	9712	7992	10210	10845	10313	12630	13291	10502	12818	13480	11578	13992	14682	12727	15336	16082	14350	17057	17830	16094	18995	19824	18443	21442	22299	100	199
16'3" (4.95m)	6587	8659	9252	7178	9300	9906	7624	9843	10477	8624	11038	11728	10970	13482	14199	11209	13722	14438	12382	14991	15737	13545	16349	17150	15266	18167	18996	17113	20211	21095	19491	22684	23598	114	227
18'3" (5.56m)	7159	9427	10075	7784	10101	10762	8185	10599	11289	9311	11920	12666	11696	14403	15175	11986	14692	15465	13161	15966	16767	14403	17402	18260	16230	19327	20211	18190	21481	22422	20744	24134	25102	128	255
20'3" (6.17m)	7628	10091	10795	8356	10868	11585	8825	11434	12180	9923	12727	13528	12625	15527	16356	12803	15704	16533	13991	16990	17848	15111	18305	19218	17365	20656	21597	19063	22551	23547	21725	25309	26334	142	283
22'3" (6.78m)	8248	10907	11666	8854	11561	12334	9437	12242	13043	10498	13497	14355	13099	16196	17080	13538	16635	17519	14814	18008	18922	16067	19457	20425	18339	21826	22822	20544	24226	25278	23314	27094	28174	156	311
24'3" (7.39m)	8850	11703	12518	9552	12253	13083	10115	13114	13971	11086	14280	15193	13742	17034	17974	14357	17648	18589	15615	19005	19974	16833	20417	21442	18960	22642	23694	21228	25104	26212	24098	28073	29208	170	339

▶ Add for each additional 2' (0.61m) increment ▶

+ 2'	550	744	800	577	773	828	580	774	831	677	872	928	971	1166	1221	1607	1803	1858	1654	1849	1905	1425	1621	1676	1611	1806	1862	1611	1806	2040	2058	2040	2234	2291	14	28
------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	----	----

In a hurry? Our Special Package Offers are designed

to save you time and money. We've put together the most popular building options and reduced the price; and you still qualify for any price promotions and discounts!



Maintenance Free package:

- White fully retractable vertically ribbed up and over door with 4 point locking
- White PVCu 4/ (1/2.2m) fixed window
- White PVCu fascia, verge and back board
- White PVCu gutters to both sides
- White 3' (0.91m) vertically ribbed personnel door
- Sand and cement fillet
- Timber weather bar

Save up to **£572**

Premium Options package:

- White fully retractable Georgan up and over door with 4 point locking
- White 3' (0.91m) wide Georgan personnel door with 3 point locking
- White 4' (1.22m) PVCu opening window
- White PVCu fascia front and rear, with verge board
- Reallbrick front posts (on some model widths) - choice of 4 colours
- White PVCu gutters to both sides
- White PVCu fascias to both sides
- White PVCu gutters to both sides
- Sand and cement fillet
- Timber weather bar

Save up to **£1434**

Building width

SPO ▶	Building width										26'6" (8.07m)																											
	8'6" (2.49m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.41m)	16'6" (5.02m)	18'6" (5.63m)	20'6" (6.24m)	22'6" (6.85m)	24'6" (7.46m)	MF	PO																										
14'3" (4.34m)	MF	PO	MF	PO	MF	PO	MF	PO	MF	PO	MF	PO	MF	PO	MF	PO	MF	PO	MF	PO	MF	PO	MF	PO	MF	PO	MF	PO	MF	PO	MF	PO	MF	PO	MF	PO		
16'3" (4.95m)	1364	1897	1411	2039	1411	2113	1464	2336	2138	2941	1752	2408	1846	2693	1846	2903	1846	2903	1846	2903	1846	2903	1846	2903	1846	2903	1846	2903	1846	2903	1846	2903	1846	2903	1846	2903	1846	2903
18'3" (5.56m)	1388	1918	1435	2060	1435	2134	1487	2357	2161	2962	1776	2429	1869	2714	1869	2924	1869	2924	1869	2924	1869	2924	1869	2924	1869	2924	1869	2924	1869	2924	1869	2924	1869	2924	1869	2924	1869	2924
20'3" (6.17m)	1412	1939	1458	2081	1458	2155	1511	2378	2185	2983	1800	2450	1893	2735	1893	2945	1893	2945	1893	2945	1893	2945	1893	2945	1893	2945	1893	2945	1893	2945	1893	2945	1893	2945	1893	2945	1893	2945
22'3" (6.78m)	1435	1960	1482	2102	1482	2176	1535	2399	2209	3004	1824	2471	1917	2756	1917	2966	1917	2966	1917	2966	1917	2966	1917	2966	1917	2966	1917	2966	1917	2966	1917	2966	1917	2966	1917	2966	1917	2966
24'3" (7.39m)	1459	1981	1506	2123	1506	2197	1559	2420	2233	3025	1847	2492	1941	2777	1941	2987	1941	2987	1941	2987	1941	2987	1941	2987	1941	2987	1941	2987	1941	2987	1941	2987	1941	2987	1941	2987	1941	2987
	1483	2002	1530	2144	1530	2218	1582	2441	2257	3046	1871	2513	1965	2798	1965	3008	1965	3008	1965	3008	1965	3008	1965	3008	1965	3008	1965	3008	1965	3008	1965	3008	1965	3008	1965	3008	1965	3008

▶ Add for each additional 2' (0.61m) increment ▶

MF = Maintenance Free Package PO = Premium Options Package

* Talk to your agent about completing the questionnaire prior to order.

Supplied as standard:
Wall finish: Thicker concrete steel reinforced panels with spar finish.
Front posts: Spar.

Main door: Pre-framed, fully retractable, white powder coated galvanised steel, horizontal ribbed up and over door.
Roof: 15° pitch roof with fibre cement roof sheets in terracotta, eaves filler.

Fascias and vergeboards: Factory treated timber fascia and vergeboards.
Window: 4' (1.22m) timber fixed factory preservative treated.

Apex 15

Step 2

Style

Bespoke Options

- Choose any of the Bespoke Options to personalise your building.
- Find your width in the table and add any of the options in that column.
- You will see page number references against those option groups that have more choices, turn to those pages to select from these.

	SPOs	Building width											
		MF PO	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"
Main door width ▶													
Main Door (see also page 18 & 19 for more options)													
Horizontal ribbed — Included as standard —													
Vertical (white/brown)	✓		59	114	114	176	969	118	228	352	352	352	1938
Georgian (white/brown)	✓		179	369	369	404	1200	358	738	808	808	808	2400
Add 4-point locking	✓		104	104	104	104	—	208	208	208	208	208	—
Add Decograin (Golden Oak/Rosewood)			248	248	248	248	248	497	497	497	497	497	497
Rollershutter			—	—	—	—	—	—	—	—	—	—	—
Sectional			859	859	859	979	1059	1718	1718	1718	1958	1958	2118
Side hung timber			141	160	160	n/a	n/a	282	320	320	n/a	n/a	n/a
Electric remote control (U&O)			959	959	959	959	959	1917	1917	1917	1917	1917	1917
Roof													
A 15° bold roll tile effect roof (terracotta). Includes eaves filler.													
Fascia and Vergeboard (supplied with timber as standard)													
PVCu (White)	✓		468	468	468	468	468	684	684	684	684	684	684
PVCu Decograin (Golden Oak/Rosewood)			639	639	639	639	639	884	884	884	884	884	884

MF = Maintenance Free Package PO = Premium Options Package

	SPOs	Building width											
		MF PO	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"
Main door width ▶													
Personnel Door (all O/A frame)													
Standard Timber			156	156	156	156	156	156	156	156	156	156	156
Deluxe Timber			275	275	275	275	275	275	275	275	275	275	275
Galvanised steel white vertical	✓		379	379	379	379	379	379	379	379	379	379	379
Galvanised steel white Georgian	✓		649	649	649	649	649	649	649	649	649	649	649
3 point locking (to steel personnel doors)	✓		835	835	835	835	835	835	835	835	835	835	835
Add Decograin (Golden Oak/Rosewood) to white vertical/Georgian 3' price			89	89	89	89	89	89	89	89	89	89	89
PVCu Half Glazed (white)			550	550	550	550	550	550	550	550	550	550	550
PVCu Half Glazed Decograin (Golden Oak/Rosewood)			707	707	707	707	707	707	707	707	707	707	707
Windows (4' (1.22m) fixed timber window included as standard)			759	759	759	759	759	759	759	759	759	759	759
Timber fixed			949	949	949	949	949	949	949	949	949	949	949
PVCu fixed (white)	✓		1001	1001	1001	1001	1001	1001	1001	1001	1001	1001	1001
PVCu opening (white)	✓		67	67	67	67	67	67	67	67	67	67	67
PVCu fixed Decograin (Golden Oak/Rosewood)			89	89	89	89	89	89	89	89	89	89	89
PVCu opening Decograin (Golden Oak/Rosewood)			192	192	192	192	192	192	192	192	192	192	192
Others			243	243	243	243	243	243	243	243	243	243	243
Timber weather bar	✓		251	251	251	251	251	251	251	251	251	251	251
Lining clips (pack of 12)	✓		291	291	291	291	291	291	291	291	291	291	291
Sand & cement fillet	✓		259	259	259	259	259	259	259	259	259	259	259
RealBrick front posts	✓		313	313	313	313	313	313	313	313	313	313	313
Partition wall (adds 3" (75mm) to length)	✓		327	327	327	327	327	327	327	327	327	327	327
Shelf Stack (2' 4" or 6')	✓		379	379	379	379	379	379	379	379	379	379	379
			48	48	48	48	48	48	48	48	48	48	48
			25	25	25	25	25	25	25	25	25	25	25
			104	104	104	104	104	104	104	104	104	104	104
			211	211	211	211	211	211	211	211	211	211	211
			242	242	242	242	242	242	242	242	242	242	242
			116 / 135 / 154										698

Apex 20

You've chosen the shape of your building. What's next?



Step 1

Size and finish

• First of all, choose the **length** and **width** of your building from the table below. For longer buildings, add in the 2' increment price. (For example, a 28'3" building would be the 24'3" price plus 2 x 2' increment prices: 2 x 2' = 4' then 24'3" + 4' = 28'3").

• Then choose the **wall finish** you want:

Spar Brick/Stone effect Textured

This will give you your **standard building price**.

• For **side gutters**, add the figure from the end column.
 • For **additional height**, add the following to the basic spar building price: 7' +15%, 7'6" +25%.
 • For a **Lean-to**, add 10% to basic Spar building price.*

Door width ▶	Building width										Gutters																								
	8'6" (2.49m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.41m)	16'6" (5.02m)	18'6" (5.63m)	20'6" (6.24m)	22'6" (6.85m)	24'6" (7.46m)	26'6" (8.07m)	1 side	2 sides																						
14'3" (4.34m)	6607	8485	9021	7110	9036	9587	7704	9728	10306	8699	10918	11552	11436	13752	14413	12625	15039	15729	13888	16496	17242	15623	18330	19103	17480	20382	21211	19942	22942	23799	100	199			
16'3" (4.95m)	7135	9208	9800	7791	9913	10519	8302	10520	11155	9431	11845	12535	11906	14418	15135	12274	14786	15503	13576	16185	16931	14868	17672	18473	16718	19619	20448	17893	20990	21874	21201	24395	25308	114	227
18'3" (5.56m)	7775	10043	10691	8473	10789	11451	8946	11360	12050	10217	12826	13572	12747	15453	16226	13181	15888	16661	14502	17306	18107	15889	18888	19745	17860	20957	21842	19065	22357	23297	22665	26054	27023	128	255
20'3" (6.17m)	8312	10774	11479	9120	11632	12349	9669	12278	13024	10928	13732	14533	13791	16693	17522	14130	17031	17860	15479	18478	19335	16759	19953	20867	19174	22466	23406	20035	23522	24518	23856	27440	28465	142	283
22'3" (6.78m)	8999	11658	12417	9993	12400	13173	10365	13170	13971	11603	14602	15459	14380	17477	18361	14996	18093	18977	16449	19643	20556	17878	21268	22236	20327	23814	24810	21611	25293	26345	25656	29436	30516	156	311
24'3" (7.39m)	9668	12521	13337	10267	13168	13997	11126	14125	14983	12290	15483	16397	15139	18430	19371	15946	19237	20178	17397	20787	21755	18807	22391	23416	21127	24809	25861	22391	26268	27376	26650	30625	31760	170	339
+ 2'	617	812	867	652	848	903	663	858	914	776	972	1027	1086	1281	1337	1738	1934	1989	1801	1996	2052	1588	1784	1839	1790	1985	2041	1903	2099	2154	2250	2445	2501	14	28

▶ Add for each additional 2' (0.61m) increment ▶

In a hurry? Our Special Package Offers are designed to save you time and money. We've put together the most popular building options and reduced the price; and you still qualify for any price promotions and discounts!

Maintenance Free package:
 ✓ White fully retractable vertically ribbed up and over door with 4 point locking
 ✓ White PCU 4' (1.22m) fixed window
 ✓ White PCU fascia, verge and back board
 ✓ White PCU gutters to both sides
 ✓ White 3' (0.91m) vertically ribbed personnel door
 ✓ Sand and cement fillet
 ✓ Timber weather bar

Premium Options package:
 ✓ White fully retractable Georgian up and over door with 4 point locking
 ✓ White 3' (0.91m) wide Georgian personnel door with 3 point locking
 ✓ White 4' (1.22m) PVCu opening window
 ✓ White PVCu fascia front and rear, with vergeboard
 ✓ RealBrick front posts – choice of 4 colours
 ✓ White PVCu gutters to both sides
 ✓ Sand and cement fillet
 ✓ Timber weather bar

Save up to £572

Save up to £1434

SPO ▶	Building length										Building width																											
	8'6" (2.49m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.41m)	16'6" (5.02m)	18'6" (5.63m)	20'6" (6.24m)	22'6" (6.85m)	24'6" (7.46m)	26'6" (8.07m)	8'6" (2.49m)	9'6" (2.89m)	10'6" (3.20m)	12'6" (3.81m)	14'6" (4.41m)	16'6" (5.02m)	18'6" (5.63m)	20'6" (6.24m)	22'6" (6.85m)	24'6" (7.46m)	26'6" (8.07m)	MF	PO	MF	PO	MF	PO	MF	PO	MF	PO	MF	PO				
14'3" (4.34m)	1364	1897	1411	2039	1411	2113	1464	2336	2138	2941	1752	2408	1846	2693	1846	2714	1869	2924	1975	3181	1951	3160	1951	3160	1951	3160	1951	3160	1951	3160	1951	3160	1951	3160	1951	3160	3299	4354
16'3" (4.95m)	1388	1918	1435	2060	1435	2134	1487	2357	2161	2962	1776	2429	1869	2714	1869	2924	1975	3181	1975	3181	1975	3181	1975	3181	1975	3181	1975	3181	1975	3181	1975	3181	1975	3181	1975	3181	3323	4375
18'3" (5.56m)	1412	1939	1458	2081	1458	2155	1511	2378	2185	2983	1800	2450	1893	2735	1893	2945	1999	3202	1999	3202	1999	3202	1999	3202	1999	3202	1999	3202	1999	3202	1999	3202	1999	3202	1999	3202	3347	4396
20'3" (6.17m)	1435	1960	1482	2102	1482	2176	1535	2399	2209	3004	1824	2471	1917	2756	1917	2966	2022	3223	2022	3223	2022	3223	2022	3223	2022	3223	2022	3223	2022	3223	2022	3223	2022	3223	2022	3223	3371	4417
22'3" (6.78m)	1459	1981	1506	2123	1506	2197	1559	2420	2233	3025	1847	2492	1941	2777	1941	2987	2046	3244	2046	3244	2046	3244	2046	3244	2046	3244	2046	3244	2046	3244	2046	3244	2046	3244	2046	3244	3394	4438
24'3" (7.39m)	1483	2002	1530	2144	1530	2218	1582	2441	2257	3046	1871	2513	1965	2798	1965	3008	2070	3265	2070	3265	2070	3265	2070	3265	2070	3265	2070	3265	2070	3265	2070	3265	2070	3265	2070	3265	3418	4459

▶ Add for each additional 2' (0.61m) increment ▶

MF = Maintenance Free Package PO = Premium Options Package

* Talk to your agent about completing the questionnaire prior to order.

Supplied as standard:
Wall finish: Thicker concrete steel reinforced panels with spar finish.
Front posts: Spar.

Main door: Pre-framed, fully retractable, white powder coated galvanised steel, horizontal ribbed up and over door.
Roof: A traditionally constructed 20° pitch lined roof with Metrotile Galvanised steel roof tiles in a choice of 6 colours.

Fascias and vergeboards: Factory treated timber fascia and vergeboards.
Window: 4' (1.22m) timber fixed factory preservative treated.

Apex 20

Step 2

Style

Bespoke Options

- Choose any of the Bespoke Options to personalise your building.
- Find your width in the table and add any of the options in that column.
- You will see page number references against those option groups that have more choices, turn to those pages to select from these.

	SPOs	Building width						MF PO	26'6"										
		7'	8'	9'	10'	14'6"	16'6"			18'6"	20'6"	22'6"	24'6"	26'6"					
Main Door (see also page 18 & 19 for more options)																			
Horizontal ribbed — Included as standard —																			
Vertical (white/brown)	✓	59	114	114	176	969	118	228	352	352	1938								
Georgian (white/brown)	✓	179	369	369	404	1200	358	738	808	808	2400								
Add 4-point locking	✓	104	104	104	104	—	208	208	208	208	—								
Add Decograin (Golden Oak/Rosewood)		248	248	248	248	248	497	497	497	497	497								
Rollershutter		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a								
Sectional		859	859	859	979	1059	1718	1718	1718	1958	2118								
Side hung timber		141	160	160	n/a	n/a	282	320	320	n/a	n/a								
Electric remote control (U&O)		959	959	959	959	959	1917	1917	1917	1917	1917								
Roof		Metrotile roof fitted as standard, choose from either Red, Charcoal, Brindle, Green, Terracotta or Bronze.																	
Fascia and Vergeboard (supplied with timber as standard)																			
PVCu (White)	✓	468	468	468	468	468	684	684	684	684	684								
PVCu Decograin (Golden Oak/Rosewood)		639	639	639	639	639	884	884	884	884	884								

MF = Maintenance Free Package PO = Premium Options Package

	SPOs	Building width						Main door width ▶	Personnel Door (all O/A frame. See page 20 for more options)										
		7'	8'	9'	10'	14'6"	16'6"			18'6"	20'6"	22'6"	24'6"	26'6"					
Personnel Door (all O/A frame. See page 20 for more options)																			
Standard Timber		156	156	156	156	156	156	156	156	156	156								
Deluxe Timber		275	275	275	275	275	275	275	275	275	275								
Galvanised steel white vertical	✓	379	379	379	379	379	379	379	379	379	379								
Galvanised steel white Georgian	✓	649	649	649	649	649	649	649	649	649	649								
3 point locking (to steel personnel doors)	✓	89	89	89	89	89	89	89	89	89	89								
Add Decograin (Golden Oak/Rosewood) to white vertical/Georgian 3' price		550	550	550	550	550	550	550	550	550	550								
PVCu Half Glazed (white)		707	707	707	707	707	707	707	707	707	707								
PVCu Half Glazed Decograin (Golden Oak/Rosewood)		949	949	949	949	949	949	949	949	949	949								
Windows (4' (1.22m) fixed timber window included as standard)																			
Timber fixed		67	67	67	67	67	67	67	67	67	67								
PVCu fixed (white)	✓	192	192	192	192	192	192	192	192	192	192								
PVCu opening (white)	✓	251	251	251	251	251	251	251	251	251	251								
PVCu fixed Decograin (Golden Oak/Rosewood)		259	259	259	259	259	259	259	259	259	259								
PVCu opening Decograin (Golden Oak/Rosewood)		313	313	313	313	313	313	313	313	313	313								
Others																			
Timber weather bar	✓	48	48	48	48	48	48	48	48	48	48								
Lining clips (pack of 12)	✓	25	25	25	25	25	25	25	25	25	25								
Sand & cement fillet	✓	104	104	104	104	104	104	104	104	104	104								
RealBrick front posts	✓	211	211	211	211	211	211	211	211	211	211								
Partition wall (adds 3" (75mm) to length)		242	271	299	356	413	470	527	584	641	698								
Shelf Stack (2'4" or 6')		116 / 135 / 154																	

Garden Rooms

Any Apex building can be built as a Garden Room.



Step 1

Size and finish

- Choose your building's **length** and **width**, then the **wall finish**:

Spar Brick/Stone effect Textured

- For **additional height**, add the following to the basic spar building price: 7' +15%, 7'6" +25%



Step 2

Style

Bespoke Options

- Choose any of the Bespoke Options to personalise your building.
- Find your width in the table and add any of the options in that column.
- You will see page number references against those option groups that have more choices, turn to those pages to select from these.

Apex		Building width (includes coloured roof sheets, Spanish Red as standard)														
		8' (2.43m)	9' (2.74m)	10' (3.04m)	11' (3.34m)	12' (3.65m)										
Length	8'	6563	8147	8551	6855	8452	8883	7223	8833	9292	7350	9058	9545	7477	9282	9797
	10'	6628	8238	8697	7206	8913	9400	7467	9271	9786	7616	9517	10061	7764	9763	10335
	12'	6693	8498	9013	7513	9415	9958	7269	9268	9840	7982	10079	10679	8169	10364	10991
	14'	6758	8757	9329	8203	10300	10899	8567	10762	11389	8832	11125	11779	9097	11487	12170

Apex 15		Building width (Includes Bold Roll tile effect roof – Terracotta)														
		8' (2.43m)	9' (2.74m)	10' (3.04m)	11' (3.34m)	12' (3.65m)										
Length	8'	7098	8682	9086	7457	9054	9485	7892	9502	9961	8086	9793	10280	8280	10084	10600
	10'	7297	8907	9366	7958	9665	10152	8303	10107	10623	8535	10437	10980	8768	10767	11338
	12'	7496	9300	9816	8416	10318	10861	8272	10271	10843	9086	11183	11782	9373	11568	12194
	14'	7695	9694	10265	9256	11353	11952	9738	11933	12559	10120	12412	13067	10502	12891	13574

Apex 20		Building width (Metrotile roof. Choose from: Red, Charcoal, Brindley, Green, Terracotta and Bronze.)														
		8' (2.43m)	9' (2.74m)	10' (3.04m)	11' (3.34m)	12' (3.65m)										
Length	8'	7553	8937	9341	7742	9339	9771	8210	9820	10279	8436	10143	10630	8661	10466	10981
	10'	7615	9225	9684	8315	10023	10510	8700	10504	11020	8972	10874	11417	9244	11243	11815
	12'	7877	9682	10197	8845	10746	11290	8749	10748	11320	9610	11707	12306	9945	12140	12766
	14'	8139	10138	10710	9757	11854	12453	10294	12489	13115	10731	13024	13678	11169	13558	14241

	Building width				
	8'	9'	10'	11'	
Main Door (White PVCu. See page 21 for other sizes)					12'
Full height (no midrail) Glazed 4' (1.22m)	1242	1242	1242	1242	1242
Panelled 4' (1.22m)	1346	1346	1346	1346	1346
Full height (midrail) Glazed 4' (1.22m)	1311	1311	1311	1311	1311
Undermidrail panelled 4' (1.22m)	1277	1277	1277	1277	1277
Main Door (Decograin PVCu, Golden Oak or Rosewood)					
Full height (no midrail) Full height glazed 4' (1.22m)	1743	1743	1743	1743	1743
Full height Panelled 4' (1.22m)	2071	2071	2071	2071	2071
Full height (midrail) Full height glazed 4' (1.22m)	1795	1795	1795	1795	1795
Full height undermidrail panelled 4' (1.22m)	2140	2140	2140	2140	2140
Full height panelled 4' (1.22m)	2502	2502	2502	2502	2502
Personnel Door (all O/A frame) see page 20 for more options					
PVCu Half Glazed White 3'	707	707	707	707	707
PVCu Half Glazed White 3'6"	759	759	759	759	759
PVCu Half Glazed Decograin 3'	949	949	949	949	949
PVCu Half Glazed Decograin 3'6"	1001	1001	1001	1001	1001

Supplied as standard:

Main door: White PVCu patio double door, two white PVCu full height glazed units.
Wall finish: Thicker concrete steel reinforced panels with spar finish.
Roof: Roof type depending on the shape chosen (see standard building range).
Front posts: Spar.

Fascias and vergeboards: White PVCu fascia and vergeboards.
Gutters: White PVCu gutters to both sides.
Window: 4' (1.22m) White PVCu fixed window.

Garden Rooms

	Building width				
	8'	9'	10'	11'	12'
Fixed PVCu Panels (White) For other PVCu frame options, see page 21.					
Full height Glazed 1' (0.30m)	Included × 2	173	173	173	173
Full height Glazed 1'6" (0.46m)	Included × 2	207	207	207	207
Full height Glazed 2' (0.61)	Included × 2	276	Included × 2	Included × 2	Included × 2
Full height (midrail)					
Glazed 1' (0.30m)	190	190	190	190	190
Glazed 1'6" (0.46)	207	207	207	207	207
Glazed 2' (0.61m)	259	259	259	259	259
Half Glazed 1' (0.30m)	173	173	173	173	173
Half Glazed 1'6" (0.46)	190	190	190	190	190
Half Glazed 2' (0.61m)	242	242	242	242	242
Fully Panelled 1' (0.30m)	173	173	173	173	173
Fully Panelled 1'6" (0.46)	190	190	190	190	190
Fully Panelled 2' (0.61m)	224	224	224	224	224
Fixed PVCu Panels (Decograin PVCu, Golden Oak or Rosewood)					
Full height Glazed 1' (0.30m)	190	190	190	190	190
Full height Glazed 1'6" (0.46m)	242	242	242	242	242
Full height Glazed 2' (0.61)	293	293	293	293	293
Full height (midrail)					
Glazed 1' (0.30m)	242	242	242	242	242
Glazed 1'6" (0.46)	259	259	259	259	259
Glazed 2' (0.61m)	311	311	311	311	311
Half Glazed 1' (0.30m)	414	414	414	414	414
Half Glazed 1'6" (0.46)	431	431	431	431	431
Half Glazed 2' (0.61m)	483	483	483	483	483
Fully Panelled 1' (0.30m)	587	587	587	587	587
Fully Panelled 1'6" (0.46)	638	638	638	638	638
Fully Panelled 2' (0.61m)	673	673	673	673	673

	Building width				
	8'	9'	10'	11'	12'
Fascia and Vergeboard					
PVCu (White)	171	171	171	171	171
PVCu (Decograin)	192	192	192	192	192
Windows					
PVCu fixed White 2'	243	243	243	243	243
PVCu fixed White 4'	251	251	251	251	251
PVCu Opening White 2'	291	291	291	291	291
PVCu Opening White 4'	259	259	259	259	259
PVCu fixed Decograin 2'	313	313	313	313	313
PVCu fixed Decograin 4'	327	327	327	327	327
PVCu Opening Decograin 2'	379	379	379	379	379
PVCu Opening Decograin 4'	379	379	379	379	379
Others					
Guttering (White) choose Brown or Black at no extra cost	25	25	25	25	25
Lining clips (pack of 12)	104	104	104	104	104
Sand Cement Fillet	228	256	285	313	342
Partition Wall (adds 3" (75mm) to external length)"	116 / 135 / 154				
Shelf Stack (2' 4" or 6')	116 / 135 / 154				



In a hurry?

This **Special Package Offers** is designed to save you time and money. We've put together the most popular building options and reduced the price, and you still qualify for any price promotions and discounts!



Premium Options Decograin package:

- ✓ PVCu fascias (Decograin)
- ✓ PVCu Main door (fully glazed, Decograin)
- ✓ PVCu Frames (fully glazed Decograin)
- ✓ Sand and cement fillet

Save up to **£194**

Building width

	Building width				
	8'	9'	10'	11'	12'
Premium Options Decograin package:	556	582	556	556	556

Sheds and Workshops

Any of the five basic shapes can be built as a Shed or Workshop.



Step 1

Size and finish

The tables below correspond to the building shapes we can supply as a shed or workshop. Choose the **length** and **width** for your building from the appropriate table.

(For information about each building shape, refer to the Lidjet brochure.)

Then choose the **wall finish** you want:

Spar Brick/Stone effect Textured

This will give you your **standard building price**.

If you need **additional height**, add the following to the basic spar building price:
 7' (2.13m) +15% (Apex range only)
 7'6" (2.29m) +25% (All)

Pent	Building width						
	4' (1.22m)	6' (1.82m)	8' (2.43m)	10' (3.04m)	12' (3.65m)	14' (4.26m)	16' (4.87m)
4'	2714 3348 3529	2904 3733 3970	3136 4160 4452	3340 4559 4907	3562 4976 5380	4011 5621 6080	4432 6236 6751
6'	2904 3733 3970	3183 4207 4499	3328 4547 4895	3429 4843 5247	3612 5222 5681	4142 5947 6462	4533 6532 7103
8'	3136 4160 4452	3328 4547 4895	3496 4910 5314	3639 5249 5708	3782 5587 6102	4290 6289 6861	4617 6812 7438
10'	3340 4559 4907	3429 4843 5247	3639 5249 5708	3809 5614 6129	3979 5978 6550	4603 6798 7425	5054 7444 8127
12'	3562 4976 5380	3612 5222 5681	3782 5587 6102	3979 5978 6550	4273 6468 7095	4967 7356 8039	5591 8176 8914
14'	3950 5560 6019	4075 5879 6395	4201 6200 6772	4486 6680 7307	4933 7323 8006	5633 8218 8956	6401 9180 9975
16'	4428 6233 6748	4492 6491 7063	4583 6778 7405	5021 7410 8093	5532 8117 8855	6268 9047 9842	6941 9915 10766

Pent Mansard	Building width						
	4' (1.22m)	6' (1.82m)	8' (2.43m)	10' (3.04m)	12' (3.65m)	14' (4.26m)	16' (4.87m)
4'	3724 4359 4540	4020 4849 5086	4358 5381 5674	4667 5886 6234	4994 6408 6812	5549 7159 7618	6318 8122 8638
6'	3914 4744 4981	4299 5323 5616	4549 5769 6117	4756 6170 6574	5045 6655 7114	5680 7485 8000	6419 8418 8989
8'	4147 5170 5463	4444 5664 6011	4718 6132 6536	4966 6576 7035	5215 7019 7535	5828 7828 8399	6503 8698 9324
10'	4350 5570 5917	4545 5959 6363	4861 6471 6930	5136 6941 7456	5412 7111 7982	6141 8336 8963	6940 9330 10013
12'	4572 5987 6390	4728 6338 6797	5004 6808 7324	5306 7305 7877	5706 7901 8528	6505 8894 9577	7477 10062 10800
14'	4961 6571 7030	5191 6996 7511	5423 7422 7993	5813 8008 8634	6366 8755 9438	7171 9757 10495	8287 11066 11861
16'	5439 7244 7759	5608 7608 8179	5805 8000 8626	6348 8737 9420	6965 9550 10288	7806 10586 11380	8827 11801 12652

Apex	Building width						
	4' (1.22m)	6' (1.82m)	8' (2.43m)	10' (3.04m)	12' (3.65m)	14' (4.26m)	16' (4.87m)
4'	3106 3740 3921	3220 4049 4287	3653 4676 4969	3920 5140 5487	4206 5620 6024	4761 6371 6830	5320 7125 7640
6'	3215 4044 4282	3690 4713 5006	3913 5133 5480	4090 5504 5908	4359 5969 6428	4920 6724 7239	5505 7504 8076
8'	3653 4676 4969	3913 5133 5480	4083 5497 5901	4307 5917 6376	4528 6332 6847	5105 7104 7675	5690 7885 8512
10'	3920 5140 5487	4090 5504 5908	4307 5917 6376	4477 6282 6797	4733 6732 7304	5515 7710 8337	6195 8585 9268
12'	4206 5620 6024	4359 5969 6428	4528 6332 6847	4733 6732 7304	5056 7251 7877	5936 8326 9008	6777 9363 10101
14'	4703 6312 6771	4857 6662 7177	5071 7070 7642	5431 7626 8253	5902 8292 8975	6954 9539 10277	7930 10710 11504
16'	5270 7074 7589	5438 7437 8009	5623 7818 8445	6101 8490 9173	6682 9267 10005	7784 10564 11358	8755 11729 12580

Apex 15	Building width						
	4' (1.22m)	6' (1.82m)	8' (2.43m)	10' (3.04m)	12' (3.65m)	14' (4.26m)	16' (4.87m)
4'	3239 3874 4055	3421 4250 4487	3920 4944 5236	4255 5474 5822	4607 6022 6425	5230 6840 7299	5855 7660 8175
6'	3416 4245 4482	3991 5014 5307	4315 5534 5882	4592 6006 6410	4961 6571 7030	5622 7426 7942	6308 8307 8878
8'	3920 4944 5236	4315 5534 5882	4618 6033 6436	4976 6586 7045	5330 7135 7650	6041 8040 8612	6761 8955 9582
10'	4255 5474 5822	4592 6006 6410	4976 6586 7045	5313 7118 7633	5736 7735 8307	6686 8881 9507	7533 9922 10605
12'	4607 6022 6425	4961 6571 7030	5330 7135 7650	5736 7735 8307	6260 8455 9081	7341 9730 10413	8383 10968 11706
14'	5171 6781 7240	5560 7364 7879	6007 8007 8578	6602 8797 9423	7307 9696 10378	8593 11178 11916	9803 12583 13377
16'	5805 7609 8125	6241 8240 8811	6693 8888 9515	7439 9828 10511	8287 10872 11610	9656 12436 13231	10895 13869 14720

Apex 20	Building width						
	4' (1.22m)	6' (1.82m)	8' (2.43m)	10' (3.04m)	12' (3.65m)	14' (4.26m)	16' (4.87m)
4'	3303 3937 4119	3516 4345 4583	4047 5071 5363	4413 5633 5980	4798 6212 6616	5452 7062 7521	6109 7914 8429
6'	3511 4340 4577	4133 5157 5450	4505 5725 6072	4830 6244 6648	5247 6857 7316	5956 7760 8275	6689 8688 9260
8'	4047 5071 5363	4505 5725 6072	4873 6287 6691	5294 6904 7363	5711 7516 8031	6486 8485 9057	7269 9464 10090
10'	4413 5633 5980	4830 6244 6648	5294 6904 7363	5710 7515 8030	6213 8212 8783	7242 9437 10063	8168 10558 11241
12'	4798 6212 6616	5247 6857 7316	5711 7516 8031	6213 8212 8783	6832 9027 9653	8008 10397 11080	9145 11730 12468
14'	5393 7003 7462	5893 7698 8213	6452 8451 9023	7158 9353 9979	7974 10364 11046	9371 11956 12694	10692 13472 14267
16'	6059 7863 8379	6622 8621 9192	7202 9396 10023	8074 10464 11146	9049 11634 12372	10546 13326 14120	11912 14886 15737

Special Package Offers	Building width													
	4' (1.22m)	6' (1.82m)	8' (2.43m)	10' (3.04m)	12' (3.65m)	14' (4.26m)	16' (4.87m)							
MF	982	1377	994	1387	1005	1397	1017	1407	1029	1418	1040	1428	1235	1600
PO	Incl	1005	Incl	1005	Incl	1005	Incl	1005	Incl	1005	Incl	1005	Incl	1005
MF	1005	1397	1005	1397	1005	1397	1005	1397	1005	1397	1005	1397	1189	1559
PO	1029	1418	1029	1418	1029	1418	1029	1418	1029	1418	1029	1418	1212	1579
MF	1052	1438	1052	1438	1052	1438	1052	1438	1052	1438	1052	1438	1235	1600
PO	23	22	23	20	23	20	23	20	23	20	23	20	23	20

Supplied as standard:

Wall finish: Thicker concrete steel reinforced panels with spar finish.

Front posts: Spar.

Main door: 3' (0.91m) vertically boarded standard timber door

Roof: Roof type depending on the shape chosen (see standard building range).

Fascias and vergeboards: Factory treated timber fascia and vergeboards.

Window: 4' (1.22m) timber fixed factory preservative treated, depending on size of building.

Sheds and Workshops

Step 2

Style

Bespoke Options

- Choose any of the Bespoke Options to personalise your building.
- Find your width in the table and add any of the options in that column.
- You will see page number references against those option groups that have more choices, turn to those pages to select from these.

	SPOs		Building width						
	MF	P0	4'	6'	8'	10'	12'	14'	16'
Plastisol roof sheets (for Pent buildings only)									
4'			83	125	166	208	250	291	333
6'			125	187	250	312	375	437	499
8'			166	250	333	416	499	583	666
10'			208	312	416	520	624	728	832
12'			250	375	499	624	749	874	999
14'			291	437	583	728	874	1020	1165
16'			333	499	666	832	999	1165	1332
Coloured roof tiles (for Apex buildings only)									
4'			30	45	59	74	89	104	119
6'			45	67	89	111	134	156	178
8'			59	89	119	149	178	208	238
10'			74	111	149	186	223	260	297
12'			89	134	178	223	268	312	357
14'			104	156	208	260	312	364	416
16'			119	178	238	297	357	416	476
Fascia and Vergeboard (Supplied with timber as standard (except Mansard which is PVCu))									
PVCu (White)	✓	✓	468	468	468	468	468	468	684
PVCu Deco Grain (Golden Oak/Rosewood)			639	639	639	639	639	639	884
Gutters (included front and rear elevations on Mansard)									
Pent	✓	✓	28	42	56	70	84	98	112
Apex, Apex 15 & Apex 20 (both sides)	✓	✓	56	56	56	56	56	56	56
Add for each additional 2' increment	✓	✓	14	14	14	14	14	14	14

	SPOs		Building width							
	MF	P0	4'	6'	8'	10'	12'	14'	16'	
Personnel Door (all O/A frame)										
Standard Timber			104	104	104	104	104	104	104	
Deluxe Timber			119	119	119	119	119	119	119	
Galvanised steel white vertical	✓		223	223	223	223	223	223	223	
Galvanised steel white Georgian		✓	493	493	493	493	493	493	493	
3 point locking		✓	89	89	89	89	89	89	89	
Add Deco Grain (Golden Oak/Rosewood) to white vertical/Georgian 3' price			550	550	550	550	550	550	550	
PVCu Half Glazed (white)			551	551	551	551	551	551	551	
PVCu Half Glazed Deco Grain (Golden Oak/Rosewood)			603	603	603	603	603	603	603	
Windows			793	793	793	793	793	793	793	
Timber fixed			67	67	67	67	67	67	67	
PVCu fixed (white)			89	89	89	89	89	89	89	
PVCu opening (white)		✓	192	192	192	192	192	192	192	
PVCu fixed Deco Grain (Golden Oak/Rosewood)			243	243	243	243	243	243	243	
PVCu opening Deco Grain (Golden Oak/Rosewood)			251	251	251	251	251	251	251	
PVCu opening Deco Grain (Golden Oak/Rosewood)			291	291	291	291	291	291	291	
Others			259	259	259	259	259	259	259	
Lining clips (pack of 12)			313	313	313	313	313	313	313	
Sand & cement fillet		✓	327	327	327	327	327	327	327	
Partition wall (adds 3" (75mm) to length)			379	379	379	379	379	379	379	
Shelf Stack (2' 4" or 6")			114	171	228	285	342	399	456	
			116/135/154							

MF = Maintenance Free Package P0 = Premium Options Package

All sheds and workshops pricing includes a 3' (0.91m) standard timber door. All door upgrades have already been adjusted for the standard door provided (i.e. we have deducted £156 from your chosen door).

Main doors and front posts



Step 1 Style and colour

As standard, your building comes with a galvanised steel, horizontally ribbed, up and over door. The table below shows the other types of door that are available for the width of your building, as well as additional security locking and remote controls.

Don't forget: If you already have your own door, we can leave a gap for you to fit it.

Once you've chosen the type of door you want, the table below tells you whether a colour option is available.

Where applicable, you can choose from: or

Door width ▶	Building width							Material				
	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"		20'6"	22'6"	24'6"	26'6"
	7'	8'	9'	10'	10'	2 × 7'	2 × 8'	2 × 8'	2 × 9'	2 × 9'	2 × 10'	
Up and Over Doors — Included as standard —												
Horizontal ribbed	Steel	59	114	114	176	969	118	228	352	352	1938	
Vertical ribbed	Steel	179	369	369	404	1200	358	738	808	808	2400	
Georgian	Steel	452	494	494	—	—	904	988	—	—	—	
Ilkley	Steel	199	—	—	—	—	398	—	—	—	—	
Chevron	Steel	—	—	—	—	—	—	—	—	—	—	
Other Doors — Available in white only —												
Rollershutter	Steel	249	299	299	359	429	498	598	718	718	858	
Sectional	Steel	859	859	859	979	1059	1718	1718	1958	1958	2118	
Sectional w/windows	Steel	1165	1165	1165	1376	1463	2329	2329	2753	2753	2925	
Sidehung	Steel	899	929	929	—	—	1798	1858	—	—	—	
Sidehung	Timber	141	160	160	—	—	282	320	—	—	—	
Extras — Available in white only —												
4 point security locking (u&o)	—	104	104	104	104	—	208	208	208	208	—	
Electric Remote Control (U&O, Rollershutter and Sectional doors)	—	959	959	959	959	959	1917	1917	1917	1917	1917	
— Key override	—	84	84	84	84	84	84	84	84	84	84	
— Wall mounted switch	—	100	100	100	100	100	100	100	100	100	100	
— Additional handset	—	100	100	100	100	100	100	100	100	100	100	
No door (leaving gap)	—	-97	-112	-112	-129	-189	-194	-224	-224	-258	-378	

Door width ▶	Building width											Material		
	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	18'6"	20'6"	22'6"	24'6"	26'6"			
	7'	8'	9'	9'	10'	2 × 7'	2 × 8'	2 × 8'	2 × 9'	2 × 9'	2 × 10'			
Up and Over Doors — Available in white only —														
Horizontal ribbed	163	248	163	248	163	248	163	248	163	248	326	497	326	497
Vertical ribbed	222	307	277	362	339	—	1132	—	444	615	554	725	678	—
Georgian	342	427	532	617	532	617	567	652	1363	1448	684	855	1064	1235
Ilkley	615	—	657	—	—	—	—	—	1230	—	1314	—	—	—
Chevron	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Doors — Available in white only —														
Rollershutter	Incl.	311	Incl.	374	Incl.	374	Incl.	449	Incl.	536	Incl.	623	Incl.	748
Sectional	1373	1497	1373	1497	1493	1617	1573	1697	2746	2994	2746	2994	2986	3234
Sectional w/windows	1679	1803	1679	1803	1679	1803	1890	2014	1977	2101	3357	3605	3357	3781
Sidehung (Steel)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Front posts — Available in white only —														
Real Brick	211	211	310	310	572	582	316	316	596	868	868	868	868	
Sectional Brick/Stone	190	190	279	279	515	524	285	285	536	782	782	782	782	


Main doors

Step 2


Extra doors and extra width

Some buildings will allow a wider door. A wider building will also allow you to position your door off centre (see right). This can facilitate a shared drive, extra storage space or a workshop area.


The table below shows the options available for the width of building you have chosen, as well as what comes as standard. Price up the options using the table on page 18. Options that come as standard are highlighted like this



C = Centered



L = Positioned left



R = Positioned right

Door style	Building width													
	8'6"	9'6"	10'6"	12'6"	14'6"	16'6"	16'6"	18'6"	20'6"	20'6"	22'6"	24'6"	24'6"	26'6"
7'	1 door	1 door	1 door	1 door	1 door	1 door	1 door	1 door	1 door	1 door	1 door	1 door	1 door	1 door
8'	std C	opt L/R/C	opt L/R/C	opt L/R/C	opt L/R/C	2 × std C	2 × std C	2 ×	opt L/R/C	2 ×	opt L/R/C	2 ×	opt L/R/C	2 ×
9'	—	std C	std C	std C	opt L/R/C	—	—	—	opt L/R/C	—	—	2 × std C	2 ×	2 ×
10'	—	—	opt C	opt C	opt L/R/C	—	—	—	opt L/R/C	—	—	—	opt L/R/C	2 × std C
12'	—	—	—	—	opt C	—	—	—	opt L/R/C	—	—	—	opt L/R/C	—
14'	—	—	—	—	—	—	—	—	opt L/R/C	—	—	—	opt L/R/C	—

Once you have established a wider door will fit in your chosen width, choose a style from this table:

Door style	Material	Door width					
		7'	8'	9'	10'	12'	14'
Horizontal ribbed U&O	Steel	Incl.	114	176	969	1436	1353
Vertical ribbed U&O	Steel	59	114	176	969	1436	1353
Georgian U&O	Steel	179	369	404	1200	1529	1569
Ilkley U&O	Steel	452	494	—	—	—	2149
Chevron U&O	Steel	199	—	—	—	—	—
Rollershutter	Steel	249	299	359	429	579	799
Sectional	Steel	859	859	979	1059	—	—
Sectional w/windows	Steel	1165	1165	1376	1463	—	—
Side hung	Steel	899	929	—	—	—	—
Side hung	Timber	141	160	—	—	—	—
Electric Remote Control	—	959	959	959	959	959	959

This table tells you whether a Coloured or Decograin option is available for your wider door:

Up and Over Doors	Door width					
	7'	8'	9'	10'	12'	14'
Horizontal ribbed	163	248	362	339	1132	—
Vertical ribbed	222	307	277	362	1132	1598
Georgian	342	427	532	617	—	1598
Ilkley	615	—	657	—	—	—
Other Doors						
Rollershutter	Incl.	311	Incl.	374	Incl.	536
Sectional	1373	1497	1373	1497	1493	1617
Sectional w/windows	1679	1803	1679	1803	1890	2014
Sidehung (Steel)	1062	—	1092	—	—	—
Rollershutter	—	—	—	—	724	Incl.
Sectional	—	—	—	—	—	999
Sectional w/windows	—	—	—	—	—	—
Sidehung (Steel)	—	—	—	—	—	—

If a colour option exists for your choice, this final table tells you what's available:

Up and Over & Sectional Doors	Rollershutter Doors
Colour	Colour
White	White
Dark Brown	Black
Light Blue	Van Dyke Brown
Steel Blue (Dark Blue)	Honesty Cream
Green	Juniper Green
Red	Goosewing Grey
Black	Golden Oak
Golden Oak Woodgrain	Rosewood
Rosewood Woodgrain	

Personnel doors



Step 1

Size, Style and colour

- A personnel door is a worthwhile addition to your building, and almost essential if you have an automatic main door. The table below will tell you which **size**, **style** and **colour** options are available.
- The diagram below shows you where in your building you can place a personnel door.
- Some steel or PVCu doors are available in: or




Step 2

Opening

Doors can be hung left or right handed, opening in or out:

Material ▼	Style			Fully glazed	Fully panelled	3 point locking
	Vertical	Georgian	Half glazed			
Timber						
3' (0.91m) Standard	156	-	-	-	-	-
4' (1.22m) Standard	260	-	-	-	-	-
3' (0.91m) Deluxe	275	-	-	-	-	-
Steel						
3' (0.91m)	379	929	835	929	-	89
4' (1.22m)	649	-	-	-	-	89
PVCu						
3' (0.91m)	-	707	949	707	656	Included
3'6" (1.06m)	-	759	1001	759	690	Included

All personnel doors	Left hand hung		Right hand hung	
	Opening out	Opening in	Opening out	Opening in
	✓	✓	✓	✓



Left hand hung, opening out



Left hand hung, opening in

Personnel door positioning

When fitting personnel doors, we take out two 2' (0.61m) panels and put in either a 3' (0.91m) door and a 1' (0.31m) panel, or a 4' (1.22m) door. The corners of the building are a structural component and we cannot position the door under a roof truss. Some door tracks extend back into the garage by at least 6', so try to avoid putting the door there. Also remember to leave enough distance between the garage and the house to ensure you can open the door! (see page 23).

For further advice, talk to your agent.



The Personnel door positioning diagram is also relevant to windows and Full Height PVCu units. Please ask your agent for help and advice in positioning your chosen options.

PVCu units



PVCu panels

Full height PVCu panels and Doors can be positioned using the same rules of positioning as for Personnel Doors and Windows (see Page 20). A concrete panel is required between each PVCu unit for stability. Talk to your agent for advice in specifying your building.

Choose from: or

	Height ▼	Panel width																	
		1' (0.30m)	1'6" (0.45m)	2' (0.61m)	2'6" (0.76m)	3' (0.91m)	3'6" (1.06m)	4' (1.22m)	5' (1.52m)	6' (1.82m)									
Fixed Full Height Units																			
Fully glazed fixed	6'6" (1.98m)	173	190	207	242	276	293	311	345	380	414	431	466	483	518	604	638	707	742
Fixed Full Height Units with Midrail																			
Glazed	6'6" (1.98m)	190	242	259	293	311	293	362	362	449	414	500	466	552	569	673	673	794	794
Half glazed	6'6" (1.98m)	173	414	190	431	242	483	259	518	328	604	362	638	414	707	500	794	587	897
Fully panelled	6'6" (1.98m)	173	587	190	638	224	673	259	707	311	776	345	828	397	880	483	984	569	1070
Opening Full Height Units with Midrail																			
Glazed	6'6" (1.98m)	224	259	311	362	311	362	345	414	431	518	483	587	552	656	-	-	-	-
Half glazed	6'6" (1.98m)	207	466	500	535	276	535	311	587	380	673	431	725	483	794	-	-	-	-
Fully panelled	6'6" (1.98m)	207	621	242	725	276	725	311	776	380	863	431	915	483	984	-	-	-	-

PVCu door units

All doors are 6'6" in height.

Choose from: or

	Door width									
	3' (0.91m)	3'6" (1.06m)	4' (1.22m)	5' (1.52m)	6' (1.82m)					
No midrail										
Full height glazed	690	932	742	984	1311	1743	1398	1846	1484	1950
Full height panelled	638	1070	673	1104	1242	2071	1294	2140	1363	2226
Midrail										
Full height glazed	707	949	759	1001	1346	1795	1432	1898	1518	2002
Full height under midrail glazed	707	949	759	1001	1311	2140	1380	2243	1467	2347
Full height panelled	656	1277	690	1329	1277	2502	1329	2588	1398	2675

Hortons
tel: 01403 888222
web: hortonsgroup.com

Hortons
tel: 01403 888222
web: hortonsgroup.com


Hortons
tel: 01403 888222
web: hortonsgroup.com

Hortons
tel: 01403 888222

Hortons
tel: 01403 888222

Hortons
tel: 01403 888222

Building sizes



For Building regulations requirements (building areas) see www.lidget.co.uk/buildingregs and for Planning permission requirements (building volumes) see www.lidget.co.uk/planning
 Imperial/metric for Garages, Sheds, Workshops and Garden Rooms

External and internal dimensions

Ridge height by model

Garages, Sheds, Workshops and Garden Rooms, standard 6' 6" (1.981m) height. Other heights available on our website (www.lidget.co.uk)

Building length			Building width		
Imperial	Metric		Imperial	Metric	
External	Internal	Internal	External	Internal	Internal
4'	1.219	1.067	4'	3'6"	1.219
6'	1.829	1.676	6'	5'6"	1.829
8'	2.438	2.286	8'	7'6"	2.438
10'	3.048	2.895	8'6"	8'	2.591
12'	3.657	3.505	9'6"	9'	2.895
14'	4.267	4.115	10'	9'6"	3.048
14'3"	4.343	4.191	10'6"	10'	3.200
16'	4.877	4.724	12'	11'6"	3.657
16'3"	4.953	4.800	12'6"	12'	3.810
18'3"	5.562	5.410	14'	13'6"	4.267
20'3"	6.172	6.020	14'6"	14'	4.419
22'3"	6.781	6.629	16'	15'6"	4.877
24'3"	7.391	7.239	16'6"	16'	5.029
26'3"	8.001	7.848	18'6"	18'	5.639
28'3"	8.610	8.458	20'6"	20'	6.248
30'3"	9.220	9.067	22'6"	22'	6.858
32'3"	9.829	9.677	24'6"	24'	7.467
			26'6"	26'	8.077
					7.924

Building width	Pent		Pent Mansard		Apex		Apex 15		Apex 20	
	Imperial	Metric	Imperial	Metric	Imperial	Metric	Imperial	Metric	Imperial	Metric
	Ridge height		Ridge height		Ridge height		Ridge height		Ridge height	
4'	7'3"	2.21m	8'6"	2.495	7'4"	2.235	7'5 1/2"	2.273	7'7 1/2"	2.323
6'	7'3"	2.21m	8'6"	2.495	7'6 1/2"	2.299	7'8 1/2"	2.35	8'0"	2.434
8'	7'3"	2.21m	8'6"	2.495	7'9"	2.362	7'11 1/2"	2.432	8'4"	2.545
8'6"	7'3"	2.21m	8'6"	2.495	7'9 1/2"	2.375	8' 1/2"	2.451	8'5 1/2"	2.573
9'6"	7'3"	2.21m	8'6"	2.495	7'11"	2.413	8'2 1/2"	2.496	8'7 1/2"	2.628
10'	7'3"	2.21m	8'6"	2.495	7'11 1/2"	2.426	8'3"	2.515	8'8 1/2"	2.656
10'6"	7'3"	2.21m	8'6"	2.495	8'0 1/2"	2.451	8'3 1/2"	2.534	8'9 1/2"	2.684
12'	7'3"	2.21m	8'6"	2.495	8'2 1/2"	2.502	8'6 1/2"	2.597	9'1"	2.767
12'6"	7'3"	2.21m	8'6"	2.495	8'3"	2.515	8'7"	2.616	9'2"	2.795
14'	7'3"	2.21m	8'6"	2.495	8'5"	2.565	8'9 1/2"	2.68	9'5 1/2"	2.878
14'6"	7'3"	2.21m	8'6"	2.495	8'5 1/2"	2.578	8'10 1/2"	2.699	9'6 1/2"	2.906
16'	7'3"	2.21m	8'6"	2.495	8'7 1/2"	2.629	9'0 1/2"	2.762	9'9 1/2"	2.989
16'6"	7'3"	2.21m	8'6"	2.495	8'8 1/2"	2.654	9'1 1/2"	2.781	9'11"	3.017
18'6"	7'3"	2.21m	8'6"	2.495	8'11"	2.718	9'4 1/2"	2.864	10'3"	3.127
20'6"	7'3"	2.21m	8'6"	2.495	9'1 1/2"	2.781	9'8"	2.946	10'7 1/2"	3.238
22'6"	-	-	-	-	9'4 1/2"	2.858	9'11 1/2"	3.029	11'	3.349
24'6"	-	-	-	-	9'7"	2.921	10'2 1/2"	3.112	11'4"	3.460
26'6"	-	-	-	-	9'9 1/2"	2.985	10'5 1/2"	3.194	11'8 1/2"	3.571

Door sizes



The tables on this page show the door size and the clear size available when the door is open. In addition, the size of the opening door arc is shown, i.e. the room needed to open the door without it catching on anything. This information will help you to position your building, and establish whether you will be able to access it without problems.

Main Doors (up and over)

	External dimensions				Clear dimensions				Opening arc	
	Imperial		Metric		Imperial		Metric		Imperial	Metric
	Width	Height	Width	Height	Width	Height	Width	Height		
Up and over doors (height)	6'6"	6'6"	1.981	1.981	62"	6'1"	1.880	1.854	3'	0.91
	7'	6'6"	2.133	1.981	68"	6'1"	2.032	1.854	3'	0.91
	7'6"	6'6"	2.286	1.981	72"	6'1"	2.184	1.854	3'	0.91
	8'	6'6"	2.438	1.981	78"	6'1"	2.337	1.854	3'	0.91
	9'	6'6"	2.743	1.981	88"	6'1"	2.641	1.854	3'	0.91
	10'	6'6"	3.048	1.981	98"	6'1"	2.946	1.854	3'	0.91
	12'	6'6"	3.657	1.981	118"	6'1"	3.556	1.854	3'	0.91
	14'	6'6"	4.267	1.981	138"	6'1"	4.165	1.854	3'	0.91
	7'	7'	2.133	2.133	68"	6'7"	2.032	2.007	3'3"	0.985
	7'6"	7'	2.286	2.133	72"	6'7"	2.184	2.007	3'3"	0.985
	8'	7'	2.438	2.133	78"	6'7"	2.337	2.007	3'3"	0.985
	9'	7'	2.743	2.133	88"	6'7"	2.641	2.007	3'3"	0.985
	10'	7'	3.048	2.133	98"	6'7"	2.946	2.007	3'3"	0.985
	12'	7'	3.657	2.133	118"	6'7"	3.556	2.007	3'3"	0.985
14'	7'	4.267	2.133	138"	6'7"	4.165	2.007	3'3"	0.985	
7'	7'6"	2.133	2.286	68"	7'1"	2.032	2.159	4'	1.22	
7'6"	7'6"	2.286	2.286	72"	7'1"	2.184	2.159	4'	1.22	
8'	7'6"	2.438	2.286	78"	7'1"	2.337	2.159	4'	1.22	

Personnel doors

	External dimensions				Clear dimensions				Opening arc	
	Imperial		Metric		Imperial		Metric		Imperial	Metric
	Width	Height	Width	Height	Width	Height	Width	Height		
Timber	3'	6'6"	0.914	1.981	2'7½"	5'8½"	0.8	1.74	2'9"	0.84
	4'	6'6"	1.219	1.981	3'7½"	5'8½"	1.105	1.74	3'9"	1.145
	3'	6'6"	0.914	1.981	2'7"	5'9"	0.79	1.755	3'	0.91
Steel	3'	6'6"	0.914	1.981	2'8½"	6'2½"	0.83	1.835	2'10"	0.86
	4'	6'6"	1.219	1.981	3'8½"	6'2½"	1.135	1.835	3'10"	1.165
PVCu	3'	6'6"	0.914	1.981	2'7"	5'11"	0.785	1.81	2'8"	0.82
	3'6"	6'6"	1.219	1.981	3'7"	5'11"	1.09	1.81	3'8"	1.125





LIDGET Compton
The Best Concrete Garage

You've chosen the right building for you. What's next?

Place you order with your agent or call us on:

01709 881844 (fax 01709 881015)

Tell us what you need and we'll work with your agent and you to find a way to make it happen.

 **sales@lidget.co.uk**

If you need something extra...



Don't forget our **design&build** service for your more bespoke projects. Talk to your agent, or visit:

www.lidget.co.uk/designandbuild

or email **designandbuild@lidget.co.uk**

If you have more detailed requirements, send us an email and we'll tell your agent and get right back to you.

www.lidget.co.uk/instantquote

If you know exactly what you want, get online and we'll quote it on the spot.



Our agents are there to answer all your questions. Just ask.

And if all else fails, write to us at:

LidgetCompton, Albion Drive, Lidget Lane, Thurnscoe, Rotherham S63 0BA

Prices in the LidgetCompton price guide all include delivery and installation. Delivery is to the West Country and mainland Scotland, south of the Caledonian Canal, and includes carrying your building up to 25 yards (23 metres) on a reasonable surface from our parked lorry to your concrete base. We are unable to deliver through your house or outbuildings for safety reasons.

Prices include VAT at the current rate of 20%. In the event of a change of VAT rate, we reserve the right to adjust prices accordingly. Prices include installation of options ordered at the time of ordering the building. Options ordered after delivery and installation will be quoted separately. Sizes quoted are external measurements.

All information correct at time of going to press. Photos are for illustration purposes only. Terms and conditions apply. We reserve the right to change product specification without notice. E&OE.

Hortons
tel: 01403 888222
web: hortonsgroup.com

Hortons
tel: 01403 888222
web: hortonsgroup.com

Hortons
tel: 01403 888222
web: hortonsgroup.com

Hortons
tel: 01403 888222
web: hortonsgroup.com

Hortons
tel: 01403 888222
web: hortonsgroup.com

H lidget.co.uk
tel: 01403 888222